

---

# **FusionDirectory User Manual Documentation**

***Version 1.4***

**Benoit Mortier Paola Penati**

**janv. 11, 2021**



---

## Table des matières

---

<b>1 FusionDirectory</b>	<b>3</b>
1.1 What is FusionDirectory? . . . . .	5
1.2 Prerequisites . . . . .	6
1.3 Certified distributions . . . . .	7
1.4 Install FusionDirectory . . . . .	8
1.5 Update FusionDirectory . . . . .	20
1.6 Core . . . . .	113
1.7 Configuration . . . . .	138
1.8 ACLs . . . . .	150
1.9 Plugins . . . . .	171
1.10 Templates . . . . .	296
1.11 Triggers . . . . .	307
1.12 Faq . . . . .	311
1.13 Bug report . . . . .	312
1.14 Release Policy . . . . .	314
1.15 License . . . . .	315
<b>2 Schema2ldif</b>	<b>317</b>
2.1 What is schema2ldif? . . . . .	317
2.2 Prerequisites . . . . .	317
2.3 Install Schema2ldif . . . . .	318
2.4 ldap-schema-manager . . . . .	320
2.5 Schema2ldif . . . . .	321
2.6 License . . . . .	322
<b>3 Argonaut</b>	<b>323</b>
3.1 What is Argonaut? . . . . .	325
3.2 Install Argonaut . . . . .	325
3.3 Configure Argonaut . . . . .	328
3.4 Applications . . . . .	330
3.5 Contribute . . . . .	333
3.6 License . . . . .	333
<b>4 Support</b>	<b>335</b>
4.1 Professional paid support . . . . .	335
4.2 Community support . . . . .	336

<b>5 Security</b>	<b>337</b>
5.1 Digital signature . . . . .	337
5.2 Security issues . . . . .	338
<b>6 Authors</b>	<b>339</b>
6.1 Original GOsa <sup>2</sup> AUTHORS . . . . .	339
6.2 FusionDirectory AUTHORS . . . . .	340
6.3 FusionDirectory libraries . . . . .	342
<b>7 Contact Us</b>	<b>343</b>
<b>8 Code of Conduct</b>	<b>345</b>
8.1 Our Pledge . . . . .	345
8.2 Our Standards . . . . .	345
8.3 Our Responsibilities . . . . .	346
8.4 Scope . . . . .	346
8.5 Enforcement . . . . .	346
8.6 Attribution . . . . .	346



Contents :





## CHAPITRE 1

---

FusionDirectory

---



Contents :

## 1.1 What is FusionDirectory ?

FusionDirectory provides a solution to daily management of data stored in an LDAP directory. Becoming the cornerstone of the information system, the corporate directory becomes more complex offering more data and managing more infrastructure services.

This interface is simple and can be used to delegate fully or partly the data management to non-specialists.

### 1.1.1 Features

- Users, groups, mail, ssh, personal management.
- Supann norm Management.
- PARTAGE mail integration
- Systems management : dhcp, dns, sudo, all kind of systems.
- System deployment management : FAI, OPSI
- Complex Roles Management.
- Access to multiple LDAP trees.
- FusionDirectory Triggers

### 1.1.2 Acls and roles

- ACLs are only used by FusionDirectory and not the underlying ldap server.
- ACLs can be assigned to roles.
  - Global administrator : Can do everything.
  - Local administrator : Can manage users and groups and also a branch.
  - Human resources : Can create users from template to optimize the arrival of new people.
  - User : Will only be able to change his data permitted by an administrator

### 1.1.3 FusionDirectory Triggers

FusionDirectory incorporates a series of triggers that can launch a specific action based on a task FusionDirectory must run.

These triggers are associated with a content type (LDAP user, group, server, password, service and the triggering action (create, edit, delete, change password ... )

For example, when creating a user, a script generation form can be executed automatically with information from the LDAP server.

This can be useful for generating badges with photo, a form of access to the canteen or sending an email to warn other services of the actual arrival of the person.

This system is also convenient when we want to deploy the account of that person on an application that does not support LDAP.

Another example is when a user leaves, you must :

- archive and delete his mailbox
- archive and remove its network space
- delete him from third party applications not connected to LDAP.

All of this can be easily done by shell scripts (at least in UNIX environment) and run automatically after the suppression of the person by the administrator in FusionDirectory

### 1.1.4 The interaction with non-LDAP applications

FusionDirectory stores information of a service or a server on an LDAP server. How about when this service does not have the opportunity to interact with LDAP ?

This question can be solved by creating :

- LDAP schema suitable for application to the LDAP server
- A plugin for its management in FusionDirectory with the simple plugin [API](#)
- An [Argonaut](#) module for the client installed on the server

## 1.2 Prerequisites

FusionDirectory is a Web application that will need :

- a webserver;
- PHP ;
- an ldap server;
- perl

### 1.2.1 Web server

FusionDirectory requires a web server that supports PHP, like :

- Apache 2 (or more recent) ;
- Nginx ;
- Microsoft IIS.

### 1.2.2 PHP

As of 1.4 release, FusionDirectory requires [PHP](#) 7.0 or more recent.

---

**Note :** We recommand to use the most recent stable PHP release for better performances.

---

### Mandatory extensions

Following PHP extensions are required for the app to work properly :

- cas : for CAS authentication ;
- curl : to communicate with different types of servers and protocols
- filter : to filters a variable with a specified filter ;
- fpdf : to export data in pdf format ;
- gd : to generate images ;
- iconv : for the samba integration ;
- imagick : to handle images ;
- imap : to handle imap servers management ;
- json : to get support for JSON data format ;
- mbstring : to manage multi bytes characters ;
- ldap : to connect and query the ldap server ;
- openssl : secured communications and generation of secure tokens ;
- session : to get user sessions support ;
- simplexml ;
- xml .

## Optional extensions

**Note :** Even if those extensions are not mandatory, we advise you to install them anyways.

Following PHP extensions are required for some extra features of FusionDirectory :

- gettext : for an internationalized interface.
- mhash : to make use of SSHA encryption
- sha1 : to make use of SSHA encryption
- zlib : to handle snapshots;

## Configuration

PHP configuration file (php.ini) must be adapted to reflect following variables :

```
expose_php = Off;
implicit_flush = Off;
memory_limit = 128M ;           // max memory limit
max_execution_time = 30 ;        // not mandatory but advised
session.auto_start = off ;
```

### 1.2.3 LDAP server

For FusionDirectory to work you need an ldap server.

Servers known to work are :

- OpenLDAP
- 389DS

## 1.3 Certified distributions

We certify FusionDirectory with all the most common distributions, here is a table which summarizes the level of support by distribution and version.

Fusiondirectory need at least PHP 5.6.

- Fusiondirectory 1.3 need >= PHP 5.6
- Fusiondirectory 1.4 need >= PHP 7.0

DISTRIBUTION	FusionDirectory 1.2	FusionDirectory 1.3
Debian Jessie	need a support contract	need a support contract
Debian Stretch	not supported	supported
Debian Buster	not supported	supported
Ubuntu 16.04 LTS	need a support contract	supported
Ubuntu 18.04 LTS	not supported	supported
Ubuntu 20.04 LTS	not supported	work in progress
Centos 7	need a support contract	supported
Centos 8	not supported	not supported

## 1.4 Install FusionDirectory

Install FusionDirectory

### 1.4.1 Getting the official GPG keys to active package signature

Our packages for Debian and Centos/RHEL are signed with the official gpg key of the project.

#### Getting the new official gpg key

```
gpg --keyserver keys.gnupg.net --recv-key 0xD744D55EACDA69FF  
gpg --export -a "FusionDirectory Project Signing Key <contact@fusiondirectory.org>" >  
FD-archive-key
```

#### Getting the development gpg key

```
gpg --keyserver keys.gnupg.net --recv-key 0xADD3A1B88B29AE4A  
gpg --export -a "FusionDirectory Packagers <fusiondirectory-packages@lists.  
fusiondirectory.org>" > FD-archive-dev-key
```

#### Adding the key to apt for Debian/Ubuntu

```
apt-key add FD-archive-key
```

#### Adding the key to RPM for Centos / RHEL / Scientific Linux

```
cp FD-archive-key /etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY  
rpm --import /etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

## 1.4.2 Debian Repository

### Debian Stretch

To use the lastest published version for **stretch** put this in your /etc/apt/sources.list

```
#fusiondirectory repository  
deb http://repos.fusiondirectory.org/fusiondirectory-current/debian-stretch stretch  
main
```

```
#fusiondirectory extra repository  
deb http://repos.fusiondirectory.org/fusiondirectory-extra/debian-stretch stretch main
```

## Debian Jessie

To use the lastest published version for **jessie** put this in your /etc/apt/sources.list

```
#fusiondirectory repository
deb http://repos.fusiondirectory.org/fusiondirectory-current/debian-jessie jessie main
```

```
#fusiondirectory extra repository
deb http://repos.fusiondirectory.org/fusiondirectory-extra/debian-jessie jessie main
```

!!! Wheezy is deprecated and will not be maintained anymore, the latest release is 1.2!!!

## 1.4.3 RPM Repository

A repository is available for CentOS 6 / Centos7

This repository contains the stable and oldstable version of FusionDirectory. It also contains the extra packages needed to use FusionDirectory.

To use the lastest published version put this in your yum config :

### CentOS 6 / RHEL 6

To use the lastest published version put this

```
[fusiondirectory]
name=Fusiondirectory Packages for RHEL / CentOS 6
baseurl=http://repos.fusiondirectory.org/fusiondirectory-current/rhel6/RPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

```
[fusiondirectory-extra]
name=Fusiondirectory Extra Packages for RHEL / CentOS 6
baseurl=http://repos.fusiondirectory.org/fusiondirectory-extra/rhel6/RPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

SRPMS are also available in the following repo :

```
[fusiondirectory-src]
name=Fusiondirectory Packages for RHEL / CentOS 6
baseurl=http://repos.fusiondirectory.org/fusiondirectory-current/rhel6/SRPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

!!! Scientific Linux is deprecated and will not be maintained anymore, you can switch the centos packages !!!

### CentOS 7 / RHEL 7

To use the lastest published version put this

```
[fusiondirectory]
name=Fusiondirectory Packages for RHEL / CentOS 7
baseurl=http://repos.fusiondirectory.org/fusiondirectory-current/rhel7/RPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

```
[fusiondirectory-extra]
name=Fusiondirectory Extra Packages for RHEL / CentOS 7
baseurl=http://repos.fusiondirectory.org/fusiondirectory-extra/rhel7/RPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

SRPMS are also available in the following repo :

```
[fusiondirectory-src]
name=Fusiondirectory Packages for RHEL / CentOS 7
baseurl=http://repos.fusiondirectory.org/fusiondirectory-current/rhel7/SRPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

### 1.4.4 Downloading the source

The source download area is here

<https://repos.fusiondirectory.org/sources/>

### 1.4.5 Install FusionDirectory on Debian

Install FusionDirectory

#### Installing Dependencies

All The needed dependancies are resolved by the debian packages

---

**Note :** The repositories are in https for Debian so you will need to install **apt-transport-https**

---

## Install the FusionDirectory Repos

To easily install the latest version, you can install the fusion directory repos

Chose the repositories that goes with your Debian version

*Debian Stretch*

*Debian Jessie*

Create 2 new *.list* file your favorite text editor in */etc/apt/source.list.d*

- One for fusiondirectory
- One for fusiondirectory-extra

## Install FusionDirectory

You can then install FusionDirectory by running :

```
apt-get install fusiondirectory
apt-get install fusiondirectory-schema
```

## FusionDirectory Schema Setup

Now that we have FusionDirectory installed, we need to install the FusionDirectory schemas into our LDAP database.

We can easily do this by running :

```
fusiondirectory-insert-schema
```

You should see the FusionDirectory setup page come up by going to :

<http://SERVER-IP/fusiondirectory>

### 1.4.6 Install FusionDirectory on Centos

Install FusionDirectory

#### Installing Dependencies

FusionDirectory requires both the [EPEL](#) repository and the [REMI](#) repository for PHP 7.1

- To install epel

```
yum install https://dl.fedoraproject.org/pub/epel/epel-release-latest-7.noarch.rpm
```

- To install remi repository

```
yum install http://rpms.remirepo.net/enterprise/remi-release-7.rpm
```

```
yum install yum-utils
```

- To enable Remi repo an PHP 7.1

```
yum-config-manager --enable remi-php71
yum-config-manager --enable remi
yum update
```

## Install the FusionDirectory Repos

To easily install the latest version, you can install the fusion directory repos

Chose the repositories that goes with your centos version

*CentOS 6 / RHEL 6*

*CentOS 7 / RHEL 7*

Create 2 new repo file your favorite text editor.

- One for fusiondirectory
- One for fusiondirectory-extra

## Install FusionDirectory

You can then install FusionDirectory by running :

```
yum install -y fusiondirectory
yum install -y fusiondirectory-selinux fusiondirectory-schema schema2ldif
```

**Avertissement :** If you use SELinux (same in permissive), you must install fusiondirectory-selinux !

## FusionDirectory Schema Setup

Now that we have FusionDirectory installed, we need to install the FusionDirectory schemas into our LDAP database.

We can easily do this by running :

```
fusiondirectory-insert-schema -i /etc/openldap/schema/cosine.schema
fusiondirectory-insert-schema -i /etc/openldap/schema/inetorgperson.schema
fusiondirectory-insert-schema -i /etc/openldap/schema/nis.schema
fusiondirectory-insert-schema
```

Now we just need to restart apache :

```
systemctl restart httpd
```


You should see the FusionDirectory setup page come up by going to :

<http://SERVER-IP/fusiondirectory>

### 1.4.7 Setup FusionDirectory

Once FusionDirectory is installed you can load it in your browser and go through the web setup.


## Welcome



The first step requires you to put a token in a file on the server, to make sure you have access to the server.

Note that you may need to replace the « > » by « | sudo tee » if you need to use sudo to access the location.

### Language




The second step simply lets you select the language in which FusionDirectory and the web setup should be displayed at. If your browser is correctly set it's better to select « Automatic » and let your browser ask FusionDirectory for your preferred language.

## Checks

PHP module and extension checks		PHP setup configuration (show information)	
Checking PHP version	Ok	register_globals = off	Ok
Checking for LDAP support	Ok	session.gc_maxlifetime >= 86400	Ok
Checking for gettext support	Ok	session.auto_start = Off	Ok
Checking for curl support	Ok	memory_limit >= 128	Ok
Checking for cryptographically secure pseudo-random integers	Ok	implicit_flush = Off	Ok
Checking for json support	Ok	max_execution_time >= 30	Ok
Checking for filter support	Ok	expose_php = Off	Ok
Checking for iconv support	Ok	zend.ze1_compatibility_mode = Off	Ok
Checking for hash method support	Ok		
Checking for IMAP support	Ok		
Checking for mbstring support	Ok		
Checking for imagick support	Ok		
Checking for compression module support	Ok		

The third step runs some checks on your PHP installation to make sure everything is installed and setup as needed by FusionDirectory.

## LDAP



The fourth step is where you indicate how to connect to your LDAP server. You can use the refresh button to retry connection once you corrected the information.

## Configuration

The screenshot shows the 'Configuration screen of FusionDirectory' interface. On the left, a sidebar lists steps: Welcome, Language setup, Installation check, LDAP setup, FusionDirectory configuration (which is selected), LDAP inspection, and Finish. The main area contains several sections:

- Look and feel:** Language (Automatic), Theme (breezy), Timezone (Europe/Paris).
- Core settings:** LDAP size limit (200), Edit locking (entryCSN), Enable logging, Schema validation, Enable snapshots, Snapshot base (ou=snapshots,dc=example), Wildcard foreign keys.
- Password settings:** Password default hash (ssha), Force default hash, Password minimum length, Password minimum differs, Use account expiration, SASL Realm (realm.net), SASL Exop (uid).
- SSL:** Key path (/etc/ssl/private/fd.key), Certificate path (/etc/ssl/certs/fd.cert), CA certificate path (/etc/ssl/certs/ca.cert).
- Login and session:** Login attribute (uid), Enforce encrypted connections, Warn if session is not encrypted, Session lifetime (1800), Login method (HTML form), Header name (AUTH\_USER).
- CAS:** CA certificate path (/etc/ssl/certs/ca.cert), Host (localhost).

A note at the bottom says: "People and group storage (editing this can break your LDAP)".

The fifth step is the configuration of FusionDirectory. You will be able to edit these settings later but be particularly careful about « people and group storage » section and of course the login settings so that you can connect to your FusionDirectory instance without trouble.

## LDAP inspection

The screenshot shows the 'LDAP inspection' step of the FusionDirectory setup wizard. The left sidebar lists steps from 'Welcome' to 'Finish', with 'LDAP inspection' highlighted. The main area is titled 'PHP module and extension checks' and contains several sub-sections with status indicators (Ok, Warning, Error) and migration options.


- Inspecting object classes in root object:** Ok
- Checking permission for LDAP database:** Ok
- Checking for invisible users:** Warning  
Found 2 user(s) that will not be visible in FusionDirectory or which are incomplete. [Migrate](#)
- Checking for super administrator:** Ok  
Users: fd-admin, mortierbe, swaelensjo
- Checking for default ACL roles and groups:** Some default ACL roles are missing  
[Migrate](#)
- Checking for users outside the people tree:** Warning  
Found 18 user(s) outside the configured tree "ou=people,". [Migrate](#)
- Checking for groups outside the groups tree:** Ok
- Checking for invisible departments:** Warning  
Found 31 department(s) that will not be visible in FusionDirectory. [Migrate](#)
- Checking for duplicated UID numbers:** Warning  
Found 2 duplicate values for attribute "uidNumber":
  - uid=uid,ou=people,dc=example,dc=com
  - uid=ccc,ou=people,dc=example,dc=com
- Checking for duplicated GID numbers:** (This section is partially visible at the bottom)

Then some more checks are run, this time about the content of your LDAP directory. If you have some content in there which is not organized as FusionDirectory would expect (or not located in the branches you indicated in the configuration step), you will be able to migrate them.


You can see the changes made to the LDAP before applying them.

Usually this is where you create an admin account for FusionDirectory, and inserting default ACL roles and groups is also a good idea, especially if you never used FusionDirectory before.

### Finish



You got to the end of the web setup. You now need to download the config file using the button, and store it in /etc/fusiondirectory on the server.



You may get this additionnal message if the permissions are wrong in which case you can run « fusiondirectory-setup -check-config » as root to fix those.

Once everything is fine, clicking next will redirect you to the login screen of your FusionDirectory installation.

## 1.5 Update FusionDirectory

Update FusionDirectory

### 1.5.1 Supported

Supported version

**Migrate FusionDirectory from 1.3 to 1.3.1**

**New Depot Configuration**

**Avertissement :** The repositories have been cleaned and reorganized please update your configuration accordingly

*Debian Repository.*

*RPM Repository.*

**Avertissement :** The gpg keys for FusionDirectory and Argonaut have been renewed so you need to install the new keys for the packages to install correctly

*Getting the official GPG keys to active package signature.*

## Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

## Upgrade of LDAP directory

if you are using the sinaps plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/sinaps-fd-conf.  
→schema
```

## Fonctionality Added

- The macro **%passwordClear%** is now available in the sambaAccount so that it can be used in hooks for AD sync.
- The ldapdump functionality is now available on the configuration
- The supann etablisment objects is now equal to entite objects except for the attribute ou

## Fonctionality removed

- The google+ account storage has been removed from personal social accounts tab

Enjoy :)

## Migrate FusionDirectory from 1.2.3 to 1.3

### New Depot Configuration

**Avertissement :** The repositories have been cleaned and reorganized please update your configuration accordingly

*Debian Repository.*

*RPM Repository.*

**Avertissement :** The gpg keys for FusionDirectory and Argonaut have been renewed so you need to install the new keys for the packages to install correctly

*Getting the official GPG keys to active package signature.*

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

Upgrade core schema of FusionDirectory

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

if you are using the audit plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/audit-fd.schema
```

if you are using the argonaut plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/argonaut-fd.schema
```

if you are using the community plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/community-fd.schema
```

if you are using the dhcp plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/dhcp-fd.schema
```

if you are using the ejbca plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/ejbca-fd.schema
```

if you are using the opsi plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/opsi-fd.schema
```

if you are using the postfix plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/postfix-fd.schema
```

if you are using the supann plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/supann-fd-conf.  
schema
```

if you are using the systems plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd.schema  
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd-conf.  
↪schema
```

if you are using the user reminder plugin you have to update is schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/user-reminder-fd-  
↪conf.schema
```

if you are using the weblink plugin you have to update is schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/weblink-fd.schema
```

Enjoy :)

### Migrate FusionDirectory from 1.2.2 to 1.2.3

#### New Depot Configuration

**Avertissement :** The repositories have been cleaned and reorganized please update your configuration accordingly

*Debian Repository.*

*RPM Repository.*

**Avertissement :** The gpg keys for FusionDirectory and Argonaut have been renewed so you need to install the new keys for the packages to install correctly

*Getting the official GPG keys to active package signature.*

#### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

Enjoy :)

## Migrate FusionDirectory from 1.2.1 to 1.2.2

### New Depot Configuration

**Avertissement :** The repositories have been cleaned and reorganized please update your configuration accordingly  
*Debian Repository.*  
*RPM Repository.*

**Avertissement :** The gpg keys for FusionDirectory and Argonaut have been renewed so you need to install the new keys for the packages to install correctly  
*Getting the official GPG keys to active package signature.*

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

Enjoy :)

## Migrate FusionDirectory from 1.2 to 1.2.1

### New Depot Configuration

### New Depot Configuration

**Avertissement :** The repositories have been cleaned and reorganized please update your configuration accordingly  
*Debian Repository.*  
*RPM Repository.*

**Avertissement :** The gpg keys for FusionDirectory and Argonaut have been renewed so you need to install the new keys for the packages to install correctly  
*Getting the official GPG keys to active package signature.*

### Upgrade schema2ldif

For Jessie distribution add extra repository

```
#fusiondirectory debian-extra repository  
deb http://repos.fusiondirectory.org/fusiondirectory-extra/debian-jessie/ jessie main
```

Update the package list and upgrade schema2ldif

```
apt-get update  
apt-get install schema2ldif
```

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

Upgrade core schema of FusionDirectory

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema
```

Enjoy :)

## 1.5.2 Unsupported version

Unsupported version

### Migrate FusionDirectory from 1.0.1 to 1.0.2

#### Remove fusiondirectory-plugin-opsi

Before migration from FusionDirectory 1.0.1 to 1.0.2 is important to remove the fusiondirectory-plugin-opsi and fusiondirectory-plugin-log to avoid errors :

#### Debian

```
apt-get remove fusiondirectory-plugin-opsi  
apt-get remove fusiondirectory-plugin-log
```

## RHEL / Fedora

Not Applicable

### Upgrade fusiondirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

#### Debian

```
apt-get update  
apt-get install fusiondirectory  
apt-get upgrade
```

## RHEL / Fedora

```
yum makecache  
yum upgrade fusiondirectory\*
```

### Migrate FusionDirectory from 1.0.2 to 1.0.3

#### Remove fusiondirectory-plugin-goto

Before migration from FusionDirectory 1.0.2 to 1.0.3 is important to remove the fusiondirectory-plugin-goto, fusiondirectory-plugin-mit-krb5 and fusiondirectory-plugin-phpgw to avoid errors :

#### Debian

```
apt-get remove fusiondirectory-plugin-goto  
apt-get remove fusiondirectory-plugin-mit-krb5  
apt-get remove fusiondirectory-plugin-phpgw
```

## RHEL / Fedora

Not Applicable

## Upgrade fusiondirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

### Debian

```
apt-get update  
apt-get install fusiondirectory  
apt-get upgrade
```

### RHEL / Fedora

1. yum makecache
2. yum upgrade fusiondirectory\*

### Run setup

Starting with version 1.0.3, the addition of a plugin is handled automatically by fusiondirectory. To activate this you have to re-run the setup from the web interface.

```
mv /etc/fusiondirectory/fusiondirectory.conf /etc/fusiondirectory/fusiondirectory.  
↳conf.back
```

Then from web interface type :

[http://your\\_server/fusiondirectory/setup.php](http://your_server/fusiondirectory/setup.php)

and fill the required information.

## Migrate FusionDirectory from 1.0.3 to 1.0.4

### Upgrade fusiondirectory first

Upgrade FusionDirectory core package and fusiondirectory-plugin-systems (if it's installed) before other ones to avoid dependencies errors :

### Debian

```
apt-get update  
apt-get install fusiondirectory  
apt-get upgrade
```

### Main page is changed

Starting with version 1.0.4, the main page of FusionDirectory interface is changed. From now, the main menu will be displayed in the following order :

- Administration
- Addons
- My Account

To adapt to change, you have 2 ways :

- Re-run setup
- Change data manually in fusiondirectory.conf

### Re-run setup

Before you re-run the setup from the web interface, you must do this :

```
mv /etc/fusiondirectory/fusiondirectory.conf /etc/fusiondirectory/fusiondirectory.  
↳conf.back
```

Then from web interface type :

[http://your\\_server/fusiondirectory/setup.php](http://your_server/fusiondirectory/setup.php)

and fill the required information.

### Change data manually in fusiondirectory.conf

In fusiondirectory.conf file, in the menu part, you must place sections in this order :

- section name= »Administration »
- section name= »Addons »
- section name= »My account »

### Upgrade of LDAP directory

You have to update your LDAP schema, FusionDirectory provide you dedicated LDIF file for updating your LDAP tree. If you are still using .schema files a restart of your ldap server should be sufficient.

The files to apply to your OpenLDAP server, there are stored in « /etc/ldap/schema/fusiondirectory/update-from-1.0.3 »

```
ls -l /etc/ldap/schema/fusiondirectory/update-from-1.0.3/*  
  
/etc/ldap/schema/fusiondirectory/update-from-1.0.3/remove-trust.ldif  
/etc/ldap/schema/fusiondirectory/update-from-1.0.3/update-argonaut.ldif  
/etc/ldap/schema/fusiondirectory/update-from-1.0.3/update-fdQuota.ldif  
/etc/ldap/schema/fusiondirectory/update-from-1.0.3/update-goserver.ldif  
/etc/ldap/schema/fusiondirectory/update-from-1.0.3/update-goto.ldif  
/etc/ldap/schema/fusiondirectory/update-from-1.0.3/update-recovery.ldif
```

## Remove trust schema

If in a previous version of FusionDirectory you have installed *trust.schema*, you need to remove it. For this you can use *remove-trust.ldif*.

Because we can not predict the order of schema insertion in your ldap directory, you need to modify the provided *remove-trust.ldif*.

- Identify the number of insertion of the trust schema in your ldap directory :

```
ldapsearch -Y EXTERNAL -H ldapi:/// -LLL -b cn=schema,cn=config \| grep "dn: cn={"
dn: cn={29}trust,cn=schema,cn=config ...
```

- edit the *remove-trust.ldif* file :

```
nano /etc/ldap/schema/fusiondirectory/update-from-1.0.3/remove-trust.ldif
dn: cn=trust,cn=schema,cn=config ...
```

and add the find number {29} at the first line, like this :

```
dn: cn={29}trust,cn=schema,cn=config
```

- Run the *fusiondirectory-insert-schema* command :

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/update-from-1.0.3/
➥remove-trust.ldif

SASL/EXTERNAL authentication started SASL username:
gidNumber=0+uidNumber=0,cn=peercred,cn=external,cn=auth SASL SSF: 0
executing 'ldapadd -Y EXTERNAL -H ldapi:/// -f /etc/ldap/schema/fusiondirectory/
➥update-from-1.0.3/remove-trust.ldif' SASL/EXTERNAL
authentication started SASL username:
gidNumber=0+uidNumber=0,cn=peercred,cn=external,cn=auth SASL SSF: 0
modifying entry "cn={29}trust,cn=schema,cn=config"
```

## Update needed fusiondirectory schema

The following needed schema must be upgraded :

- goserver, goto, recovery

Because we can not predict the order of schema insertion in your ldap directory, you need to modify the provided *update-goserver.ldif*, *update-goto.ldif*, *update-recovery.ldif*.

For exemple, for goserver schema :

- Identify the number of insertion of the goserver schema in your ldap directory :

```
ldapsearch -Y EXTERNAL -H ldapi:/// -LLL -b cn=schema,cn=config \| grep "dn: cn={"
dn: cn={9}goserver,cn=schema,cn=config ...
```

- Edit the *update-goserver.ldif* file :

```
nano /etc/ldap/schema/fusiondirectory/update-from-1.0.3/update-goserver.ldif
dn: cn=goserver,cn=schema,cn=config ...
```

and add the find number {9} at the first line, like this :

```
dn: cn={9}goserver,cn=schema,cn=config
```

— Run the fusiondirectory-insert-schema command :

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/update-from-1.0.3/
˓→update-goserver.ldif

SASL/EXTERNAL authentication started SASL username:
gidNumber=0+uidNumber=0,cn=peercred,cn=external,cn=auth SASL SSF: 0
executing 'ldapadd -Y EXTERNAL -H ldapi:/// -f /etc/ldap/schema/fusiondirectory/
˓→update-from-1.0.3/update-goserver.ldif' SASL/EXTERNAL
authentication started SASL username:
gidNumber=0+uidNumber=0,cn=peercred,cn=external,cn=auth SASL SSF: 0
modifying entry "cn={9}goserver,cn=schema,cn=config"
```

You must do the same for goto et recovery also.

### Upgrade argonaut schema

If you've installed *argonaut* plugin, you must upgrade his schema.

Because we can not predict the order of schema insertion in your ldap directory, you need to modify the provided update-argonaut.ldif.

— Identify the number of insertion of the argonaut schema in your ldap directory :

```
ldapsearch -Y EXTERNAL -H ldapi:/// -LLL -b cn=schema,cn=config \| grep "dn: cn={"
dn: cn={14}argonaut,cn=schema,cn=config ...
```

— Edit the update-argonaut.ldif file :

```
nano /etc/ldap/schema/fusiondirectory/update-from-1.0.3/update-argonaut.ldif

dn: cn=argonaut,cn=schema,cn=config
```

and add the find number {14} at the first line, like this :

```
dn: cn={14}argonaut,cn=schema,cn=config
```

— Run the fusiondirectory-insert-schema command :

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/update-from-1.0.3/
˓→update-argonaut.ldif

SASL/EXTERNAL authentication started SASL username:
gidNumber=0+uidNumber=0,cn=peercred,cn=external,cn=auth SASL SSF: 0
executing 'ldapadd -Y EXTERNAL -H ldapi:/// -f /etc/ldap/schema/fusiondirectory/
˓→update-from-1.0.3/update-argonaut.ldif' SASL/EXTERNAL
authentication started
SASL username: gidNumber=0+uidNumber=0,cn=peercred,cn=external,cn=auth SASL SSF: 0
modifying entry "cn={14}argonaut,cn=schema,cn=config"
```

## Upgrade fdQuota schema

If you've installed *quota* plugin, you must upgrade fdQuota schema.

Because we can not predict the order of schema insertion in your ldap directory, you need to modify the provided update-fdQuota.ldif.

— Identify the number of insertion of the fdQuota schema in your ldap directory :

```
ldapsearch -Y EXTERNAL -H ldapi:/// -LLL -b cn=schema,cn=config \| grep "dn: cn={"
dn: cn={25}fdQuota,cn=schema,cn=config ...
```

— Edit the update-fdQuota.ldif file :

```
nano /etc/ldap/schema/fusiondirectory/update-from-1.0.3/update-fdQuota.ldif
dn: cn=fdQuota,cn=schema,cn=config ...
```

and add the find number {25} at the first line, like this :

```
dn: cn={25}fdQuota,cn=schema,cn=config
```

— Run the fusiondirectory-insert-schema command :

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/update-from-1.0.3/
→update-fdQuota.ldif

SASL/EXTERNAL authentication started SASL username:
gidNumber=0+uidNumber=0,cn=peercred,cn=external,cn=auth SASL SSF: 0
executing 'ldapadd -Y EXTERNAL -H ldapi:/// -f /etc/ldap/schema/fusiondirectory/
→update-from-1.0.3/update-fdQuota.ldif' SASL/EXTERNAL
authentication started SASL username:
gidNumber=0+uidNumber=0,cn=peercred,cn=external,cn=auth SASL SSF: 0
modifying entry "cn={25}fdQuota,cn=schema,cn=config"
```

## Migrate FusionDirectory from 1.0.4 to 1.0.5

### Clean FusionDirectory schema directory

#### Debian

```
rm /etc/ldap/schema/fusiondirectory/*.ldif
```

### Upgrade of LDAP directory

#### Install schema packages

Upgrade new schema core first :

#### Debian

```
apt-get update
apt-get install fusiondirectory-schema
```

Then, depending of your installation, install new schema packages for your installed plugins.

For example, if you have Systems, Dhcp and Dns plugin installed, you need to :

### Debian

```
apt-get install fusiondirectory-plugin-systems-schema  
apt-get install fusiondirectory-plugin-dhcp-schema  
apt-get install fusiondirectory-plugin-dns-schema
```

### Remove old schema from your Ldap Directory

Your installed schema are in /etc/ldap/slapd.d/cn=config/cn=schema directory. For the above example, installed schema will be the following :

### Debian

```
ldapsearch -Y EXTERNAL -H ldapi:/// -LLL -b cn=schema,cn=config \| grep "dn: cn={"  
  
SASL/EXTERNAL authentication started SASL username:  
gidNumber=0+uidNumber=0,cn=peercred,cn=external,cn=auth SASL SSF: 0 dn:  
cn={0}core,cn=schema,cn=config dn: cn={1}cosine,cn=schema,cn=config dn:  
cn={2}nis,cn=schema,cn=config dn:  
cn={3}inetorgperson,cn=schema,cn=config dn:  
cn={4}samba,cn=schema,cn=config dn: cn={5}gosystem,cn=schema,cn=config  
cn={6}gofon,cn=schema,cn=config dn: cn={7}gifax,cn=schema,cn=config  
cn={8}goto,cn=schema,cn=config dn:  
cn={9}goserver,cn=schema,cn=config dn:  
cn={10}goto-mime,cn=schema,cn=config dn:  
cn={11}gosa-samba3,cn=schema,cn=config dn:  
cn={12}ldapns,cn=schema,cn=config dn:  
cn={13}recovery,cn=schema,cn=config dn: cn={14}dhcp,cn=schema,cn=config  
cn={15}dnszone,cn=schema,cn=config
```

Schema's from “cn={0}...” to “cn={3}” doesn’t change, so you can leave it.

Now you need to remove all others before install the new one’s. You can start to remove before plugin schemas. Doing this is simple, just delete its relative file in the folder

```
/etc/ldap/slapd.d/cn=config/cn=schema
```

and restart slapd. A word of advice, remove schemas starting from the last. For the above example :

### Debian

```
cd /etc/ldap/slapd.d/cn=config/cn=schema  
rm cn={15}dnszone.ldif  
rm cn={14}dhcp.ldif  
/etc/init.d/slapd stop  
/etc/init.d/slapd start
```

If everything goes right, you can remove core schemas :

### Debian

```
rm cn={13}recovery.ldif  
rm cn={12}ldapns.ldif  
rm cn={11}gosa-samba3.ldif
```

(suite sur la page suivante)

(suite de la page précédente)

```
rm cn={10}goto-mime.ldif
rm cn={9}goserver.ldif
rm cn={8}goto.ldif
rm cn={7}gofax.ldif
rm cn={6}gofon.ldif
rm cn={5}gosystem.ldif
rm cn={4}samba.ldif
/etc/init.d/slapd stop
/etc/init.d/slapd start
```

## Insert new schemas inside your Ldap Directory

First of all insert the new core schemas :

### Debian

```
fusiondirectory-insert-schema
```

Then you can proceed for all the plugins schemas (here you can find a [list](#) of available plugins with old and new relative schemas), for the above example :

### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/service-fd.schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/systems-fd-conf.
˓→schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/mime-fd.schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/systems-fd.schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/dhcp-fd.schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/dnszone.schema
```

## Upgrade fusiondirectory first

Upgrade FusionDirectory core package and fusiondirectory-plugin-systems (if it's installed) before other ones to avoid dependencies errors :

### Debian

```
apt-get install fusiondirectory
apt-get install fusiondirectory-plugin-systems
apt-get upgrade
```

## Configuration file is changed

Starting with version 1.0.5, the configuration of FusionDirectory is stored inside the ldap, in *configs* branch.

To adapt to this change, you need to Re-run setup.

### Re-run setup

Before you re-run the setup from the web interface, you must move your old configuration file, doing this :

```
mv /etc/fusiondirectory/fusiondirectory.conf /etc/fusiondirectory/fusiondirectory.  
↳conf.back
```

Then, in your web browser, you can type :

[http://your\\_server/fusiondirectory/setup.php](http://your_server/fusiondirectory/setup.php)

and fill the required informations (look here to see more about [parameters of configuration](#)).

### Possible problems and related solutions

Below you will find some migration issues, grouped by plugin, with their solutions.

#### FAI plugin

Before save modifications in a Server, look (inside your ldap directory) if there is an objectClass FAI like this one, associated at this Server :

```
objectClass: FAIobject
```

if you don't find any other FAI attribute for this Server, you need to remove the above mentioned objectClass, in order to avoid automatic generation of FAI attributes in related entry. This happens because "objectClass : FAIobject" means that FAI tab for the related server is activated.

#### Mail plugin

##### unrecognized objectClass "goMailServer"

If you get an error like this :

```
LDAP operation failed!  
  
Object: cn=mailserver.fusiondirectory.org,ou=servers,ou=systems,dc=fusiondirectory,  
↳dc=org  
  
Error: Object class violation (unrecognized objectClass 'goMailServer', while  
↳operating on 'cn=mailserver.fusiondirectory.org,ou=servers,ou=systems,  
↳dc=fusiondirectory,dc=org' using LDAP server 'ldap://localhost:389')
```

this means that in your related ldap entry you have an objectClass like this :

```
objectClass: goMailServer
```

you need to modify this one to :

```
objectClass: fdPostfixServer
```

## Undefined attribute type - attribute : flag\_enable\_debug

If you get an error like this :

```
LDAP operation failed!  
  
Object: cn=mailserver.fusiondirectory.org,ou=servers,ou=systems,dc=fusiondirectory,  
        dc=org  
  
Error: Undefined attribute type - attribute: flag_enable_debug  
(flag_enable_debug: AttributeDescription contains inappropriate characters, while  
        operating on 'cn=mailserver.fusiondirectory.org,ou=servers,ou=systems,  
        dc=fusiondirectory,dc=org' using LDAP server 'ldap://localhost:389')
```

this means that in your related ldap entry you have an attribute like this :

```
avFlags: DS
```

you need to remove this attribute.

## Migrate FusionDirectory from 1.0.6 to 1.0.7

### Upgrade fusiondirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

#### Debian

##### Add new debian-extra repo to you source list

```
deb http://repos.fusiondirectory.org/debian-extra jessie main
```

```
apt-get update  
apt-get install fusiondirectory  
apt-get upgrade
```

##### Upgrade of LDAP directory

You have to update your LDAP schemas, first update the FusionDirectory core schemas. We have put a new option in fusiondirectory-insert-schema that allow you to update easily your schema without the use of ldif files.

The following schemas needs an update :

- core-fd-conf.schema
- mail-fd.schema
- service-fd.schema
- systems-fd-conf.schema
- systems-fd.schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

You must do the same procedure for all other schema needing an update

## Migrate FusionDirectory from 1.0.7 or 1.0.7.1 to 1.0.7.2

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

### Upgrade of LDAP directory

You have to update your LDAP schemas, first update the FusionDirectory core schemas. We have put a new option in fusiondirectory-insert-schema that allow you to update easily your schema without the use of ldif files.

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.  
˓→schema``
```

## Migrate FusionDirectory from 1.0.7.2 to 1.0.7.3

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

### Upgrade of LDAP directory

You have to update your LDAP schemas, first update the FusionDirectory core schemas. We have put a new option in fusiondirectory-insert-schema that allow you to update easily your schema without the use of ldif files.

In this version only the schema from the argonaut plugin needs to be update if you have the systems or argonaut plugins installed

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/argonaut-fd.schema``
```

## Migrate FusionDirectory from 1.0.7.3 to 1.0.7.4

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

## Migrate FusionDirectory from 1.0.7.4 to 1.0.7.5

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors.

## Migrate FusionDirectory from 1.0.7.4 to 1.0.8

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Remove the deprecated plugins

The rolemanagement plugin has been integrated to the core so it must be removed.

```
apt-get --purge remove fusiondirectory-plugin-rolemanagement
```

The board plugin has been renamed so it must be replaced

```
apt-get --purge remove fusiondirectory-plugin-board  
apt-get install fusiondirectory-plugin-dashboard
```

### Upgrade of LDAP directory

You have to update your LDAP schemas, first update the FusionDirectory core schemas.

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema  
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

After that you have to update the schema for the plugins you are using. In this version the following schema have to be updated

- argonaut-fd-schema
- ipmi-fd.schema
- repository-fd.schema

### Migration of the FusionDirectory acls

FusionDirectory acl management has been changed from 1.0.7 to 1.0.8, so they need to be migrated. We added a command to fusiondirectory-setup for that.

```
fusiondirectory-setup --migrate-acls
```

**Avertissement :** This is tricky, don't forget to write down your acl first in case it doesn't work

## Migrate FusionDirectory from 1.0.8 to 1.0.8.1

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

You have to update your LDAP schemas, first update the FusionDirectory core schemas.

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema  
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

### Check for deprecated attributes and objectClasses in your LDAP

since FusionDirectory 1.0.8.1 two new options are in fusiondirectory-setup

— **fusiondirectory-setup –list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
gosaUnitTag          (Takes a list of relevant mime-  
↳ type|priority settings)      - 1.3.6.1.4.1.10098.1.1.12.33  
gosaSnapshotType    (Takes either undo or snapshot)  
↳ 1.3.6.1.4.1.10098.1.1.12.36  
fdHonourUnitTags   (FusionDirectory -  
↳ Honour unit tags)           - 1.3.6.1.4.1.38414.8.14.3
```

Deprecated objectClasses :

```
gosaAdministrativeUnitTag  (Marker for objects below administrational units (v2.6.  
↳ 1))      - 1.3.6.1.4.1.10098.1.2.1.19.16  
gosaAdministrativeUnit    (Marker for administrational units (v2.6.  
↳ 1))      - 1.3.6.1.4.1.10098.1.2.1.19.15
```

```
fusiondirectory-setup --check-deprecated  
List LDAP entries using deprecated attributes or objectclasses  
There are no entries in the LDAP using obsolete attributes  
There are no entries in the LDAP using obsolete classes
```

— **fusiondirectory-setup –check-deprecated** will output an ldif file on the console that you can use with ldap-modify to clean your ldap server from old attributes and objectClasses

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.8.1 to 1.0.8.2

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Check for deprecated attributes and objectClasses in your LDAP

since FusionDirectory 1.0.8.1 two new options are in fusiondirectory-setup

— fusiondirectory-setup –list-deprecated List deprecated attributes and objectclasses Deprecated attributes :

gosaUnitTag	(Takes a list of relevant mime-
↳ type priority settings)	– 1.3.6.1.4.1.10098.1.1.12.33
gosaSnapshotType	(Takes either undo or snapshot)
↳ 1.3.6.1.4.1.10098.1.1.12.36	
fdHonourUnitTags	(FusionDirectory –
↳ Honour unit tags)	– 1.3.6.1.4.1.38414.8.14.3

Deprecated objectClasses :

gosaAdministrativeUnitTag	(Marker <b>for</b> objects below administrational units (v2.6.
↳ 1))	– 1.3.6.1.4.1.10098.1.2.1.19.16
gosaAdministrativeUnit	(Marker <b>for</b> administrational units (v2.6.
↳ 1))	– 1.3.6.1.4.1.10098.1.2.1.19.15

— fusiondirectory-setup –list-deprecated show deprecated attributes and objectClasses for FusionDirectory

fusiondirectory-setup --check-deprecated	
List LDAP entries using deprecated attributes or objectclasses	
There are no entries in the LDAP using obsolete attributes	
There are no entries in the LDAP using obsolete classes	

— fusiondirectory-setup –check-deprecated will output an ldif file on the console that you can use with ldapmodify to clean your ldap server from old attributes and objectClasses

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.8.2 to 1.0.8.3

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

You have to update your LDAP schemas, first update the FusionDirectory core schemas.

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema  
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

### Check for deprecated attributes and objectClasses in your LDAP

since FusionDirectory 1.0.8.1 two new options are in fusiondirectory-setup

— **fusiondirectory-setup –list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
gosaUnitTag          (Takes a list of relevant mime-  
↳ type|priority settings)      - 1.3.6.1.4.1.10098.1.1.12.33  
gosaSnapshotType    (Takes either undo or snapshot)  
↳ 1.3.6.1.4.1.10098.1.1.12.36  
fdHonourUnitTags   (FusionDirectory -  
↳ Honour unit tags)           - 1.3.6.1.4.1.38414.8.14.3
```

Deprecated objectClasses :

```
gosaAdministrativeUnitTag  (Marker for objects below administrational units (v2.6.  
↳ 1))      - 1.3.6.1.4.1.10098.1.2.1.19.16  
gosaAdministrativeUnit    (Marker for administrational units (v2.6.  
↳ 1))      - 1.3.6.1.4.1.10098.1.2.1.19.15
```

```
fusiondirectory-setup --check-deprecated  
List LDAP entries using deprecated attributes or objectclasses  
There are no entries in the LDAP using obsolete attributes  
There are no entries in the LDAP using obsolete classes
```

— **fusiondirectory-setup –check-deprecated** will output an ldif file on the console that you can use with ldap-modify to clean your ldap server from old attributes and objectClasses

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.8.3 to 1.0.8.4

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Check for deprecated attributes and objectClasses in your LDAP

since FusionDirectory 1.0.8.1 two new options are in fusiondirectory-setup

— **fusiondirectory-setup --list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

gosaUnitTag	(Takes a list of relevant mime-
↳ type priority settings)	– 1.3.6.1.4.1.10098.1.1.12.33
gosaSnapshotType	(Takes either undo or snapshot)
↳ 1.3.6.1.4.1.10098.1.1.12.36	
fdHonourUnitTags	(FusionDirectory –
↳ Honour unit tags)	– 1.3.6.1.4.1.38414.8.14.3

Deprecated objectClasses :

gosaAdministrativeUnitTag	(Marker <b>for</b> objects below administrational units (v2.6.
↳ 1))	– 1.3.6.1.4.1.10098.1.2.1.19.16
gosaAdministrativeUnit	(Marker <b>for</b> administrational units (v2.6.
↳ 1))	– 1.3.6.1.4.1.10098.1.2.1.19.15

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

— **fusiondirectory-setup --check-deprecated** will output an ldif file on the console that you can use with ldap-modify to clean you ldap server from old attributes and objectClasses

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.8.4 to 1.0.8.5

### Remove the deprecated plugins

The dashboard plugin has been integrated to the core so it must be removed.

```
apt-get --purge remove fusiondirectory-plugin-dashboard
```

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

You have to update your LDAP schemas, first remove the dashboard configuration schema.

```
fusiondirectory-insert-schema -e dashboard-fd-conf  
Are you sure you want to empty schema(s) dashboard-fd-conf?  
[Yes/No] ? Yes
```

Then update the core-fd-conf schema.

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

If you are using the debconf plugin update his schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/debconf.schema
```

If you are using the fai plugin update his schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/fai.schema
```

If you are using the mail plugin update his schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/mail-fd.schema
```

### Check for deprecated attributes and objectClasses in your LDAP

since FusionDirectory 1.0.8.1 two new options are in fusiondirectory-setup

— **fusiondirectory-setup -list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
gosaUnitTag          (Takes a list of relevant mime-  
↳ type|priority settings)      - 1.3.6.1.4.1.10098.1.1.12.33  
gosaSnapshotType    (Takes either undo or snapshot)  
↳ 1.3.6.1.4.1.10098.1.1.12.36  
fdHonourUnitTags   (FusionDirectory -  
↳ Honour unit tags)           - 1.3.6.1.4.1.38414.8.14.3
```

Deprecated objectClasses :

```
gosaAdministrativeUnitTag  (Marker for objects below administrational units (v2.6.  
↳ 1))      - 1.3.6.1.4.1.10098.1.2.1.19.16  
gosaAdministrativeUnit    (Marker for administrational units (v2.6.  
↳ 1))      - 1.3.6.1.4.1.10098.1.2.1.19.15
```

```
fusiondirectory-setup --check-deprecated  
List LDAP entries using deprecated attributes or objectclasses  
There are no entries in the LDAP using obsolete attributes  
There are no entries in the LDAP using obsolete classes
```

- **fusiondirectory-setup –check-deprecated** will output an ldif file on the console that you can use with ldap-modify to clean your ldap server from old attributes and objectClasses

**Avertissement :** Please read it carefully before applying !!

### Migrate FusionDirectory from 1.0.8.5 to 1.0.8.6

#### Removal of the mixed posixAccount / groupOfNames aka rfc2307bis

**Avertissement :** This was done to be more respectful of standard and not change the core openldap schema, but it seems to be causing trouble on some install, so if you use it **don't upgrade to 1.0.8.6 and wait for 1.0.8.7 !!!**

#### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Migrate FusionDirectory from 1.0.8.6 to 1.0.8.7

#### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

You have to update your LDAP schemas, first remove the dashboard configuration schema.

```
fusiondirectory-insert-schema -e dashboard-fd-conf  
Are you sure you want to empty schema(s) dashboard-fd-conf?  
[Yes/No] ? Yes
```

Then update the core-fd-conf schema.

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.  
↳ schema`
```

### Check for deprecated attributes and objectClasses in your LDAP

since FusionDirectory 1.0.8.1 two new options are in fusiondirectory-setup

— **fusiondirectory-setup --list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
gosaUnitTag          (Takes a list of relevant mime-  
↳ type|priority settings)      - 1.3.6.1.4.1.10098.1.1.12.33  
gosaSnapshotType    (Takes either undo or snapshot)  
↳ 1.3.6.1.4.1.10098.1.1.12.36  
fdHonourUnitTags   (FusionDirectory -  
↳ Honour unit tags)           - 1.3.6.1.4.1.38414.8.14.3
```

Deprecated objectClasses :

```
gosaAdministrativeUnitTag  (Marker for objects below administrational units (v2.6.  
↳ 1))           - 1.3.6.1.4.1.10098.1.2.1.19.16  
gosaAdministrativeUnit    (Marker for administrational units (v2.6.  
↳ 1))           - 1.3.6.1.4.1.10098.1.2.1.19.15
```

```
fusiondirectory-setup --check-deprecated  
List LDAP entries using deprecated attributes or objectclasses  
There are no entries in the LDAP using obsolete attributes  
There are no entries in the LDAP using obsolete classes
```

— **fusiondirectory-setup --check-deprecated** will output an ldif file on the console that you can use with ldap-modify to clean your ldap server from old attributes and objectClasses

**Avertissement :** Please read it carefully before applying !!

### Migrate FusionDirectory from 1.0.8.7 to 1.0.8.8

#### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

## Upgrade of LDAP directory

Nothing to do

### Check for deprecated attributes and objectClasses in your LDAP

since FusionDirectory 1.0.8.1 two new options are in fusiondirectory-setup

— **fusiondirectory-setup --list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
gosaUnitTag          (Takes a list of relevant mime-
 ↵ type|priority settings)   - 1.3.6.1.4.1.10098.1.1.12.33
gosaSnapshotType    (Takes either undo or snapshot)
 ↵ 1.3.6.1.4.1.10098.1.1.12.36
fdHonourUnitTags   (FusionDirectory -
 ↵ Honour unit tags)        - 1.3.6.1.4.1.38414.8.14.3
```

Deprecated objectClasses :

```
gosaAdministrativeUnitTag  (Marker for objects below administrational units (v2.6.
 ↵1))      - 1.3.6.1.4.1.10098.1.2.1.19.16
gosaAdministrativeUnit    (Marker for administrational units (v2.6.
 ↵1))      - 1.3.6.1.4.1.10098.1.2.1.19.15
```

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

— **fusiondirectory-setup --check-deprecated** will output an ldif file on the console that you can use with ldap-modify to clean you ldap server from old attributes and objectClasses

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.8.8 to 1.0.8.9

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

## Upgrade of LDAP directory

Upgrade the argonaut.schema if you use the argonaut plugin

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/argonaut-fd.schema``
```

## Check for deprecated attributes and objectClasses in your LDAP

since FusionDirectory 1.0.8.1 two new options are in fusiondirectory-setup

— **fusiondirectory-setup --list-deprecated** List deprecated attributes and objectclasses

```
gosaUnitTag          (Takes a list of relevant mime-
 ↵type|priority settings)      - 1.3.6.1.4.1.10098.1.1.12.33
gosaSnapshotType     (Takes either undo or snapshot)
 ↵ 1.3.6.1.4.1.10098.1.1.12.36
fdHonourUnitTags    (FusionDirectory -
 ↵ Honour unit tags)           - 1.3.6.1.4.1.38414.8.14.3
```

Deprecated objectClasses :

```
gosaAdministrativeUnitTag   (Marker for objects below administrational units (v2.6.
 ↵1))      - 1.3.6.1.4.1.10098.1.2.1.19.16
gosaAdministrativeUnit     (Marker for administrational units (v2.6.
 ↵1))      - 1.3.6.1.4.1.10098.1.2.1.19.15
```

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

— **fusiondirectory-setup --check-deprecated** will output an ldif file on the console that you can use with ldap-modify to clean your ldap server from old attributes and objectClasses

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.8.9 to 1.0.9

### Backup your template First

The template system has been completely rewritten, and the old template will not be converted, so you need to backup them, remove them from FusionDirectory and then redo them.

The new system is much cleaner because template are stored in their own branch now and are the basis for having template for the whole application in the future.

## Backup your phones

You must backup all your phones in a LDIF and remove them. Modify your LDIF like below :

Before

```
cn=namePhone,ou=phones,ou=systems,dc=fusiondirectory,dc=org
cn: namePhone
goFonType: friend
goFonDmtfMode: inband
goFonDefaultIP:
dynamic ipHostNumber: 127.0.0.1
macAddress: 00:0C:7F:31:33:F1
objectClass: top
```

After

```
cn=namePhone,ou=phones,ou=systems,dc=fusiondirectory,dc=org
cn: namePhone
ipHostNumber: 127.0.0.1
macAddress: 00:0C:7F:31:33:F1
objectClass: fdPhone
objectClass: device
objectClass: ieee802Device
objectClass: ipHost
```

After the migration you may insert your phone again in your LDAP.

You can use the next command to backup your phones

```
ldapsearch -xLLL -b ou=phones,ou=systems,dc=fusiondirectory,dc=org > backupPhones.ldif
```

## Moved Attributes

We cleaned the core of FusionDirectory to only used classical attributes and objectClass, so the FusionDirectory special attributes on the first page of FusionDirectory are now managed by the personal plugin.

The personal plugin has been made to manage all kind of personal data and is best suited to contain those data not normalized. So if you use **personalTitle**, **dateOfBirth**, **gender** you will need to install the personal plugin.

## Upgrade FusionDirectory

### Upgrade FusionDirectory core package before other ones to avoid dependencies errors

#### Debian

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

#### RPM

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
yum remove fusiondirectory  
yum install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
yum remove fusiondirectory-schema  
yum install fusiondirectory-schema
```

There is a new schema for the templates, so you need to run

```
fusiondirectory-insert-schema
```

### Removed obsolete plugins

In this version we removed obsolete plugin, because they where based on software no longer existing or needed an sql backend and we decided they need to be rewritten using the now ldap backend of those softwares :

- **asterisk** : old plugin not maintainable anymore based on the sql backend, but now asterisk has an ldap backend has well.
- **fax** : old code based on the gofax software from gonicus, not maintained anymore upstream.
- **openstack-compute** : openstack management interface changed and this plugin is no longer relevant
- **uw-imap** : long gone imap server, nobody that whe know still use it

They are no longer supported and should be removed from your installation

### New Plugin for peoples using a mix of groupOfNames and posixGroup on the same object

We cleaned the code of FusionDirectory and by default it make posixGroup or clean standard compliant groupOfNames. If you need a mix of groupOfNames and posixGroup on the same object you will need to install a new plugin called mixedgroups.

**Avertissement :** Please take note that this plugin is for special cases and need modified core schema. !!

If you need to have a link between user and groups you are better using the standard compliant groupOfNames or roles for examples for web applications.

```
apt-get install fusiondirectory-plugin-mixedgroups
```

## Upgrade of LDAP directory

### Upgrade Core FusionDirectory Schema

The password recovery schema has been migrated into the core schema so you must remove it first

```
fusiondirectory-insert-schema -e recovery-fd  
Are you sure you want to empty schema(s) recovery-fd?  
[Yes/No] ? Yes
```

Upgrade the core-fd.schema and core-fd-conf.schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema  
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

If you use the argonaut plugin, upgrade the argonaut.schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/argonaut-fd.schema
```

If you use the fai plugin, upgrade the fai-fd-conf.schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/fai-fd-conf.schema
```

If you use the mail plugin, upgrade the mail-fd.schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/mail-fd.schema
```

If you use the personal plugin, upgrade the personal-fd.schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/personal-fd.schema
```

If you use the squid plugin, upgrade the proxy-fd.schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/proxy-fd.schema``
```

If you use the system plugin, upgrade the service-fd.schema, systems-fd.schema, systems-fd-conf.schema

The Phone object has been migrated to the system plugin due to the removal of the asterisk plugin.

```
fusiondirectory-insert-schema -e asterisk-fd-conf  
Are you sure you want to empty schema(s) asterisk-fd-conf?  
[Yes/No] ? Yes
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/service-fd.schema
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd-conf.  
→schema
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd.schema
```

## Check for deprecated attributes and objectClasses in your LDAP

— **fusiondirectory-setup --list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses
→ Deprecated attributes:

gotoModules                      (Goto - Gonicus Terminal Concept,
→ value kernel modules.)          - 1.3.6.1.4.1.10098.1.1.1.32```
fdPasswordHook                   (FusionDirectory -
→ Password hook (external command))      - 1.3.6.1.4.1.38414.8.13.4```
fdSnapshotURI                    (FusionDirectory -
→ Snapshot URI)                  - 1.3.6.1.4.1.38414.8.17.3```
gotoXVsync                        (Goto - Gonicus Terminal Concept, value xvsync.
→)                                - 1.3.6.1.4.1.10098.1.1.1.19```
ghSoundAdapter                   (Hardware definitions,
→ value soundAdapter)           - 1.3.6.1.4.1.10098.1.1.2.7```
gotoXMouseport                  (Goto - Gonicus Terminal Concept, value xMouseport.
→)                                - 1.3.6.1.4.1.10098.1.1.1.22```
gotoXMonitor                     (Goto - Gonicus Terminal Concept, value xMonitor.
→)                                - 1.3.6.1.4.1.10098.1.1.1.17```
gotoAdaptPath                    (Goto - Gonicus Terminal Concept, value adaptPath.
→)                                - 1.3.6.1.4.1.10098.1.1.1.33```
gotoScannerClients               (Goto - Gonicus Terminal Concept,
→ value scannerClients.)        - 1.3.6.1.4.1.10098.1.1.1.11```
gotoHardwareChecksum             (Goto -
→ quick way to see if something has changed)      - 1.3.6.1.4.1.10098.1.1.2.
→12```
gotoRootPasswd                  (Goto - Gonicus Terminal Concept, value rootPasswd.
→)                                - 1.3.6.1.4.1.10098.1.1.1.14```
gotoXKbLayout                    (Goto - Gonicus Terminal Concept, value xKbLayout.
→)                                - 1.3.6.1.4.1.10098.1.1.1.26```
gotoProfileServer                (Goto -
→ specifies the profile server)      - 1.3.6.1.4.1.10098.1.1.11.
→8```
fdAccountRDN                   (FusionDirectory -
→ use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.
→12.2```
gotoScannerEnable                (Goto - Gonicus Terminal Concept, value scannerEnable.
→)                                - 1.3.6.1.4.1.10098.1.1.1.10```
ghGfxAdapter                    (Hardware definitions,
→ value Grafikkarte)            - 1.3.6.1.4.1.10098.1.1.2.9```
gotoFontPath                     (Goto - Gonicus Terminal Concept, value fontPath.
→)                                - 1.3.6.1.4.1.10098.1.1.1.5```
ghIdeDev                         (Hardware definitions,
→ value ideDev)                 - 1.3.6.1.4.1.10098.1.1.2.4```
gotoLpdEnable                    (Goto - Gonicus Terminal Concept, value lpdEnable.
→)                                - 1.3.6.1.4.1.10098.1.1.1.9```
gotoXKbVariant                  (Goto - Gonicus Terminal Concept, value xKbVariant.
→)                                - 1.3.6.1.4.1.10098.1.1.1.27```
fdRfc2307bis                   (FusionDirectory -
→ rfc2307bis)                   - 1.3.6.1.4.1.38414.8.10.1```
gotoAutoFs                       (Goto - Gonicus Terminal Concept, value autoFs.
→)                                - 1.3.6.1.4.1.10098.1.1.1.31```
gotoSndModule                    (Goto - Gonicus Terminal Concept, value sound Modules.
→)                                - 1.3.6.1.4.1.10098.1.1.1.29```
gotoCdromEnable                  (Goto - Gonicus Terminal Concept, value cdromEnable.
→)                                - 1.3.6.1.4.1.10098.1.1.1.8```
```

(suite sur la page suivante)

(suite de la page précédente)

```

gotoScannerModel           (Goto - Gonicus Terminal Concept, value scannerModel.
→)      - 1.3.6.1.4.1.10098.1.1.1.40```
gosaLoginRestriction       (GOsa -
→ Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.
→10098.1.1.12.46```
gotoXColordepth            (Goto - Gonicus Terminal Concept, value xColordepth.
→)      - 1.3.6.1.4.1.10098.1.1.1.21```
└
→academicTitle             (Field to represent the academic title)
→ 1.3.6.1.4.1.10098.1.1.6.2```
fdSnapshotAdminDn          (FusionDirectory -
→ Snapshot admin dn)           - 1.3.6.1.4.1.38414.8.17.4```
gotoFilesystem              (Goto - Gonicus Terminal Concept, value filesystem.
→)      - 1.3.6.1.4.1.10098.1.1.1.6```
└
→ghInventoryNumber          (Unique number for inclusion in an inventory)
→ 1.3.6.1.4.1.10098.1.1.2.10```
gosaSubtreeACL              (GOsa -
→ ACL entry)           - 1.3.6.1.4.1.10098.1.1.12.
→1```
fdIdGenerator               (FusionDirectory -
→ An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4```
ghUsbSupport                 (Hardware definitions,
→ value usbSupport)           - 1.3.6.1.4.1.10098.1.1.2.3```
gotoSysStatus                (Keeps current system status -
→ info shown in GOsa)           - 1.3.6.1.4.1.10098.1.1.2.11```
fdCopyPaste                  (FusionDirectory - (de)Activate copy/
→ paste)           - 1.3.6.1.4.1.38414.8.14.5```
gotoXDriver                  (Goto - Gonicus Terminal Concept, value xDriver.
→)      - 1.3.6.1.4.1.10098.1.1.1.28```
gotoXKbModel                 (Goto - Gonicus Terminal Concept, value xKbmodel.
→)      - 1.3.6.1.4.1.10098.1.1.1.25```
fdPersonalTitleInDN          (FusionDirectory -
→ Personal title in dn)           - 1.3.6.1.4.1.38414.8.12.5```
gotoLpdServer                 (Goto - Gonicus Terminal Concept, value lpdServer.
→)      - 1.3.6.1.4.1.10098.1.1.1.4```
gotoXHsync                    (Goto - Gonicus Terminal Concept, value xHsync.
→)      - 1.3.6.1.4.1.10098.1.1.1.18```
gotoProfileFlags              (Goto - Flags for Profile handling -
→ C is for caching)           - 1.3.6.1.4.1.10098.1.1.11.7```
ghCpuType                     (Hardware definitions,
→ value cpuType)           - 1.3.6.1.4.1.10098.1.1.2.1```
gotoXResolution               (Goto - Gonicus Terminal Concept, value xResolution.
→)      - 1.3.6.1.4.1.10098.1.1.1.20```
gotoShare                      (Goto -
→ specifies a share)           - 1.3.6.1.4.1.10098.1.1.11.
→9```
gotoScannerBackend             (Goto - Gonicus Terminal Concept,
→ value scannerBackend.)           - 1.3.6.1.4.1.10098.1.1.1.39```
fdSnapshotAdminPassword        (FusionDirectory -
→ Snapshot admin password)           - 1.3.6.1.4.1.38414.8.17.5```
fdVoicemailContexts           (FusionDirectory -
→ available voicemail contexts)           - 1.3.6.1.4.1.38414.19.11.2```
gosaDefaultLanguage            (GOsa -
→ Defines the default language for a user)           - 1.3.6.1.4.1.10098.1.1.12.
→14```
ghMemSize                      (Hardware definitions,
→ value memSize)           - 1.3.6.1.4.1.10098.1.1.2.2 (suite sur la page suivante)

```

(suite de la page précédente)

gotoProfileQuota	(Goto -	- 1.3.6.1.4.1.10098.1.1.11.
↳ save quota <b>for</b> home)		
↳15``		
fdSipContexts	(FusionDirectory -	- 1.3.6.1.4.1.38414.19.11.1``
↳ available sip contexts)		
fdPhoneConferencerDN	(FusionDirectory -	- 1.3.6.1.4.1.38414.19.10.3``
↳ Phone conference RDN)		
ghScsiDev	(Hardware definitions,	- 1.3.6.1.4.1.10098.1.1.2.5``
↳ value scsiDev)		
fdPhoneMacroRDN	(FusionDirectory -	- 1.3.6.1.4.1.38414.19.10.2``
↳ Phone macro RDN)		
ghNetNic	(Hardware definitions,	- 1.3.6.1.4.1.10098.1.1.2.8``
↳ value Network Device)		
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable.	
↳)	- 1.3.6.1.4.1.10098.1.1.1.7``	
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons.	
↳)	- 1.3.6.1.4.1.10098.1.1.1.23``	
gotoXMouseType	(Hardware definitions,	
↳ value Type of mouse)		- 1.3.6.1.4.1.10098.1.1.1.34``

Deprecated objectClasses :

goCupsServer	(CUPS server description)	-
↳ 1.3.6.1.4.1.10098.1.2.1.23``		
gosaCacheEntry	(Gosa -	- 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa caching)		
↳19.3``		
gosaUserTemplate	(Gosa -	- 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa User Templates)		
↳19.11``		
gosaAccount	(Gosa -	- 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa Accounts)		
↳19.6``		
gosaObject	(Gosa -	- 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa settings)		
↳19.1``		

— **fusiondirectory-setup --check-deprecated** will output a list of dn using old attributes and objectClasses

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
cn=fusiondirectory,ou=configs,dc=fusiondirectory,dc=org contains an obsolete attribute
cn=fusiondirectory,ou=configs,dc=fusiondirectory,dc=org uses the obsolete objectclass
↳ class fdAsteriskPluginConf
uid=fd-admin,ou=people,dc=fusiondirectory,dc=org uses the obsolete object class
↳ gosaAccount
```

— **fusiondirectory-setup -ldif-deprecated** will output an ldif file on the console that you can use with ldapmodify to clean your ldap server from old attributes. If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup --check-deprecated** step.

**fusiondirectory-setup -ldif-deprecated**

```
dn:cn=fusiondirectory,ou=configs,dc=fusiondirectory,dc=org
changetype:modify delete:fdRfc2307bis
-
```

(suite sur la page suivante)

(suite de la page précédente)

```
delete:fdCopyPaste
```

```
-
```

```
WARNING: There are entries in the LDAP using obsolete classes, you need to edit them  
→manually
```

**Avertissement :** Please read it carefully before applying !!

### Remove old schema from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **recovery-fd.schema** and **asterisk-fd.conf**

### Problems when we removing objectClasses

When you remove gosaAccount you can have some troubles.

If you have samba plugin installed you must remove the next attributes on the users where the samba tab is not activate.

- sambaBadPasswordTime
- sambaBadPasswordCount
- sambaNTPassword
- sambaPwdLastSet

### If you use argonaut client tab on some objets

To add the new attribute argonautClientProtocol, you must only open the objets that have an argonaut client tab and save it again.

### Migrate FusionDirectory from 1.0.9 to 1.0.9.1

#### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

## Upgrade of LDAP directory

Insert the core template schema

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/template-fd.schema
```

## Remove old schema from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **recovery-fd.schema** and **asterisk-fd.conf** if they still exist

## Check for deprecated attributes and objectClasses in your LDAP

— **fusiondirectory-setup --list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses
↳ Deprecated attributes:

gotoModules           (Goto - Gonicus Terminal Concept,
↳ value kernel modules.)      - 1.3.6.1.4.1.10098.1.1.1.32```
fdPasswordHook        (FusionDirectory -
↳ Password hook (external command))      - 1.3.6.1.4.1.38414.8.13.4```
fdSnapshotURI         (FusionDirectory -
↳ Snapshot URI)      - 1.3.6.1.4.1.38414.8.17.3```
gotoXVsync            (Goto - Gonicus Terminal Concept, value xvsync.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.19```
ghSoundAdapter        (Hardware definitions,
↳ value soundAdapter)      - 1.3.6.1.4.1.10098.1.1.2.7```
gotoXMouseport        (Goto - Gonicus Terminal Concept, value xMouseport.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.22```
gotoXMonitor          (Goto - Gonicus Terminal Concept, value xMonitor.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.17```
gotoAdaptPath         (Goto - Gonicus Terminal Concept, value adaptpath.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.33```
gotoScannerClients    (Goto - Gonicus Terminal Concept,
↳ value scannerClients.)  - 1.3.6.1.4.1.10098.1.1.1.11```
gotoHardwareChecksum (Goto -
↳ quick way to see if something has changed)      - 1.3.6.1.4.1.10098.1.1.2.
↳12```
gotoRootPasswd        (Goto - Gonicus Terminal Concept, value rootPasswd.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.14```
gotoXKbLayout         (Goto - Gonicus Terminal Concept, value xKblayout.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.26```
gotoProfileServer     (Goto -
↳ specifies the profile server)      - 1.3.6.1.4.1.10098.1.1.11.
↳8```
fdAccountRDN          (FusionDirectory -
↳ use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.
↳12.2```
gotoScannerEnable      (Goto - Gonicus Terminal Concept, value scannerEnable.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.10```
ghGfxAdapter          (Hardware definitions,
↳ value Grafikkarte)      - 1.3.6.1.4.1.10098.1.1.2.9```
gotoFontPath           (Goto - Gonicus Terminal Concept, value fontPath.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.5```
```

(suite sur la page suivante)

(suite de la page précédente)

```

ghIdeDev           (Hardware definitions,
↳ value ideDev)      - 1.3.6.1.4.1.10098.1.1.2.4``

gotoLpdEnable      (GOto - Gonicus Terminal Concept, value lpdEnable.
↳)      - 1.3.6.1.4.1.10098.1.1.1.9``

gotoXKbVariant     (GOto - Gonicus Terminal Concept, value xKbvariant.
↳)      - 1.3.6.1.4.1.10098.1.1.1.27``

fdRfc2307bis       (FusionDirectory -
↳ rfc2307bis)      - 1.3.6.1.4.1.38414.8.10.1``

gotoAutoFs          (GOto - Gonicus Terminal Concept, value autofs.
↳)      - 1.3.6.1.4.1.10098.1.1.1.31``

gotoSndModule        (GOto - Gonicus Terminal Concept, value sound Modules.
↳)      - 1.3.6.1.4.1.10098.1.1.1.29``

gotoCdromEnable      (GOto - Gonicus Terminal Concept, value cdromEnable.
↳)      - 1.3.6.1.4.1.10098.1.1.1.8``

gotoScannerModel     (GOto - Gonicus Terminal Concept, value scannerModel.
↳)      - 1.3.6.1.4.1.10098.1.1.1.40``

gosaLoginRestriction (GOsa -
↳ Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.
↳10098.1.1.12.46``

gotoXColordepth      (GOto - Gonicus Terminal Concept, value xColordepth.
↳)      - 1.3.6.1.4.1.10098.1.1.1.21``

↳
↳ academicTitle      (Field to represent the academic title)
↳ 1.3.6.1.4.1.10098.1.1.6.2``

fdSnapshotAdminDn    (FusionDirectory -
↳ Snapshot admin dn)      - 1.3.6.1.4.1.38414.8.17.4``

gotoFilesystem        (GOto - Gonicus Terminal Concept, value filesystem.
↳)      - 1.3.6.1.4.1.10098.1.1.1.6``

↳
↳ ghInventoryNumber   (Unique number for inclusion in an inventory)
↳ 1.3.6.1.4.1.10098.1.1.2.10``

gosaSubtreeACL        (GOsa -
↳ ACL entry)      - 1.3.6.1.4.1.10098.1.1.12.
↳1``

fdIdGenerator         (FusionDirectory -
↳ An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``

ghUsbSupport          (Hardware definitions,
↳ value usbSupport)      - 1.3.6.1.4.1.10098.1.1.2.3``

gotoSysStatus          (Keeps current system status -
↳ info shown in GOsa)      - 1.3.6.1.4.1.10098.1.1.2.11``

fdCopyPaste            (FusionDirectory - (de)Activate copy/
↳ paste)      - 1.3.6.1.4.1.38414.8.14.5``

gotoXDriver             (GOto - Gonicus Terminal Concept, value xDriver.
↳)      - 1.3.6.1.4.1.10098.1.1.1.28``

gotoXKbModel            (GOto - Gonicus Terminal Concept, value xKbmodel.
↳)      - 1.3.6.1.4.1.10098.1.1.1.25``

fdPersonalTitleInDN    (FusionDirectory -
↳ Personal title in dn)      - 1.3.6.1.4.1.38414.8.12.5``

gotoLpdServer           (GOto - Gonicus Terminal Concept, value lpdServer.
↳)      - 1.3.6.1.4.1.10098.1.1.1.4``

gotoXHsync              (GOto - Gonicus Terminal Concept, value xHsync.
↳)      - 1.3.6.1.4.1.10098.1.1.1.18``

gotoProfileFlags        (GOto - Flags for Profile handling -
↳ C is for caching)      - 1.3.6.1.4.1.10098.1.1.11.7``

ghCpuType               (Hardware definitions,
↳ value cpuType)      - 1.3.6.1.4.1.10098.1.1.2.1``

gotoXResolution          (GOto - Gonicus Terminal Concept, value xResolution.
↳)      - 1.3.6.1.4.1.10098.1.1.1.20``
```

(suite sur la page suivante)

(suite de la page précédente)

gotoShare	(Goto -	- 1.3.6.1.4.1.10098.1.1.11.
↳ specifies a share)		
↳ 9``		
gotoScannerBackend	(Goto - Gonicus Terminal Concept,	
↳ value scannerBackend.)	- 1.3.6.1.4.1.10098.1.1.39``	
fdSnapshotAdminPassword	(FusionDirectory -	
↳ Snapshot admin password)	- 1.3.6.1.4.1.38414.8.17.5``	
fdVoicemailContexts	(FusionDirectory -	
↳ available voicemail contexts)	- 1.3.6.1.4.1.38414.19.11.2``	
gosaDefaultLanguage	(Gosa -	
↳ Defines the default language <b>for</b> a user)	- 1.3.6.1.4.1.10098.1.1.12.	
↳ 14``		
ghMemSize	(Hardware definitions,	
↳ value memSize)	- 1.3.6.1.4.1.10098.1.1.2.2``	
gotoProfileQuota	(Goto -	
↳ save quota <b>for</b> home)	- 1.3.6.1.4.1.10098.1.1.11.	
↳ 15``		
fdSipContexts	(FusionDirectory -	
↳ available sip contexts)	- 1.3.6.1.4.1.38414.19.11.1``	
fdPhoneConferenceRDN	(FusionDirectory -	
↳ Phone conference RDN)	- 1.3.6.1.4.1.38414.19.10.3``	
ghScsiDev	(Hardware definitions,	
↳ value scsiDev)	- 1.3.6.1.4.1.10098.1.1.2.5``	
fdPhoneMacroRDN	(FusionDirectory -	
↳ Phone macro RDN)	- 1.3.6.1.4.1.38414.19.10.2``	
ghNetNic	(Hardware definitions,	
↳ value Network Device)	- 1.3.6.1.4.1.10098.1.1.2.8``	
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable.	
↳ )	- 1.3.6.1.4.1.10098.1.1.1.7``	
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons.	
↳ )	- 1.3.6.1.4.1.10098.1.1.1.23``	
gotoXMouseType	(Hardware definitions,	
↳ value Type of mouse)	- 1.3.6.1.4.1.10098.1.1.1.34``	

#### Deprecated objectClasses :

goCupsServer	(CUPS server description)	-
↳ 1.3.6.1.4.1.10098.1.2.1.23``		
gosaCacheEntry	(Gosa -	- 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa caching)		
↳ 19.3``		
gosaUserTemplate	(Gosa -	- 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa User Templates)		
↳ 19.11``		
gosaAccount	(Gosa -	- 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa Accounts)		
↳ 19.6``		
gosaObject	(Gosa -	- 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa settings)		
↳ 19.1``		

— **fusiondirectory-setup --check-deprecated** will output a list of dn using old attributes and objectClasses

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

- **fusiondirectory-setup –ldif-deprecated** will output an ldif file on the console that you can use with ldapmodify to clean your ldap server from old attributes.  
If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup –check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.9.1 to 1.0.9.2

### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Removed obsolete plugins

In this version we removed obsolete plugin, because they were based on software no longer existing or needed an sql backend and we decided they need to be rewritten using the now ldap backend of those softwares :

- **rsyslog** : old plugin not maintainable anymore based on the sql backend, and we don't want to manage sql backend in FusionDirectory anymore
- **Database-connector** [sql abstraction code no longer needed now] that rsyslog plugin is removed

They are no longer supported and should be removed from your installation

```
apt-get remove fusiondirectory-plugin-rsyslog
```

```
apt-get remove fusiondirectory-plugin-database-connector
```

### Upgrade of LDAP directory

Upgrade the core template schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema``  
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.  
  ↳ schema``
```

if you are using the fusioninventory plugin you have to update his schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/inventory-fd.  
  ↳ schema``
```

if you are using the supann plugin you have to update his schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/supann-fd.conf``
```

### Remove old schema from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **recovery-fd.schema** and **asterisk-fd.conf** if they still exist

### Check for deprecated attributes and objectClasses in your LDAP

— **fusiondirectory-setup --list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses  
  ↳ Deprecated attributes:  
  
    gotoModules           (Goto - Gonicus Terminal Concept,  
  ↳ value kernel modules.)      - 1.3.6.1.4.1.10098.1.1.1.32``  
    fdPasswordHook        (FusionDirectory -  
  ↳ Password hook (external command))      - 1.3.6.1.4.1.38414.8.13.4``  
    fdSnapshotURI         (FusionDirectory -  
  ↳ Snapshot URI)          - 1.3.6.1.4.1.38414.8.17.3``  
    gotoXVsync            (Goto - Gonicus Terminal Concept, value xvsync.  
  ↳)                  - 1.3.6.1.4.1.10098.1.1.1.19``  
    ghSoundAdapter        (Hardware definitions,  
  ↳ value soundAdapter)     - 1.3.6.1.4.1.10098.1.1.2.7``  
    gotoXMouseport        (Goto - Gonicus Terminal Concept, value xMouseport.  
  ↳)                  - 1.3.6.1.4.1.10098.1.1.1.22``  
    gotoXMonitor          (Goto - Gonicus Terminal Concept, value xMonitor.  
  ↳)                  - 1.3.6.1.4.1.10098.1.1.1.17``  
    gotoAdaptPath         (Goto - Gonicus Terminal Concept, value adaptpath.  
  ↳)                  - 1.3.6.1.4.1.10098.1.1.1.33``  
    gotoScannerClients    (Goto - Gonicus Terminal Concept,  
  ↳ value scannerClients.) - 1.3.6.1.4.1.10098.1.1.1.11``  
    gotoHardwareChecksum  (Goto -  
  ↳ quick way to see if something has changed)      - 1.3.6.1.4.1.10098.1.1.2.  
  ↳12``  
    gotoRootPasswd        (Goto - Gonicus Terminal Concept, value rootPasswd.  
  ↳)                  - 1.3.6.1.4.1.10098.1.1.1.14``  
    gotoXKbLayout         (Goto - Gonicus Terminal Concept, value xKbLayout.  
  ↳)                  - 1.3.6.1.4.1.10098.1.1.1.26``
```

(suite sur la page suivante)

(suite de la page précédente)

```

gotoProfileServer          (Goto -
← specifies the profile server)           - 1.3.6.1.4.1.10098.1.1.11.
←8``

fdAccountRDN              (FusionDirectory -
← use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.
←12.2``

gotoScannerEnable          (Goto - Gonicus Terminal Concept, value scannerEnable.
←)                  - 1.3.6.1.4.1.10098.1.1.10``

ghGfxAdapter               (Hardware definitions,
← value Grafikkarte)                   - 1.3.6.1.4.1.10098.1.1.2.9``

gotoFontPath               (Goto - Gonicus Terminal Concept, value fontPath.
←)                  - 1.3.6.1.4.1.10098.1.1.1.5``

ghIdeDev                  (Hardware definitions,
← value ideDev)                     - 1.3.6.1.4.1.10098.1.1.2.4``

gotoLpdEnable               (Goto - Gonicus Terminal Concept, value lpdEnable.
←)                  - 1.3.6.1.4.1.10098.1.1.1.9``

gotoXKbVariant              (Goto - Gonicus Terminal Concept, value xKbvariant.
←)                  - 1.3.6.1.4.1.10098.1.1.1.27``

fdRfc2307bis              (FusionDirectory -
← rfc2307bis)                      - 1.3.6.1.4.1.38414.8.10.1``

gotoAutoFs                 (Goto - Gonicus Terminal Concept, value autofs.
←)                  - 1.3.6.1.4.1.10098.1.1.1.31``

gotoSndModule               (Goto - Gonicus Terminal Concept, value sound Modules.
←)                  - 1.3.6.1.4.1.10098.1.1.1.29``

gotoCdromEnable             (Goto - Gonicus Terminal Concept, value cdromEnable.
←)                  - 1.3.6.1.4.1.10098.1.1.1.8``

gotoScannerModel            (Goto - Gonicus Terminal Concept, value scannerModel.
←)                  - 1.3.6.1.4.1.10098.1.1.1.40``

gosaLoginRestriction        (GOsa -
← Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.
←10098.1.1.12.46``

gotoXColordepth             (Goto - Gonicus Terminal Concept, value xColordepth.
←)                  - 1.3.6.1.4.1.10098.1.1.1.21``

↳
←academicTitle              (Field to represent the academic title)
← 1.3.6.1.4.1.10098.1.1.6.2``

fdSnapshotAdminDn            (FusionDirectory -
← Snapshot admin dn)                  - 1.3.6.1.4.1.38414.8.17.4``

gotoFilesystem               (Goto - Gonicus Terminal Concept, value filesystem.
←)                  - 1.3.6.1.4.1.10098.1.1.1.6``

↳
←ghInventoryNumber           (Unique number for inclusion in an inventory)
← 1.3.6.1.4.1.10098.1.1.2.10``

gosaSubtreeACL               (GOsa -
← ACL entry)                      - 1.3.6.1.4.1.10098.1.1.12.

←1``

fdIdGenerator               (FusionDirectory -
← An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``

ghUsbSupport                (Hardware definitions,
← value usbSupport)                  - 1.3.6.1.4.1.10098.1.1.2.3``

gotoSysStatus                (Keeps current system status -
← info shown in GOsa)                  - 1.3.6.1.4.1.10098.1.1.2.11``

fdCopyPaste                  (FusionDirectory - (de)Activate copy/
←paste)                            - 1.3.6.1.4.1.38414.8.14.5``

gotoXDriver                  (Goto - Gonicus Terminal Concept, value xDriver.
←)                  - 1.3.6.1.4.1.10098.1.1.1.28``

gotoXKbModel                  (Goto - Gonicus Terminal Concept, value xKbmodel.
←)                  - 1.3.6.1.4.1.10098.1.1.1.25``
```

(suite sur la page suivante)

(suite de la page précédente)

fdPersonalTitleInDN	(FusionDirectory -
↳ Personal title in dn)	- 1.3.6.1.4.1.38414.8.12.5``
gotoLpdServer	(Goto - Gonicus Terminal Concept, value lpdServer.
↳ )	- 1.3.6.1.4.1.10098.1.1.1.4``
gotoXHsync	(Goto - Gonicus Terminal Concept, value xHsync.
↳ )	- 1.3.6.1.4.1.10098.1.1.1.18``
gotoProfileFlags	(Goto - Flags <b>for</b> Profile handling -
↳ C is <b>for</b> caching)	- 1.3.6.1.4.1.10098.1.1.11.7``
ghCpuType	(Hardware definitions,
↳ value cpuType)	- 1.3.6.1.4.1.10098.1.1.2.1``
gotoXResolution	(Goto - Gonicus Terminal Concept, value xResolution.
↳ )	- 1.3.6.1.4.1.10098.1.1.1.20``
gotoShare	(Goto -
↳ specifies a share)	- 1.3.6.1.4.1.10098.1.1.11.
→9``	
gotoScannerBackend	(Goto - Gonicus Terminal Concept,
↳ value scannerBackend.)	- 1.3.6.1.4.1.10098.1.1.1.39``
fdSnapshotAdminPassword	(FusionDirectory -
↳ Snapshot admin password)	- 1.3.6.1.4.1.38414.8.17.5``
fdVoicemailContexts	(FusionDirectory -
↳ available voicemail contexts)	- 1.3.6.1.4.1.38414.19.11.2``
gosaDefaultLanguage	(Gosa -
↳ Defines the default language <b>for</b> a user)	- 1.3.6.1.4.1.10098.1.1.12.
→14``	
ghMemSize	(Hardware definitions,
↳ value memSize)	- 1.3.6.1.4.1.10098.1.1.2.2``
gotoProfileQuota	(Goto -
↳ save quota <b>for</b> home)	- 1.3.6.1.4.1.10098.1.1.11.
→15``	
fdSipContexts	(FusionDirectory -
↳ available sip contexts)	- 1.3.6.1.4.1.38414.19.11.1``
fdPhoneConferencerDN	(FusionDirectory -
↳ Phone conference RDN)	- 1.3.6.1.4.1.38414.19.10.3``
ghScsiDev	(Hardware definitions,
↳ value scsiDev)	- 1.3.6.1.4.1.10098.1.1.2.5``
fdPhoneMacroRDN	(FusionDirectory -
↳ Phone macro RDN)	- 1.3.6.1.4.1.38414.19.10.2``
ghNetNic	(Hardware definitions,
↳ value Network Device)	- 1.3.6.1.4.1.10098.1.1.2.8``
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable.
↳ )	- 1.3.6.1.4.1.10098.1.1.1.7``
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons.
↳ )	- 1.3.6.1.4.1.10098.1.1.1.23``
gotoXMouseType	(Hardware definitions,
↳ value Type of mouse)	- 1.3.6.1.4.1.10098.1.1.1.34``

## Deprecated objectClasses :

goCupsServer	(CUPS server description)
↳ 1.3.6.1.4.1.10098.1.2.1.23``	
gosaCacheEntry	(Gosa -
↳ Class <b>for</b> Gosa caching)	- 1.3.6.1.4.1.10098.1.2.1.
→19.3``	
gosaUserTemplate	(Gosa -
↳ Class <b>for</b> Gosa User Templates)	- 1.3.6.1.4.1.10098.1.2.1.
→19.11``	
gosaAccount	(Gosa -
↳ Class <b>for</b> Gosa Accounts)	- 1.3.6.1.4.1.10098.1.2.1. (suite sur la page suivante)
→19.6``	

(suite de la page précédente)

```
gosaObject          (Gosa -  
  ↵ Class for Gosa settings)  
  ↵19.1``  
- 1.3.6.1.4.1.10098.1.2.1.
```

— **fusiondirectory-setup --check-deprecated** will output a list of dn using old attributes and objectClasses

```
fusiondirectory-setup --check-deprecated  
List LDAP entries using deprecated attributes or objectclasses  
There are no entries in the LDAP using obsolete attributes  
There are no entries in the LDAP using obsolete classes
```

— **fusiondirectory-setup -ldif-deprecated** will output an ldif file on the console that you can use with ldapmodify to clean your ldap server from old attributes.  
If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup --check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

### Migrate FusionDirectory from 1.0.9.2 to 1.0.9.3

#### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

#### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

## Upgrade of LDAP directory

Upgrade the core configuration schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

if you are using the system plugin you have to update his schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/service-fd.schema
```

if you are using the repository plugin you have to update his schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/repository-fd.schema
```

## Remove old schema from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **recovery-fd.schema** and **asterisk-fd.conf** if they still exist

## Check for deprecated attributes and objectClasses in your LDAP

— **fusiondirectory-setup --list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses
↳ Deprecated attributes:

gotoModules           (Goto - Gonicus Terminal Concept,
↳ value kernel modules.)      - 1.3.6.1.4.1.10098.1.1.1.32```
fdPasswordHook        (FusionDirectory -
↳ Password hook (external command))      - 1.3.6.1.4.1.38414.8.13.4```
fdSnapshotURI         (FusionDirectory -
↳ Snapshot URI)      - 1.3.6.1.4.1.38414.8.17.3```
gotoXVsync            (Goto - Gonicus Terminal Concept, value xvsync.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.19```
ghSoundAdapter        (Hardware definitions,
↳ value soundAdapter)      - 1.3.6.1.4.1.10098.1.1.2.7```
gotoXMouseport        (Goto - Gonicus Terminal Concept, value xMouseport.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.22```
gotoXMonitor          (Goto - Gonicus Terminal Concept, value xMonitor.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.17```
gotoAdaptPath         (Goto - Gonicus Terminal Concept, value adaptpath.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.33```
gotoScannerClients    (Goto - Gonicus Terminal Concept,
↳ value scannerClients.)      - 1.3.6.1.4.1.10098.1.1.1.11```
gotoHardwareChecksum  (Goto -
↳ quick way to see if something has changed)      - 1.3.6.1.4.1.10098.1.1.2.
↳12```
gotoRootPasswd        (Goto - Gonicus Terminal Concept, value rootPasswd.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.14```
gotoXKbLayout          (Goto - Gonicus Terminal Concept, value XKblayout.
↳)                  - 1.3.6.1.4.1.10098.1.1.1.26```
gotoProfileServer     (Goto -
↳ specifies the profile server)      - 1.3.6.1.4.1.10098.1.1.11.
↳8``
```

(suite sur la page suivante)

(suite de la page précédente)

```

fdAccountRDN           (FusionDirectory -
← use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.
←12.2``

gotoScannerEnable       (Goto - Gonicus Terminal Concept, value scannerEnable.
←)                   - 1.3.6.1.4.1.10098.1.1.1.10``

ghGfxAdapter           (Hardware definitions,
← value Grafikkarte)          - 1.3.6.1.4.1.10098.1.1.2.9``

gotoFontPath            (Goto - Gonicus Terminal Concept, value fontPath.
←)                   - 1.3.6.1.4.1.10098.1.1.1.5``

ghIdleDev               (Hardware definitions,
← value ideDev)          - 1.3.6.1.4.1.10098.1.1.2.4``

gotoLpdEnable            (Goto - Gonicus Terminal Concept, value lpdEnable.
←)                   - 1.3.6.1.4.1.10098.1.1.1.9``

gotoXKbVariant           (Goto - Gonicus Terminal Concept, value xKbvariant.
←)                   - 1.3.6.1.4.1.10098.1.1.1.27``

fdRfc2307bis            (FusionDirectory -
← rfc2307bis)           - 1.3.6.1.4.1.38414.8.10.1``

gotoAutoFs               (Goto - Gonicus Terminal Concept, value autofs.
←)                   - 1.3.6.1.4.1.10098.1.1.1.31``

gotoSndModule             (Goto - Gonicus Terminal Concept, value sound Modules.
←)                   - 1.3.6.1.4.1.10098.1.1.1.29``

gotoCdromEnable           (Goto - Gonicus Terminal Concept, value cdromEnable.
←)                   - 1.3.6.1.4.1.10098.1.1.1.8``

gotoScannerModel          (Goto - Gonicus Terminal Concept, value scannerModel.
←)                   - 1.3.6.1.4.1.10098.1.1.1.40``

gosaLoginRestriction      (GOsa -
← Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.
←10098.1.1.12.46``

gotoXColordepth           (Goto - Gonicus Terminal Concept, value xColordepth.
←)                   - 1.3.6.1.4.1.10098.1.1.1.21``

↳
←academicTitle            (Field to represent the academic title)
← 1.3.6.1.4.1.10098.1.1.6.2``

fdSnapshotAdminDn          (FusionDirectory -
← Snapshot admin dn)        - 1.3.6.1.4.1.38414.8.17.4``

gotoFilesystem              (Goto - Gonicus Terminal Concept, value filesystem.
←)                   - 1.3.6.1.4.1.10098.1.1.1.6``

↳
←ghInventoryNumber          (Unique number for inclusion in an inventory)
← 1.3.6.1.4.1.10098.1.1.2.10``

gosaSubtreeACL              (GOsa -
← ACL entry)                - 1.3.6.1.4.1.10098.1.1.12.
←1``

fdIdGenerator               (FusionDirectory -
← An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``

ghUsbSupport                 (Hardware definitions,
← value usbSupport)          - 1.3.6.1.4.1.10098.1.1.2.3``

gotoSysStatus                (Keeps current system status -
← info shown in GOsa)          - 1.3.6.1.4.1.10098.1.1.2.11``

fdCopyPaste                  (FusionDirectory - (de)Activate copy/
←paste)                      - 1.3.6.1.4.1.38414.8.14.5``

gotoXDriver                  (Goto - Gonicus Terminal Concept, value xDriver.
←)                   - 1.3.6.1.4.1.10098.1.1.1.28``

gotoXKbModel                  (Goto - Gonicus Terminal Concept, value xKbmodel.
←)                   - 1.3.6.1.4.1.10098.1.1.1.25``

fdPersonalTitleInDN          (FusionDirectory -
← Personal title in dn)        - 1.3.6.1.4.1.38414.8.12.5``
```

(suite sur la page suivante)

(suite de la page précédente)

gotoLpdServer	(Goto - Gonicus Terminal Concept, value lpdServer.
↳ - 1.3.6.1.4.1.10098.1.1.1.4`	
gotoXHsync	(Goto - Gonicus Terminal Concept, value xHsync.
↳ - 1.3.6.1.4.1.10098.1.1.1.18``	
gotoProfileFlags	(Goto - Flags <b>for</b> Profile handling -
↳ C is <b>for</b> caching) - 1.3.6.1.4.1.10098.1.1.11.7``	
ghCpuType	(Hardware definitions,
↳ value cpuType) - 1.3.6.1.4.1.10098.1.1.2.1``	
gotoXResolution	(Goto - Gonicus Terminal Concept, value xResolution.
↳ - 1.3.6.1.4.1.10098.1.1.1.20``	
gotoShare	(Goto -
↳ specifies a share) - 1.3.6.1.4.1.10098.1.1.11.	
↳ 9``	
gotoScannerBackend	(Goto - Gonicus Terminal Concept,
↳ value scannerBackend.) - 1.3.6.1.4.1.10098.1.1.1.39``	
fdSnapshotAdminPassword	(FusionDirectory -
↳ Snapshot admin password) - 1.3.6.1.4.1.38414.8.17.5``	
fdVoicemailContexts	(FusionDirectory -
↳ available voicemail contexts) - 1.3.6.1.4.1.38414.19.11.2``	
gosaDefaultLanguage	(GOsa -
↳ Defines the default language <b>for</b> a user) - 1.3.6.1.4.1.10098.1.1.12.	
↳ 14``	
ghMemSize	(Hardware definitions,
↳ value memSize) - 1.3.6.1.4.1.10098.1.1.2.2``	
gotoProfileQuota	(Goto -
↳ save quota <b>for</b> home) - 1.3.6.1.4.1.10098.1.1.11.	
↳ 15``	
fdSipContexts	(FusionDirectory -
↳ available sip contexts) - 1.3.6.1.4.1.38414.19.11.1``	
fdPhoneConferenceRDN	(FusionDirectory -
↳ Phone conference RDN) - 1.3.6.1.4.1.38414.19.10.3``	
ghScsiDev	(Hardware definitions,
↳ value scsiDev) - 1.3.6.1.4.1.10098.1.1.2.5``	
fdPhoneMacroRDN	(FusionDirectory -
↳ Phone macro RDN) - 1.3.6.1.4.1.38414.19.10.2``	
ghNetNic	(Hardware definitions,
↳ value Network Device) - 1.3.6.1.4.1.10098.1.1.2.8``	
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable.
↳ - 1.3.6.1.4.1.10098.1.1.1.7`	
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons.
↳ - 1.3.6.1.4.1.10098.1.1.1.23`	
gotoXMouseType	(Hardware definitions,
↳ value Type of mouse) - 1.3.6.1.4.1.10098.1.1.1.34``	

### Deprecated objectClasses :

goCupsServer	(CUPS server description)
↳ 1.3.6.1.4.1.10098.1.2.1.23``	
gosaCacheEntry	(GOsa -
↳ Class <b>for</b> GOsa caching) - 1.3.6.1.4.1.10098.1.2.1.	
↳ 19.3``	
gosaUserTemplate	(GOsa -
↳ Class <b>for</b> GOsa User Templates) - 1.3.6.1.4.1.10098.1.2.1.	
↳ 19.11``	
gosaAccount	(GOsa -
↳ Class <b>for</b> GOsa Accounts) - 1.3.6.1.4.1.10098.1.2.1.	
↳ 19.6``	

(suite sur la page suivante)

(suite de la page précédente)

```
gosaObject          (Gosa -  
  ↵ Class for Gosa settings)  
  ↵19.1``  
- 1.3.6.1.4.1.10098.1.2.1.
```

— **fusiondirectory-setup --check-deprecated** will output a list of dn using old attributes and objectClasses

```
fusiondirectory-setup --check-deprecated  
List LDAP entries using deprecated attributes or objectclasses  
There are no entries in the LDAP using obsolete attributes  
There are no entries in the LDAP using obsolete classes
```

— **fusiondirectory-setup -ldif-deprecated** will output an ldif file on the console that you can use with ldapmodify to clean your ldap server from old attributes.  
If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup --check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

### Migrate FusionDirectory from 1.0.9.3 to 1.0.10

#### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

#### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

Upgrade the core configuration schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

if you are using the personal plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/personal-fd.schema
```

if you are using the system plugin you have to update its schemas

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd.schema
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd-conf.  
↳ schema
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/service-fd.schema
```

if you are using the dns plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/dns-fd-conf.schema
```

and install a new schema

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/dns-fd.schema
```

### Remove old schema from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **recovery-fd.schema** and **asterisk-fd.conf** if they still exist

### Check for deprecated attributes and objectClasses in your LDAP

— **fusiondirectory-setup --list-deprecated** List deprecated attributes and objectclasses Deprecated attributes :

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses  
↳ Deprecated attributes:
```

```
gotoModules          (Goto - Gonicus Terminal Concept,  
↳ value kernel modules.)      - 1.3.6.1.4.1.10098.1.1.1.32``  
fdPasswordHook      (FusionDirectory -  
↳ Password hook (external command))      - 1.3.6.1.4.1.38414.8.13.4``  
fdSnapshotURI       (FusionDirectory -  
↳ Snaphost URI)           - 1.3.6.1.4.1.38414.8.17.3``  
gotoXVsync          (Goto - Gonicus Terminal Concept, value xvsync.  
↳)                  - 1.3.6.1.4.1.10098.1.1.1.19``  
ghSoundAdapter      (Hardware definitions,  
↳ value soundAdapter)      - 1.3.6.1.4.1.10098.1.1.2.7``  
gotoXMouseport      (Goto - Gonicus Terminal Concept, value xMouseport.  
↳)                  - 1.3.6.1.4.1.10098.1.1.1.22``
```

(suite sur la page suivante)

(suite de la page précédente)

```

gotoXMonitor           (Goto - Gonicus Terminal Concept, value xMonitor.
→)      - 1.3.6.1.4.1.10098.1.1.1.17```
gotoAdaptPath          (Goto - Gonicus Terminal Concept, value adaptpath.
→)      - 1.3.6.1.4.1.10098.1.1.1.33```
gotoScannerClients     (Goto - Gonicus Terminal Concept,
→ value scannerClients.) - 1.3.6.1.4.1.10098.1.1.1.11```
gotoHardwareChecksum   (Goto -
→ quick way to see if something has changed) - 1.3.6.1.4.1.10098.1.1.2.
→12```
gotoRootPasswd         (Goto - Gonicus Terminal Concept, value rootPasswd.
→)      - 1.3.6.1.4.1.10098.1.1.1.14```
gotoXKbLayout          (Goto - Gonicus Terminal Concept, value xKblayout.
→)      - 1.3.6.1.4.1.10098.1.1.1.26```
gotoProfileServer       (Goto -
→ specifies the profile server) - 1.3.6.1.4.1.10098.1.1.11.
→8```
fdAccountRDN           (FusionDirectory -
→ use a placeholder pattern for generating account RDNs) - 1.3.6.1.4.1.38414.8.
→12.2```
gotoScannerEnable        (Goto - Gonicus Terminal Concept, value scannerEnable.
→)      - 1.3.6.1.4.1.10098.1.1.1.10```
ghGfxAdapter            (Hardware definitions,
→ value Grafikkarte) - 1.3.6.1.4.1.10098.1.1.2.9```
gotoFontPath             (Goto - Gonicus Terminal Concept, value fontPath.
→)      - 1.3.6.1.4.1.10098.1.1.1.5```
ghIdeDev                (Hardware definitions,
→ value ideDev) - 1.3.6.1.4.1.10098.1.1.2.4```
gotoLpdEnable            (Goto - Gonicus Terminal Concept, value lpdEnable.
→)      - 1.3.6.1.4.1.10098.1.1.1.9```
gotoXKbVariant           (Goto - Gonicus Terminal Concept, value xKbvariant.
→)      - 1.3.6.1.4.1.10098.1.1.1.27```
fdRfc2307bis            (FusionDirectory -
→ rfc2307bis) - 1.3.6.1.4.1.38414.8.10.1```
gotoAutoFs               (Goto - Gonicus Terminal Concept, value autofs.
→)      - 1.3.6.1.4.1.10098.1.1.1.31```
gotoSndModule             (Goto - Gonicus Terminal Concept, value sound Modules.
→)      - 1.3.6.1.4.1.10098.1.1.1.29```
gotoCdromEnable           (Goto - Gonicus Terminal Concept, value cdromEnable.
→)      - 1.3.6.1.4.1.10098.1.1.1.8```
gotoScannerModel          (Goto - Gonicus Terminal Concept, value scannerModel.
→)      - 1.3.6.1.4.1.10098.1.1.1.40```
gosaLoginRestriction      (GOsa -
→ Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.
→10098.1.1.12.46```
gotoXColordepth           (Goto - Gonicus Terminal Concept, value xColordepth.
→)      - 1.3.6.1.4.1.10098.1.1.1.21```
→ academicTitle           (Field to represent the academic title)
→ 1.3.6.1.4.1.10098.1.1.6.2```
fdSnapshotAdminDn          (FusionDirectory -
→ Snapshot admin dn) - 1.3.6.1.4.1.38414.8.17.4```
gotoFilesystem             (Goto - Gonicus Terminal Concept, value filesystem.
→)      - 1.3.6.1.4.1.10098.1.1.1.6```
→ ghInventoryNumber         (Unique number for inclusion in an inventory)
→ 1.3.6.1.4.1.10098.1.1.2.10```
gosaSubtreeACL              (GOsa -
→ ACL entry) - 1.3.6.1.4.1.10098.1.1.1.11```

```

- (suite sur la page suivante)

(suite de la page précédente)

fdIdGenerator	(FusionDirectory - ↳ An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``
ghUsbSupport	(Hardware definitions, ↳ value usbSupport) - 1.3.6.1.4.1.10098.1.1.2.3``
gotoSysStatus	(Keeps current system status - ↳ info shown in Gosa) - 1.3.6.1.4.1.10098.1.1.2.11``
fdCopyPaste	(FusionDirectory - (de)Activate copy/ ↳ paste) - 1.3.6.1.4.1.38414.8.14.5``
gotoXDriver	(Goto - Gonicus Terminal Concept, value xDriver. ↳) - 1.3.6.1.4.1.10098.1.1.1.28``
gotoXKbModel	(Goto - Gonicus Terminal Concept, value xKbmodel. ↳) - 1.3.6.1.4.1.10098.1.1.1.25``
fdPersonalTitleInDN	(FusionDirectory - ↳ Personal title in dn) - 1.3.6.1.4.1.38414.8.12.5``
gotoLpdServer	(Goto - Gonicus Terminal Concept, value lpdServer. ↳) - 1.3.6.1.4.1.10098.1.1.1.4``
gotoXHsync	(Goto - Gonicus Terminal Concept, value xHsync. ↳) - 1.3.6.1.4.1.10098.1.1.1.18``
gotoProfileFlags	(Goto - Flags <b>for</b> Profile handling - ↳ C is <b>for</b> caching) - 1.3.6.1.4.1.10098.1.1.11.7``
ghCpuType	(Hardware definitions, ↳ value cpuType) - 1.3.6.1.4.1.10098.1.1.2.1``
gotoXResolution	(Goto - Gonicus Terminal Concept, value xResolution. ↳) - 1.3.6.1.4.1.10098.1.1.1.20``
gotoShare	(Goto - ↳ specifies a share) - 1.3.6.1.4.1.10098.1.1.11. ↳9``
gotoScannerBackend	(Goto - Gonicus Terminal Concept, ↳ value scannerBackend.) - 1.3.6.1.4.1.10098.1.1.1.39``
fdSnapshotAdminPassword	(FusionDirectory - ↳ Snaphost admin password) - 1.3.6.1.4.1.38414.8.17.5``
fdVoicemailContexts	(FusionDirectory - ↳ available voicemail contexts) - 1.3.6.1.4.1.38414.19.11.2``
gosaDefaultLanguage	(Gosa - ↳ Defines the default language <b>for</b> a user) - 1.3.6.1.4.1.10098.1.1.12. ↳14``
ghMemSize	(Hardware definitions, ↳ value memSize) - 1.3.6.1.4.1.10098.1.1.2.2``
gotoProfileQuota	(Goto - ↳ save quota <b>for</b> home) - 1.3.6.1.4.1.10098.1.1.11. ↳15``
fdSipContexts	(FusionDirectory - ↳ available sip contexts) - 1.3.6.1.4.1.38414.19.11.1``
fdPhoneConferencerDN	(FusionDirectory - ↳ Phone conference RDN) - 1.3.6.1.4.1.38414.19.10.3``
ghScsiDev	(Hardware definitions, ↳ value scsiDev) - 1.3.6.1.4.1.10098.1.1.2.5``
fdPhoneMacroRDN	(FusionDirectory - ↳ Phone macro RDN) - 1.3.6.1.4.1.38414.19.10.2``
ghNetNic	(Hardware definitions, ↳ value Network Device) - 1.3.6.1.4.1.10098.1.1.2.8``
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable. ↳) - 1.3.6.1.4.1.10098.1.1.1.7``
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons. ↳) - 1.3.6.1.4.1.10098.1.1.1.23``
gotoXMouseType	(Hardware definitions, ↳ value Type of mouse) - 1.3.6.1.4.1.10098.1.1.1.34``

Deprecated objectClasses :

```
goCupsServer          (CUPS server description)
↳ 1.3.6.1.4.1.10098.1.2.1.23`-
gosaCacheEntry        (Gosa -
↳ Class for GOsa caching)           - 1.3.6.1.4.1.10098.1.2.1.
↳ 19.3``-
gosaUserTemplate      (Gosa -
↳ Class for GOsa User Templates)    - 1.3.6.1.4.1.10098.1.2.1.
↳ 19.11``-
gosaAccount           (Gosa -
↳ Class for GOsa Accounts)         - 1.3.6.1.4.1.10098.1.2.1.
↳ 19.6``-
gosaObject            (Gosa -
↳ Class for GOsa settings)         - 1.3.6.1.4.1.10098.1.2.1.
↳ 19.1``-
```

— **fusiondirectory-setup --check-deprecated** will output a list of dn using old attributes and objectClasses

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

— **fusiondirectory-setup -ldif-deprecated** will output an ldif file on the console that you can use with ldapmodify to clean your ldap server from old attributes.

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup --check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.10 to 1.0.11

### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Migrate FusionDirectory from 1.0.11 to 1.0.12

#### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

#### Mail

In this version the mail plugin has been cleaned and his dependency to the systems has been removed. In the mean time the postfix and spamassassin service have been moved in their own plugins. The antivirus service have been removed.

The old spamassassin settings from the mail user tab have been rewritten and moved to a spamassassin plugin, they now support the real LDAP backend of spamassassin. So you will need to move your data to the new format before using them.

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

## Upgrade of LDAP directory

if you are using the mail plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/mail-fd.schema
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/mail-fd-conf.schema
```

if you are using the system plugin you have to update its schemas

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/service-fd.schema
```

## Postfix plugin

if you where using the postfix service in 1.0.11, you need to install the postfix plugin and insert the postfix schema

```
apt-get install fusiondirectory-plugin-postfix
apt-get install fusiondirectory-plugin-postfix-schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/postfix-fd.schema``
```

## spamassassin plugin

if you where using the spamassassin service in 1.0.11, you need to install the spamassassin plugin and insert the spamas-sasin schema

```
apt-get install fusiondirectory-plugin-spamassassin
apt-get install fusiondirectory-plugin-spamassassin-schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/spamassassin-fd.
schema
```

## Remove old schema from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **recovery-fd.schema** and **asterisk-fd.conf** if they still exist

## Check for deprecated attributes and objectClasses in your LDAP

The **list-deprecated** option of **fusiondirectory-setup** show deprecated attributes and objectClasses for FusionDirectory

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses_
Deprecation attributes:
  gotoModules          (Goto - Gonicus Terminal Concept,
  ↵ value kernel modules.)          - 1.3.6.1.4.1.10098.1.1.1.32``
```

(suite sur la page suivante)

(suite de la page précédente)

```

fdPasswordHook          (FusionDirectory -
↳ Password hook (external command))      - 1.3.6.1.4.1.38414.8.13.4``

fdSnapshotURI          (FusionDirectory -
↳ Snapshot URI)                      - 1.3.6.1.4.1.38414.8.17.3``

gotoXVsync              (Goto - Gonicus Terminal Concept, value xvsync.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.19``

ghSoundAdapter          (Hardware definitions,
↳ value soundAdapter)                - 1.3.6.1.4.1.10098.1.1.2.7``

gotoXMouseport          (Goto - Gonicus Terminal Concept, value xMouseport.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.22``

gotoXMonitor             (Goto - Gonicus Terminal Concept, value xMonitor.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.17``

gotoAdaptPath            (Goto - Gonicus Terminal Concept, value adaptPath.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.33``

gotoScannerClients        (Goto - Gonicus Terminal Concept,
↳ value scannerClients.)           - 1.3.6.1.4.1.10098.1.1.1.11``

gotoHardwareChecksum     (Goto -
↳ quick way to see if something has changed)      - 1.3.6.1.4.1.10098.1.1.2.

↳ 12``

gotoRootPasswd          (Goto - Gonicus Terminal Concept, value rootPasswd.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.14``

gotoXKbLayout             (Goto - Gonicus Terminal Concept, value xKbLayout.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.26``

gotoProfileServer         (Goto -
↳ specifies the profile server)           - 1.3.6.1.4.1.10098.1.1.11.

↳ 8``

fdAccountRDN             (FusionDirectory -
↳ use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.

↳ 12.2``

gotoScannerEnable         (Goto - Gonicus Terminal Concept, value scannerEnable.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.10``

ghGfxAdapter              (Hardware definitions,
↳ value Grafikkarte)                - 1.3.6.1.4.1.10098.1.1.2.9``

gotoFontPath              (Goto - Gonicus Terminal Concept, value fontPath.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.5``

ghIdeDev                  (Hardware definitions,
↳ value ideDev)                   - 1.3.6.1.4.1.10098.1.1.2.4``

gotoLpdEnable              (Goto - Gonicus Terminal Concept, value lpdEnable.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.9``

gotoXKbVariant             (Goto - Gonicus Terminal Concept, value xKbVariant.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.27``

fdRfc2307bis              (FusionDirectory -
↳ rfc2307bis)                    - 1.3.6.1.4.1.38414.8.10.1``

gotoAutoFs                 (Goto - Gonicus Terminal Concept, value autoFs.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.31``

gotoSndModule              (Goto - Gonicus Terminal Concept, value sound Modules.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.29``

gotoCdromEnable             (Goto - Gonicus Terminal Concept, value cdromEnable.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.8``

gotoScannerModel            (Goto - Gonicus Terminal Concept, value scannerModel.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.40``

gosaLoginRestriction       (Gosa -
↳ Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.

↳ 10098.1.1.12.46``

gotoXColordepth             (Goto - Gonicus Terminal Concept, value xColordepth.
↳)                     - 1.3.6.1.4.1.10098.1.1.1.21``

↳ academicTitle            (Field to represent the academic title (suite sur la page suivante)
↳ 1.3.6.1.4.1.10098.1.1.6.2``
```

(suite de la page précédente)

```

fdSnapshotAdminDn          (FusionDirectory -
  ↵ Snapshot admin dn)           - 1.3.6.1.4.1.38414.8.17.4``

gotoFilesystem             (Goto - Gonicus Terminal Concept, value filesystem.
  ↵)                  - 1.3.6.1.4.1.10098.1.1.1.6``

↳
  ↵ghInventoryNumber          (Unique number for inclusion in an inventory)
  ↵ 1.3.6.1.4.1.10098.1.1.2.10``

gosaSubtreeACL            (GOsa -
  ↵ ACL entry)                 - 1.3.6.1.4.1.10098.1.1.12.
  ↵1``

fdIdGenerator              (FusionDirectory -
  ↵ An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``

ghUsbSupport               (Hardware definitions,
  ↵ value usbSupport)         - 1.3.6.1.4.1.10098.1.1.2.3``

gotoSysStatus              (Keeps current system status -
  ↵ info shown in GOsa)       - 1.3.6.1.4.1.10098.1.1.2.11``

fdCopyPaste                (FusionDirectory - (de)Activate copy/
  ↵paste)                     - 1.3.6.1.4.1.38414.8.14.5``

gotoXDriver                (Goto - Gonicus Terminal Concept, value xDriver.
  ↵)                  - 1.3.6.1.4.1.10098.1.1.1.28``

gotoXKbModel               (Goto - Gonicus Terminal Concept, value xKbmodel.
  ↵)                  - 1.3.6.1.4.1.10098.1.1.1.25``

fdPersonalTitleInDN        (FusionDirectory -
  ↵ Personal title in dn)     - 1.3.6.1.4.1.38414.8.12.5``

gotoLpdServer               (Goto - Gonicus Terminal Concept, value lpdServer.
  ↵)                  - 1.3.6.1.4.1.10098.1.1.1.4``

gotoXHsync                 (Goto - Gonicus Terminal Concept, value xHsync.
  ↵)                  - 1.3.6.1.4.1.10098.1.1.1.18``

gotoProfileFlags            (Goto - Flags for Profile handling -
  ↵ C is for caching)        - 1.3.6.1.4.1.10098.1.1.11.7``

ghCpuType                  (Hardware definitions,
  ↵ value cpuType)           - 1.3.6.1.4.1.10098.1.1.2.1``

gotoXResolution              (Goto - Gonicus Terminal Concept, value xResolution.
  ↵)                  - 1.3.6.1.4.1.10098.1.1.1.20``

gotoShare                   (Goto -
  ↵ specifies a share)       - 1.3.6.1.4.1.10098.1.1.11.
  ↵9``

gotoScannerBackend           (Goto - Gonicus Terminal Concept,
  ↵ value scannerBackend.)    - 1.3.6.1.4.1.10098.1.1.1.39``

fdSnapshotAdminPassword      (FusionDirectory -
  ↵ Snapshot admin password) - 1.3.6.1.4.1.38414.8.17.5``

fdVoicemailContexts         (FusionDirectory -
  ↵ available voicemail contexts) - 1.3.6.1.4.1.38414.19.11.2``

gosaDefaultLanguage          (GOsa -
  ↵ Defines the default language for a user) - 1.3.6.1.4.1.10098.1.1.12.
  ↵14``

ghMemSize                  (Hardware definitions,
  ↵ value memSize)           - 1.3.6.1.4.1.10098.1.1.2.2``

gotoProfileQuota             (Goto -
  ↵ save quota for home)     - 1.3.6.1.4.1.10098.1.1.11.
  ↵15``

fdSipContexts               (FusionDirectory -
  ↵ available sip contexts)   - 1.3.6.1.4.1.38414.19.11.1``

fdPhoneConferencerRDN        (FusionDirectory -
  ↵ Phone conference RDN)     - 1.3.6.1.4.1.38414.19.10.3``

ghScsiDev                   (Hardware definitions,
  ↵ value scsiDev)           - 1.3.6.1.4.1.10098.1.1.2.5``
```

(suite sur la page suivante)

(suite de la page précédente)

fdPhoneMacroRDN	(FusionDirectory - - 1.3.6.1.4.1.38414.19.10.2``
↳ Phone macro RDN)	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.8``
ghNetNic	(Goto - Gonicus Terminal Concept, value floppyEnable. ↳ - 1.3.6.1.4.1.10098.1.1.1.7``
↳ value Network Device)	(Goto - Gonicus Terminal Concept, value xMouseButtons. ↳ - 1.3.6.1.4.1.10098.1.1.1.23``
gotoFloppyEnable	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.1.34``
↳ value Type of mouse)	

Deprecated objectClasses :

goCupsServer	(CUPS server description) ↳ 1.3.6.1.4.1.10098.1.2.1.23``
gosaCacheEntry	(Gosa - ↳ Class <b>for</b> GOsa caching) - 1.3.6.1.4.1.10098.1.2.1. ↳ 19.3``
gosaUserTemplate	(Gosa - ↳ Class <b>for</b> GOsa User Templates) - 1.3.6.1.4.1.10098.1.2.1. ↳ 19.11``
gosaAccount	(Gosa - ↳ Class <b>for</b> GOsa Accounts) - 1.3.6.1.4.1.10098.1.2.1. ↳ 19.6``
gosaObject	(Gosa - ↳ Class <b>for</b> GOsa settings) - 1.3.6.1.4.1.10098.1.2.1. ↳ 19.1``

The **check-deprecated** option will output a list of dn using old attributes and objectClasses of they are present in your ldap server

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

The **ldif-deprecated** option will output an ldif file on the console that you can use with ldapmodify to clean you ldap server from old attributes.

```
fusiondirectory-setup --ldif-deprecated > remove_deprecated.ldif
```

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup -check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.12 to 1.0.13

### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

if your are using the alias plugin you have to update its schema

```
fusiondirectory-insert-schema-m /etc/ldap/schema/fusiondirectory/alias-fd.schema``
```

### Remove old schema from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **recovery-fd.schema** and **asterisk-fd.conf** if they still exist

### Check for deprecated attributes and objectClasses in your LDAP

The **list-deprecated** option of **fusiondirectory-setup** show deprecated attributes and objectClasses for FusionDirectory

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses_
˓→Deprecated attributes:
      gotoModules          (Goto - Gonicus Terminal Concept,
˓→      value kernel modules.)      - 1.3.6.1.4.1.10098.1.1.1.32```
      fdPasswordHook        (FusionDirectory -
˓→      Password hook (external command))      - 1.3.6.1.4.1.38414.8.13.4```
      fdSnapshotURI         (FusionDirectory -
˓→      Snapshot URI)            - 1.3.6.1.4.1.38414.8.17.3```
      gotoXVsync            (Goto - Gonicus Terminal Concept, value xvsync.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.19``
```

(suite sur la page suivante)

(suite de la page précédente)

```

ghSoundAdapter           (Hardware definitions,
→ value soundAdapter)      - 1.3.6.1.4.1.10098.1.1.2.7``

gotoXMouseport          (Goto - Gonicus Terminal Concept, value xMouseport.
→)      - 1.3.6.1.4.1.10098.1.1.1.22``

gotoXMonitor             (Goto - Gonicus Terminal Concept, value xMonitor.
→)      - 1.3.6.1.4.1.10098.1.1.1.17``

gotoAdaptPath            (Goto - Gonicus Terminal Concept, value adaptPath.
→)      - 1.3.6.1.4.1.10098.1.1.1.33``

gotoScannerClients        (Goto - Gonicus Terminal Concept,
→ value scannerClients.)   - 1.3.6.1.4.1.10098.1.1.1.11``

gotoHardwareChecksum      (Goto -
→ quick way to see if something has changed)      - 1.3.6.1.4.1.10098.1.1.2.

→12``

gotoRootPasswd           (Goto - Gonicus Terminal Concept, value rootPasswd.
→)      - 1.3.6.1.4.1.10098.1.1.1.14``

gotoXKbLayout              (Goto - Gonicus Terminal Concept, value xKbLayout.
→)      - 1.3.6.1.4.1.10098.1.1.1.26``

gotoProfileServer          (Goto -
→ specifies the profile server)      - 1.3.6.1.4.1.10098.1.1.11.

→8``

fdAccountRDN              (FusionDirectory -
→ use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.

→12.2``

gotoScannerEnable          (Goto - Gonicus Terminal Concept, value scannerEnable.
→)      - 1.3.6.1.4.1.10098.1.1.1.10``

ghGfxAdapter               (Hardware definitions,
→ value Grafikkarte)      - 1.3.6.1.4.1.10098.1.1.2.9``

gotoFontPath                (Goto - Gonicus Terminal Concept, value fontPath.
→)      - 1.3.6.1.4.1.10098.1.1.1.5``

ghIdeDev                   (Hardware definitions,
→ value ideDev)      - 1.3.6.1.4.1.10098.1.1.2.4``

gotoLpdEnable                (Goto - Gonicus Terminal Concept, value lpdEnable.
→)      - 1.3.6.1.4.1.10098.1.1.1.9``

gotoXKbVariant              (Goto - Gonicus Terminal Concept, value xKbVariant.
→)      - 1.3.6.1.4.1.10098.1.1.1.27``

fdRfc2307bis                (FusionDirectory -
→ rfc2307bis)      - 1.3.6.1.4.1.38414.8.10.1``

gotoAutoFs                  (Goto - Gonicus Terminal Concept, value autoFs.
→)      - 1.3.6.1.4.1.10098.1.1.1.31``

gotoSndModule                (Goto - Gonicus Terminal Concept, value sound Modules.
→)      - 1.3.6.1.4.1.10098.1.1.1.29``

gotoCdromEnable              (Goto - Gonicus Terminal Concept, value cdromEnable.
→)      - 1.3.6.1.4.1.10098.1.1.1.8``

gotoScannerModel              (Goto - Gonicus Terminal Concept, value scannerModel.
→)      - 1.3.6.1.4.1.10098.1.1.1.40``

gosaLoginRestriction          (GOsa -
→ Multivalue attribute to carry a number of allowed ips/subnets)      - 1.3.6.1.4.1.

→10098.1.1.12.46``

gotoXColordepth              (Goto - Gonicus Terminal Concept, value xColordepth.
→)      - 1.3.6.1.4.1.10098.1.1.1.21``

→

→academicTitle                (Field to represent the academic title)
→ 1.3.6.1.4.1.10098.1.1.6.2``

fdSnapshotAdminDn              (FusionDirectory -
→ Snapshot admin dn)      - 1.3.6.1.4.1.38414.8.17.4``

gotoFilesystem                 (Goto - Gonicus Terminal Concept, value filesystem.
→)      - 1.3.6.1.4.1.10098.1.1.1.6``
```

(suite sur la page suivante)

(suite de la page précédente)

```

↳
↳ ghInventoryNumber          (Unique number for inclusion in an inventory)
↳ ↳ 1.3.6.1.4.1.10098.1.1.2.10``

gosaSubtreeACL           (Gosa -
↳ ACL entry)                      - 1.3.6.1.4.1.10098.1.1.12.
↳ 1``

fdIdGenerator            (FusionDirectory -
↳ An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``

ghUsbSupport              (Hardware definitions,
↳ value usbSupport)           - 1.3.6.1.4.1.10098.1.1.2.3``

gotoSysStatus             (Keeps current system status -
↳ info shown in Gosa)         - 1.3.6.1.4.1.10098.1.1.2.11``

fdCopyPaste               (FusionDirectory - (de)Activate copy/
↳ paste)                      - 1.3.6.1.4.1.38414.8.14.5``

gotoXDriver               (GOto - Gonicus Terminal Concept, value xDriver.
↳ )                         - 1.3.6.1.4.1.10098.1.1.1.28``

gotoXKbModel               (GOto - Gonicus Terminal Concept, value xKbmodel.
↳ )                         - 1.3.6.1.4.1.10098.1.1.1.25``

fdPersonalTitleInDN       (FusionDirectory -
↳ Personal title in dn)        - 1.3.6.1.4.1.38414.8.12.5``

gotoLpdServer              (GOto - Gonicus Terminal Concept, value lpdServer.
↳ )                         - 1.3.6.1.4.1.10098.1.1.1.4``

gotoXHsync                 (GOto - Gonicus Terminal Concept, value xHsync.
↳ )                         - 1.3.6.1.4.1.10098.1.1.1.18``

gotoProfileFlags           (GOto - Flags for Profile handling -
↳ C is for caching)           - 1.3.6.1.4.1.10098.1.1.11.7``

ghCpuType                  (Hardware definitions,
↳ value cpuType)             - 1.3.6.1.4.1.10098.1.1.2.1``

gotoXResolution             (GOto - Gonicus Terminal Concept, value xResolution.
↳ )                         - 1.3.6.1.4.1.10098.1.1.1.20``

gotoShare                  (GOto -
↳ specifies a share)         - 1.3.6.1.4.1.10098.1.1.11.

↳ 9``

gotoScannerBackend          (GOto - Gonicus Terminal Concept,
↳ value scannerBackend.)     - 1.3.6.1.4.1.10098.1.1.1.39``

fdSnapshotAdminPassword    (FusionDirectory -
↳ Snapshot admin password)   - 1.3.6.1.4.1.38414.8.17.5``

fdVoicemailContexts        (FusionDirectory -
↳ available voicemail contexts) - 1.3.6.1.4.1.38414.19.11.2``

gosaDefaultLanguage         (Gosa -
↳ Defines the default language for a user) - 1.3.6.1.4.1.10098.1.1.12.

↳ 14``

ghMemSize                  (Hardware definitions,
↳ value memSize)             - 1.3.6.1.4.1.10098.1.1.2.2``

gotoProfileQuota           (GOto -
↳ save quota for home)       - 1.3.6.1.4.1.10098.1.1.11.

↳ 15``

fdSipContexts              (FusionDirectory -
↳ available sip contexts)   - 1.3.6.1.4.1.38414.19.11.1``

fdPhoneConferencerRDN      (FusionDirectory -
↳ Phone conference RDN)     - 1.3.6.1.4.1.38414.19.10.3``

ghScsiDev                  (Hardware definitions,
↳ value scsiDev)             - 1.3.6.1.4.1.10098.1.1.2.5``

fdPhoneMacroRDN            (FusionDirectory -
↳ Phone macro RDN)          - 1.3.6.1.4.1.38414.19.10.2``

ghNetNic                   (Hardware definitions,
↳ value Network Device)     - 1.3.6.1.4.1.10098.1.1.2.8``
```

(suite sur la page suivante)

(suite de la page précédente)

```

gotoFloppyEnable          (Goto - Gonicus Terminal Concept, value floppyEnable.
→)           - 1.3.6.1.4.1.10098.1.1.1.7```
gotoXMouseButtons         (Goto - Gonicus Terminal Concept, value xMouseButtons.
→)           - 1.3.6.1.4.1.10098.1.1.1.23```
gotoXMouseType            (Hardware definitions,
→ value Type of mouse)      - 1.3.6.1.4.1.10098.1.1.1.34```

```

Deprecated objectClasses :

goCupsServer	(CUPS server description)
→ 1.3.6.1.4.1.10098.1.2.1.23``	
gosaCacheEntry	(Gosa -
→ Class <b>for</b> Gosa caching)	- 1.3.6.1.4.1.10098.1.2.1.
→19.3``	
gosaUserTemplate	(Gosa -
→ Class <b>for</b> Gosa User Templates)	- 1.3.6.1.4.1.10098.1.2.1.
→19.11``	
gosaAccount	(Gosa -
→ Class <b>for</b> Gosa Accounts)	- 1.3.6.1.4.1.10098.1.2.1.
→19.6``	
gosaObject	(Gosa -
→ Class <b>for</b> Gosa settings)	- 1.3.6.1.4.1.10098.1.2.1.
→19.1``	

The **check-deprecated** option will output a list of dn using old attributes and objectClasses of they are present in your ldap server

```

fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes

```

The **ldif-deprecated** option will output an ldif file on the console that you can use with ldapmodify to clean you ldap server from old attributes.

```
fusiondirectory-setup --ldif-deprecated > remove_deprecated.ldif
```

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup -check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

### Migrate FusionDirectory from 1.0.13 to 1.0.14

#### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Plugin deprecated

The game plugin has been removed in this version

### Upgrade of LDAP directory

If you are using the community plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/community-fd.  
→schema``
```

If you are using the systems plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd.schema``
```

### Remove old schema from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **recovery-fd.schema** and **asterisk-fd.conf** if they still exist

### Check for deprecated attributes and objectClasses in your LDAP

The **list-deprecated** option of **fusiondirectory-setup** shows deprecated attributes and objectClasses for FusionDirectory

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses  
→ Deprecated attributes:  
  
gotoModules                  (Goto - Gonicus Terminal Concept,  
→ value kernel modules.)    - 1.3.6.1.4.1.10098.1.1.1.32``  
fdPasswordHook                (FusionDirectory -  
→ Password hook (external command)) - 1.3.6.1.4.1.38414.8.13.4``  
fdSnapshotURI                 (FusionDirectory -  
→ Snapshot URI)             - 1.3.6.1.4.1.38414.8.17.3``  
gotoXVsync                    (Goto - Gonicus Terminal Concept, value xvsync.  
→)                          - 1.3.6.1.4.1.10098.1.1.1.19``  
ghSoundAdapter                (Hardware definitions,  
→ value soundAdapter)       - 1.3.6.1.4.1.10098.1.1.2.7``
```

(suite sur la page suivante)

(suite de la page précédente)

```

gotoXMouseport          (Goto - Gonicus Terminal Concept, value xMouseport.
→)           - 1.3.6.1.4.1.10098.1.1.1.22```
gotoXMonitor            (Goto - Gonicus Terminal Concept, value xMonitor.
→)           - 1.3.6.1.4.1.10098.1.1.1.17```
gotoAdaptPath           (Goto - Gonicus Terminal Concept, value adaptpath.
→)           - 1.3.6.1.4.1.10098.1.1.1.33```
gotoScannerClients      (Goto - Gonicus Terminal Concept,
→ value scannerClients.) - 1.3.6.1.4.1.10098.1.1.1.11```
gotoHardwareChecksum    (Goto -
→ quick way to see if something has changed)           - 1.3.6.1.4.1.10098.1.1.2.
→12```
gotoRootPasswd          (Goto - Gonicus Terminal Concept, value rootPasswd.
→)           - 1.3.6.1.4.1.10098.1.1.1.14```
gotoXKbLayout            (Goto - Gonicus Terminal Concept, value xKblayout.
→)           - 1.3.6.1.4.1.10098.1.1.1.26```
gotoProfileServer        (Goto -
→ specifies the profile server)           - 1.3.6.1.4.1.10098.1.1.11.
→8```
fdAccountRDN            (FusionDirectory -
→ use a placeholder pattern for generating account RDNs)           - 1.3.6.1.4.1.38414.8.
→12.2```
gotoScannerEnable         (Goto - Gonicus Terminal Concept, value scannerEnable.
→)           - 1.3.6.1.4.1.10098.1.1.1.10```
ghGfxAdapter             (Hardware definitions,
→ value Grafikkarte)           - 1.3.6.1.4.1.10098.1.1.2.9```
gotoFontPath              (Goto - Gonicus Terminal Concept, value fontPath.
→)           - 1.3.6.1.4.1.10098.1.1.1.5```
ghIdeDev                 (Hardware definitions,
→ value ideDev)           - 1.3.6.1.4.1.10098.1.1.2.4```
gotoLpdEnable              (Goto - Gonicus Terminal Concept, value lpdEnable.
→)           - 1.3.6.1.4.1.10098.1.1.1.9```
gotoXKbVariant            (Goto - Gonicus Terminal Concept, value xKbvariant.
→)           - 1.3.6.1.4.1.10098.1.1.1.27```
fdRfc2307bis              (FusionDirectory -
→ rfc2307bis)           - 1.3.6.1.4.1.38414.8.10.1```
gotoAutoFs                (Goto - Gonicus Terminal Concept, value autofs.
→)           - 1.3.6.1.4.1.10098.1.1.1.31```
gotoSndModule              (Goto - Gonicus Terminal Concept, value sound Modules.
→)           - 1.3.6.1.4.1.10098.1.1.1.29```
gotoCdromEnable            (Goto - Gonicus Terminal Concept, value cdromEnable.
→)           - 1.3.6.1.4.1.10098.1.1.1.8```
gotoScannerModel            (Goto - Gonicus Terminal Concept, value scannerModel.
→)           - 1.3.6.1.4.1.10098.1.1.1.40```
gosaLoginRestriction       (GOsa -
→ Multivalue attribute to carry a number of allowed ips/subnets)           - 1.3.6.1.4.1.
→10098.1.1.12.46```
gotoXColordepth            (Goto - Gonicus Terminal Concept, value xColordepth.
→)           - 1.3.6.1.4.1.10098.1.1.1.21```
→
→academicTitle             (Field to represent the academic title)
→ 1.3.6.1.4.1.10098.1.1.6.2```
fdSnapshotAdminDn          (FusionDirectory -
→ Snapshot admin dn)           - 1.3.6.1.4.1.38414.8.17.4```
gotoFilesystem              (Goto - Gonicus Terminal Concept, value filesystem.
→)           - 1.3.6.1.4.1.10098.1.1.1.6```
→
→ghInventoryNumber          (Unique number for inclusion in an inventory)
→ 1.3.6.1.4.1.10098.1.1.2.10```

```

(suite sur la page suivante)

(suite de la page précédente)

gosSubtreeACL	(Gosa -	- 1.3.6.1.4.1.10098.1.1.12.
↳ ACL entry)		
↳ 1``		
fdIdGenerator	(FusionDirectory -	- 1.3.6.1.4.1.38414.8.12.4``
↳ An automatic way to generate new user ids)	-	- 1.3.6.1.4.1.10098.1.1.2.3``
ghUsbSupport	(Hardware definitions,	- 1.3.6.1.4.1.10098.1.1.2.3``
↳ value usbSupport)		
gotoSysStatus	(Keeps current system status -	- 1.3.6.1.4.1.10098.1.1.2.11``
↳ info shown in Gosa)	-	- 1.3.6.1.4.1.10098.1.1.2.11``
fdCopyPaste	(FusionDirectory - (de)Activate copy/	- 1.3.6.1.4.1.38414.8.14.5``
↳ paste)	-	- 1.3.6.1.4.1.10098.1.1.1.28``
gotoXDriver	(Goto - Gonicus Terminal Concept, value xDriver.	- 1.3.6.1.4.1.10098.1.1.1.25``
↳ )	-	- 1.3.6.1.4.1.10098.1.1.1.25``
gotoXKbModel	(Goto - Gonicus Terminal Concept, value xKbmodel.	- 1.3.6.1.4.1.10098.1.1.1.25``
↳ )	-	- 1.3.6.1.4.1.10098.1.1.1.25``
fdPersonalTitleInDN	(FusionDirectory -	- 1.3.6.1.4.1.38414.8.12.5``
↳ Personal title in dn)	-	- 1.3.6.1.4.1.38414.8.12.5``
gotoLpdServer	(Goto - Gonicus Terminal Concept, value lpdServer.	- 1.3.6.1.4.1.10098.1.1.1.4``
↳ )	-	- 1.3.6.1.4.1.10098.1.1.1.4``
gotoXHsync	(Goto - Gonicus Terminal Concept, value xHsync.	- 1.3.6.1.4.1.10098.1.1.1.18``
↳ )	-	- 1.3.6.1.4.1.10098.1.1.1.18``
gotoProfileFlags	(Goto - Flags <b>for</b> Profile handling -	- 1.3.6.1.4.1.10098.1.1.11.7``
↳ C is <b>for</b> caching)	-	- 1.3.6.1.4.1.10098.1.1.11.7``
ghCpuType	(Hardware definitions,	- 1.3.6.1.4.1.10098.1.1.2.1``
↳ value cpuType)		
gotoXResolution	(Goto - Gonicus Terminal Concept, value xResolution.	- 1.3.6.1.4.1.10098.1.1.1.20``
↳ )	-	- 1.3.6.1.4.1.10098.1.1.1.20``
gotoShare	(Goto -	- 1.3.6.1.4.1.10098.1.1.11.
↳ specifies a share)		
↳ 9``		
gotoScannerBackend	(Goto - Gonicus Terminal Concept,	- 1.3.6.1.4.1.10098.1.1.1.39``
↳ value scannerBackend.)	-	- 1.3.6.1.4.1.10098.1.1.1.39``
fdSnapshotAdminPassword	(FusionDirectory -	- 1.3.6.1.4.1.38414.8.17.5``
↳ Snapshot admin password)	-	- 1.3.6.1.4.1.38414.8.17.5``
fdVoicemailContexts	(FusionDirectory -	- 1.3.6.1.4.1.38414.19.11.2``
↳ available voicemail contexts)	-	- 1.3.6.1.4.1.38414.19.11.2``
gosDefaultLanguage	(Gosa -	- 1.3.6.1.4.1.10098.1.1.12.
↳ Defines the default language <b>for</b> a user)	-	- 1.3.6.1.4.1.10098.1.1.12.
↳ 14``		
ghMemSize	(Hardware definitions,	- 1.3.6.1.4.1.10098.1.1.2.2``
↳ value memSize)	-	- 1.3.6.1.4.1.10098.1.1.2.2``
gotoProfileQuota	(Goto -	- 1.3.6.1.4.1.10098.1.1.11.
↳ save quota <b>for</b> home)		
↳ 15``		
fdSipContexts	(FusionDirectory -	- 1.3.6.1.4.1.38414.19.11.1``
↳ available sip contexts)	-	- 1.3.6.1.4.1.38414.19.11.1``
fdPhoneConferenceRDN	(FusionDirectory -	- 1.3.6.1.4.1.38414.19.10.3``
↳ Phone conference RDN)	-	- 1.3.6.1.4.1.38414.19.10.3``
ghScsiDev	(Hardware definitions,	- 1.3.6.1.4.1.10098.1.1.2.5``
↳ value scsiDev)		
fdPhoneMacroRDN	(FusionDirectory -	- 1.3.6.1.4.1.38414.19.10.2``
↳ Phone macro RDN)	-	- 1.3.6.1.4.1.38414.19.10.2``
ghNetNic	(Hardware definitions,	- 1.3.6.1.4.1.10098.1.1.2.8``
↳ value Network Device)		
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable.	- 1.3.6.1.4.1.10098.1.1.1.7``
↳ )	-	- 1.3.6.1.4.1.10098.1.1.1.7``
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons.	- 1.3.6.1.4.1.10098.1.1.1.23``
↳ )	-	- 1.3.6.1.4.1.10098.1.1.1.23``

(suite sur la page suivante)

(suite de la page précédente)

gotoXMouseType ↳ value Type of mouse)	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.1.34``
--	--

Deprecated objectClasses :

goCupsServer ↳ 1.3.6.1.4.1.10098.1.2.1.23``	(CUPS server description)
gosaCacheEntry ↳ Class for GOsa caching) ↳ 19.3``	(GOsa - - 1.3.6.1.4.1.10098.1.2.1.
gosaUserTemplate ↳ Class for GOsa User Templates) ↳ 19.11``	(GOsa - - 1.3.6.1.4.1.10098.1.2.1.
gosaAccount ↳ Class for GOsa Accounts) ↳ 19.6``	(GOsa - - 1.3.6.1.4.1.10098.1.2.1.
gosaObject ↳ Class for GOsa settings) ↳ 19.1``	(GOsa - - 1.3.6.1.4.1.10098.1.2.1.

The **check-deprecated** option will output a list of dn using old attributes and objectClasses of they are present in your ldap server

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

The **ldif-deprecated** option will output an ldif file on the console that you can use with ldapmodify to clean you ldap server from old attributes.

```
fusiondirectory-setup --ldif-deprecated > remove_deprecated.ldif
```

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup --check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## New Breezy Theme

In this version by default there is a new more modern theme called breezy. To active it completely go to the configuration plugin, click edit and in the « Look and feel » section select breezy

Enjoy :)

## Migrate FusionDirectory from 1.0.14 to 1.0.15

### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Plugin deprecated

The apache2 plugin as been removed in this version

```
apt-get remove fusiondirectory-plugin-apache2  
apt-get remove fusiondirectory-plugin-apache2-schema
```

After removing you apache2 data from the LDAP, you may empty the schema

```
fusiondirectory-insert-schema -e mod_vhost_ldap
```

### Upgrade of LDAP directory

Upgrade the core template schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.conf  
↳ schema``
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema``
```

if you are using the systems plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd.schema``
```

if you are using the personal plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/personal-fd.schema``
```

### Remove old schema from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **recovery-fd.schema** and **asterisk-fd.conf** if they still exist

### Check for deprecated attributes and objectClasses in your LDAP

The **list-deprecated** option of **fusiondirectory-setup** show deprecated attributes and objectClasses for FusionDirectory

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses  
↳ Deprecated attributes:
```

gotoModules	(Goto - Gonicus Terminal Concept,
↳ value kernel modules.)	- 1.3.6.1.4.1.10098.1.1.1.32``
fdPasswordHook	(FusionDirectory -
↳ Password hook (external command))	- 1.3.6.1.4.1.38414.8.13.4``
fdSnapshotURI	(FusionDirectory -
↳ Snapshot URI)	- 1.3.6.1.4.1.38414.8.17.3``
gotoXVsync	(Goto - Gonicus Terminal Concept, value xvsync.
↳)	- 1.3.6.1.4.1.10098.1.1.1.19``
ghSoundAdapter	(Hardware definitions,
↳ value soundAdapter)	- 1.3.6.1.4.1.10098.1.1.2.7``
gotoXMouseport	(Goto - Gonicus Terminal Concept, value xMouseport.
↳)	- 1.3.6.1.4.1.10098.1.1.1.22``
gotoXMonitor	(Goto - Gonicus Terminal Concept, value xMonitor.
↳)	- 1.3.6.1.4.1.10098.1.1.1.17``
gotoAdaptPath	(Goto - Gonicus Terminal Concept, value adaptpath.
↳)	- 1.3.6.1.4.1.10098.1.1.1.33``
gotoScannerClients	(Goto - Gonicus Terminal Concept,
↳ value scannerClients.)	- 1.3.6.1.4.1.10098.1.1.1.11``
gotoHardwareChecksum	(Goto -
↳ quick way to see if something has changed)	- 1.3.6.1.4.1.10098.1.1.2.
↳12``	
gotoRootPasswd	(Goto - Gonicus Terminal Concept, value rootPasswd.
↳)	- 1.3.6.1.4.1.10098.1.1.1.14``
gotoXKbLayout	(Goto - Gonicus Terminal Concept, value XKblayout.
↳)	- 1.3.6.1.4.1.10098.1.1.1.26``

(suite sur la page suivante)

(suite de la page précédente)

```

gotoProfileServer          (Goto -
← specifies the profile server)           - 1.3.6.1.4.1.10098.1.1.11.
←8``

fdAccountRDN              (FusionDirectory -
← use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.
←12.2``

gotoScannerEnable          (Goto - Gonicus Terminal Concept, value scannerEnable.
←)                  - 1.3.6.1.4.1.10098.1.1.10``

ghGfxAdapter               (Hardware definitions,
← value Grafikkarte)                   - 1.3.6.1.4.1.10098.1.1.2.9``

gotoFontPath               (Goto - Gonicus Terminal Concept, value fontPath.
←)                  - 1.3.6.1.4.1.10098.1.1.1.5``

ghIdeDev                  (Hardware definitions,
← value ideDev)                      - 1.3.6.1.4.1.10098.1.1.2.4``

gotoLpdEnable               (Goto - Gonicus Terminal Concept, value lpdEnable.
←)                  - 1.3.6.1.4.1.10098.1.1.1.9``

gotoXKbVariant              (Goto - Gonicus Terminal Concept, value xKbvariant.
←)                  - 1.3.6.1.4.1.10098.1.1.1.27``

fdRfc2307bis              (FusionDirectory -
← rfc2307bis)                         - 1.3.6.1.4.1.38414.8.10.1``

gotoAutoFs                 (Goto - Gonicus Terminal Concept, value autofs.
←)                  - 1.3.6.1.4.1.10098.1.1.1.31``

gotoSndModule               (Goto - Gonicus Terminal Concept, value sound Modules.
←)                  - 1.3.6.1.4.1.10098.1.1.1.29``

gotoCdromEnable             (Goto - Gonicus Terminal Concept, value cdromEnable.
←)                  - 1.3.6.1.4.1.10098.1.1.1.8``

gotoScannerModel            (Goto - Gonicus Terminal Concept, value scannerModel.
←)                  - 1.3.6.1.4.1.10098.1.1.1.40``

gosaLoginRestriction        (GOsa -
← Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.
←10098.1.1.12.46``

gotoXColordepth             (Goto - Gonicus Terminal Concept, value xColordepth.
←)                  - 1.3.6.1.4.1.10098.1.1.1.21``

↳
←academicTitle              (Field to represent the academic title)
← 1.3.6.1.4.1.10098.1.1.6.2``

fdSnapshotAdminDn            (FusionDirectory -
← Snapshot admin dn)                  - 1.3.6.1.4.1.38414.8.17.4``

gotoFilesystem               (Goto - Gonicus Terminal Concept, value filesystem.
←)                  - 1.3.6.1.4.1.10098.1.1.1.6``

↳
←ghInventoryNumber           (Unique number for inclusion in an inventory)
← 1.3.6.1.4.1.10098.1.1.2.10``

gosaSubtreeACL               (GOsa -
← ACL entry)                      - 1.3.6.1.4.1.10098.1.1.12.

←1``

fdIdGenerator               (FusionDirectory -
← An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``

ghUsbSupport                (Hardware definitions,
← value usbSupport)                 - 1.3.6.1.4.1.10098.1.1.2.3``

gotoSysStatus                (Keeps current system status -
← info shown in GOsa)              - 1.3.6.1.4.1.10098.1.1.2.11``

fdCopyPaste                  (FusionDirectory - (de)Activate copy/
←paste)                            - 1.3.6.1.4.1.38414.8.14.5``

gotoXDriver                  (Goto - Gonicus Terminal Concept, value xDriver.
←)                  - 1.3.6.1.4.1.10098.1.1.1.28``

gotoXKbModel                  (Goto - Gonicus Terminal Concept, value xKbmodel.
←)                  - 1.3.6.1.4.1.10098.1.1.1.25``
```

(suite sur la page suivante)

(suite de la page précédente)

fdPersonalTitleInDN	(FusionDirectory - - 1.3.6.1.4.1.38414.8.12.5``
↳ Personal title in dn)	
gotoLpdServer	(Goto - Gonicus Terminal Concept, value lpdServer. - 1.3.6.1.4.1.10098.1.1.1.4``
↳)	
gotoXHsync	(Goto - Gonicus Terminal Concept, value xHsync. - 1.3.6.1.4.1.10098.1.1.1.18``
↳)	
gotoProfileFlags	(Goto - Flags <b>for</b> Profile handling - - 1.3.6.1.4.1.10098.1.1.11.7``
↳ C is <b>for</b> caching)	
ghCpuType	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.1``
↳ value cpuType)	
gotoXResolution	(Goto - Gonicus Terminal Concept, value xResolution. - 1.3.6.1.4.1.10098.1.1.1.20``
↳)	
gotoShare	(Goto - - 1.3.6.1.4.1.10098.1.1.11.
↳ specifies a share)	
↳9``	
gotoScannerBackend	(Goto - Gonicus Terminal Concept, - 1.3.6.1.4.1.10098.1.1.1.39``
↳ value scannerBackend.)	
fdSnapshotAdminPassword	(FusionDirectory - - 1.3.6.1.4.1.38414.8.17.5``
↳ Snapshot admin password)	
fdVoicemailContexts	(FusionDirectory - - 1.3.6.1.4.1.38414.19.11.2``
↳ available voicemail contexts)	
gosaDefaultLanguage	(Gosa - - 1.3.6.1.4.1.10098.1.1.12.
↳ Defines the default language <b>for</b> a user)	
↳14``	
ghMemSize	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.2``
↳ value memSize)	
gotoProfileQuota	(Goto - - 1.3.6.1.4.1.10098.1.1.11.
↳ save quota <b>for</b> home)	
↳15``	
fdSipContexts	(FusionDirectory - - 1.3.6.1.4.1.38414.19.11.1``
↳ available sip contexts)	
fdPhoneConferencerDN	(FusionDirectory - - 1.3.6.1.4.1.38414.19.10.3``
↳ Phone conference RDN)	
ghScsiDev	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.5``
↳ value scsiDev)	
fdPhoneMacroRDN	(FusionDirectory - - 1.3.6.1.4.1.38414.19.10.2``
↳ Phone macro RDN)	
ghNetNic	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.8``
↳ value Network Device)	
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable. - 1.3.6.1.4.1.10098.1.1.1.7``
↳)	
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons. - 1.3.6.1.4.1.10098.1.1.1.23``
↳)	
gotoXMouseType	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.1.34``
↳ value Type of mouse)	

## Deprecated objectClasses :

goCupsServer	(CUPS server description)
↳ 1.3.6.1.4.1.10098.1.2.1.23``	
gosaCacheEntry	(Gosa - - 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa caching)	
↳19.3``	
gosaUserTemplate	(Gosa - - 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa User Templates)	
↳19.11``	
gosaAccount	(Gosa - - 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> Gosa Accounts)	
↳19.6``	

(suite de la page précédente)

gosaObject	(Gosa - ↳ Class <b>for</b> Gosa settings) ↳19.1``	- 1.3.6.1.4.1.10098.1.2.1.
------------	---	----------------------------

The **check-deprecated** option will output a list of dn using old attributes and objectClasses of they are present in your ldap server

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

The **ldif-deprecated** option will output an ldif file on the console that you can use with ldapmodify to clean you ldap server from old attributes.

```
fusiondirectory-setup --ldif-deprecated > remove_deprecated.ldif
```

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup --check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## Hook

You must modify your hook so that they don't use quotes. The attributes are now automatically quotes and escape.

## New Breezy Theme

In this version by default there is a new more modern theme called breezy. To active it completely go to the configuration plugin, click edit and in the « Look and feel » section select breezy

Enjoy :)

## Migrate FusionDirectory from 1.0.15 to 1.0.16

### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

Upgrade the core schemas

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema  
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema
```

The lock attribute and objectClass has been changed so you need to run **fusiondirectory-setup --delete-gosa-locks** to remove them

```
fusiondirectory-setup --delete-gosa-locks  
Delete lock tokens using old gosaLockEntry class  
Deleted lock 'cn=df0c0960f4202f794a331f07f3fbcccd,ou=locks,ou=fusiondirectory,dc=org'  
Deleted lock 'cn=157dc41f15328c6ae3f1a2542c0dd481,ou=locks,ou=fusiondirectory,dc=org'
```

### Check for deprecated attributes and objectClasses in your LDAP

The **list-deprecated** option of **fusiondirectory-setup** show deprecated attributes and objectClasses for FusionDirectory

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses  
→ Deprecated attributes:  
  
gotoModules (Goto - Gonicus Terminal Concept,  
→ value kernel modules.) - 1.3.6.1.4.1.10098.1.1.1.32``  
fdPasswordHook (FusionDirectory -  
→ Password hook (external command)) - 1.3.6.1.4.1.38414.8.13.4``  
fdSnapshotURI (FusionDirectory -  
→ Snapshot URI) - 1.3.6.1.4.1.38414.8.17.3``  
gotoXVsync (Goto - Gonicus Terminal Concept, value xvsync.  
→) - 1.3.6.1.4.1.10098.1.1.1.19``  
ghSoundAdapter (Hardware definitions,  
→ value soundAdapter) - 1.3.6.1.4.1.10098.1.1.2.7``  
gotoXMouseport (Goto - Gonicus Terminal Concept, value xMouseport.  
→) - 1.3.6.1.4.1.10098.1.1.1.22``  
gotoXMonitor (Goto - Gonicus Terminal Concept, value xMonitor.  
→) - 1.3.6.1.4.1.10098.1.1.1.17``  
gotoAdaptPath (Goto - Gonicus Terminal Concept, value adaptpath.  
→) - 1.3.6.1.4.1.10098.1.1.1.33``  
gotoScannerClients (Goto - Gonicus Terminal Concept,  
→ value scannerClients.) - 1.3.6.1.4.1.10098.1.1.1.11``  
gotoHardwareChecksum (Goto -  
→ quick way to see if something has changed) - 1.3.6.1.4.1.10098.1.1.2.  
→ 12
```

(suite sur la page suivante)

(suite de la page précédente)

```

gotoRootPasswd          (Goto - Gonicus Terminal Concept, value rootPasswd.
→)           - 1.3.6.1.4.1.10098.1.1.1.14```
gotoXKbLayout           (Goto - Gonicus Terminal Concept, value xKblayout.
→)           - 1.3.6.1.4.1.10098.1.1.1.26```
gotoProfileServer        (Goto -
→ specifies the profile server)           - 1.3.6.1.4.1.10098.1.1.11.
→8```
fdAccountRDN            (FusionDirectory -
→ use a placeholder pattern for generating account RDNs)           - 1.3.6.1.4.1.38414.8.
→12.2```
gotoScannerEnable         (Goto - Gonicus Terminal Concept, value scannerEnable.
→)           - 1.3.6.1.4.1.10098.1.1.1.10```
ghGfxAdapter             (Hardware definitions,
→ value Grafikkarte)           - 1.3.6.1.4.1.10098.1.1.2.9```
gotoFontPath              (Goto - Gonicus Terminal Concept, value fontPath.
→)           - 1.3.6.1.4.1.10098.1.1.1.5```
ghIdeDev                 (Hardware definitions,
→ value ideDev)           - 1.3.6.1.4.1.10098.1.1.2.4```
gotoLpdEnable              (Goto - Gonicus Terminal Concept, value lpdEnable.
→)           - 1.3.6.1.4.1.10098.1.1.1.9```
gotoXKbVariant             (Goto - Gonicus Terminal Concept, value xKbvariant.
→)           - 1.3.6.1.4.1.10098.1.1.1.27```
fdRfc2307bis              (FusionDirectory -
→ rfc2307bis)           - 1.3.6.1.4.1.38414.8.10.1```
gotoAutoFs                (Goto - Gonicus Terminal Concept, value autofs.
→)           - 1.3.6.1.4.1.10098.1.1.1.31```
gotoSndModule              (Goto - Gonicus Terminal Concept, value sound Modules.
→)           - 1.3.6.1.4.1.10098.1.1.1.29```
gotoCdromEnable             (Goto - Gonicus Terminal Concept, value cdromEnable.
→)           - 1.3.6.1.4.1.10098.1.1.1.8```
gotoScannerModel             (Goto - Gonicus Terminal Concept, value scannerModel.
→)           - 1.3.6.1.4.1.10098.1.1.1.40```
gosaLoginRestriction        (GOsa -
→ Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.
→10098.1.1.12.46```
gotoXColordepth             (Goto - Gonicus Terminal Concept, value xColordepth.
→)           - 1.3.6.1.4.1.10098.1.1.1.21```
↳
→academicTitle              (Field to represent the academic title)
→ 1.3.6.1.4.1.10098.1.1.6.2```
fdSnapshotAdminDn            (FusionDirectory -
→ Snapshot admin dn)           - 1.3.6.1.4.1.38414.8.17.4```
gotoFilesystem               (Goto - Gonicus Terminal Concept, value filesystem.
→)           - 1.3.6.1.4.1.10098.1.1.1.6```
↳
→ghInventoryNumber            (Unique number for inclusion in an inventory)
→ 1.3.6.1.4.1.10098.1.1.2.10```
gosaSubtreeACL               (GOsa -
→ ACL entry)           - 1.3.6.1.4.1.10098.1.1.12.
→1```
fdIdGenerator                (FusionDirectory -
→ An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4```
ghUsbSupport                  (Hardware definitions,
→ value usbSupport)           - 1.3.6.1.4.1.10098.1.1.2.3```
gotoSysStatus                 (Keeps current system status -
→ info shown in GOsa)           - 1.3.6.1.4.1.10098.1.1.2.11```
fdCopyPaste                   (FusionDirectory - (de)Activate copy/
→paste)           - 1.3.6.1.4.1.38414.8.14.5```

```

(suite sur la page suivante)

(suite de la page précédente)

```

gotoXDriver           (Goto - Gonicus Terminal Concept, value xDriver.
→)                  - 1.3.6.1.4.1.10098.1.1.1.28```
gotoXKbModel          (Goto - Gonicus Terminal Concept, value xKbmodel.
→)                  - 1.3.6.1.4.1.10098.1.1.1.25```
fdPersonalTitleInDN   (FusionDirectory -
→ Personal title in dn)           - 1.3.6.1.4.1.38414.8.12.5```
gotoLpdServer         (Goto - Gonicus Terminal Concept, value lpdServer.
→)                  - 1.3.6.1.4.1.10098.1.1.1.4```
gotoXHsync            (Goto - Gonicus Terminal Concept, value xHsync.
→)                  - 1.3.6.1.4.1.10098.1.1.1.18```
gotoProfileFlags      (Goto - Flags for Profile handling -
→ C is for caching)           - 1.3.6.1.4.1.10098.1.1.11.7```
ghCpuType             (Hardware definitions,
→ value cpuType)           - 1.3.6.1.4.1.10098.1.1.2.1```
gotoXResolution       (Goto - Gonicus Terminal Concept, value xResolution.
→)                  - 1.3.6.1.4.1.10098.1.1.1.20```
gotoShare              (Goto -
→ specifies a share)           - 1.3.6.1.4.1.10098.1.1.11.
→9```
gotoScannerBackend    (Goto - Gonicus Terminal Concept,
→ value scannerBackend.)           - 1.3.6.1.4.1.10098.1.1.1.39```
fdSnapshotAdminPassword (FusionDirectory -
→ Snapshot admin password)           - 1.3.6.1.4.1.38414.8.17.5```
fdVoicemailContexts   (FusionDirectory -
→ available voicemail contexts)           - 1.3.6.1.4.1.38414.19.11.2```
gosaDefaultLanguage    (Gosa -
→ Defines the default language for a user)           - 1.3.6.1.4.1.10098.1.1.12.
→14```
ghMemSize              (Hardware definitions,
→ value memSize)           - 1.3.6.1.4.1.10098.1.1.2.2```
gotoProfileQuota      (Goto -
→ save quota for home)           - 1.3.6.1.4.1.10098.1.1.11.
→15```
fdSipContexts          (FusionDirectory -
→ available sip contexts)           - 1.3.6.1.4.1.38414.19.11.1```
fdPhoneConferenceRDN   (FusionDirectory -
→ Phone conference RDN)           - 1.3.6.1.4.1.38414.19.10.3```
ghScsiDev              (Hardware definitions,
→ value scsiDev)           - 1.3.6.1.4.1.10098.1.1.2.5```
fdPhoneMacroRDN        (FusionDirectory -
→ Phone macro RDN)           - 1.3.6.1.4.1.38414.19.10.2```
ghNetNic               (Hardware definitions,
→ value Network Device)           - 1.3.6.1.4.1.10098.1.1.2.8```
gotoFloppyEnable       (Goto - Gonicus Terminal Concept, value floppyEnable.
→)                  - 1.3.6.1.4.1.10098.1.1.1.7```
gotoXMouseButtons      (Goto - Gonicus Terminal Concept, value xMouseButtons.
→)                  - 1.3.6.1.4.1.10098.1.1.1.23```
gotoXMouseType          (Hardware definitions,
→ value Type of mouse)           - 1.3.6.1.4.1.10098.1.1.1.34```

```

Deprecated objectClasses :

goCupsServer	(CUPS server description)
→ 1.3.6.1.4.1.10098.1.2.1.23``	
gosaCacheEntry	(Gosa - → Class <b>for</b> Gosa caching)           - 1.3.6.1.4.1.10098.1.2.1. →19.3``

(suite sur la page suivante)

(suite de la page précédente)

gosaUserTemplate	(Gosa - ↳ Class <b>for</b> Gosa User Templates) ↳ 19.11` `	- 1.3.6.1.4.1.10098.1.2.1.
gosaAccount	(Gosa - ↳ Class <b>for</b> Gosa Accounts) ↳ 19.6` `	- 1.3.6.1.4.1.10098.1.2.1.
gosaObject	(Gosa - ↳ Class <b>for</b> Gosa settings) ↳ 19.1` `	- 1.3.6.1.4.1.10098.1.2.1.

The **check-deprecated** option will output a list of dn using old attributes and objectClasses of they are present in your ldap server

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

The **ldif-deprecated** option will output an ldif file on the console that you can use with ldapmodify to clean you ldap server from old attributes.

```
fusiondirectory-setup --ldif-deprecated > remove_deprecated.ldif
```

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup -check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## Migrate FusionDirectory from 1.0.16 to 1.0.17

### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

if you are using the fai plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/fai.schema
```

if you are using the personal plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/personal-fd.schema
```

if you are using the dhcp plugin you have to install a new schema

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/dhcp-fd-conf.schema
```

### Remove old ldif from /etc/ldap/schema/fusiondirectory

The old schema are not automatically removed from /etc/ldap/schema/fusiondirectory. You can safely remove **/etc/ldap/schema/fusiondirectory/ppolicydefault.ldif**

### Check for deprecated attributes and objectClasses in your LDAP

The **list-deprecated** option of **fusiondirectory-setup** show deprecated attributes and objectClasses for FusionDirectory

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses
˓→ Deprecated attributes:

gotoModules           (Goto - Gonicus Terminal Concept,
˓→ value kernel modules.)   - 1.3.6.1.4.1.10098.1.1.1.32```
fdPasswordHook        (FusionDirectory -
˓→ Password hook (external command))      - 1.3.6.1.4.1.38414.8.13.4```
fdSnapshotURI         (FusionDirectory -
˓→ Snaphost URI)          - 1.3.6.1.4.1.38414.8.17.3```
gotoXVsync            (Goto - Gonicus Terminal Concept, value xvsync.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.19```
ghSoundAdapter        (Hardware definitions,
˓→ value soundAdapter)    - 1.3.6.1.4.1.10098.1.1.2.7```
gotoXMouseport        (Goto - Gonicus Terminal Concept, value xMouseport.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.22```
gotoXMonitor          (Goto - Gonicus Terminal Concept, value xMonitor.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.17```
gotoAdaptPath         (Goto - Gonicus Terminal Concept, value adaptpath.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.33```
```

(suite sur la page suivante)

(suite de la page précédente)

```

gotoScannerClients          (GOto - Gonicus Terminal Concept,
← value scannerClients.)   - 1.3.6.1.4.1.10098.1.1.1.11``

gotoHardwareChecksum         (GOto -
← quick way to see if something has changed)           - 1.3.6.1.4.1.10098.1.1.2.

←12``

gotoRootPasswd              (GOto - Gonicus Terminal Concept, value rootPasswd.
←)                         - 1.3.6.1.4.1.10098.1.1.1.14``

gotoXKbLayout                (GOto - Gonicus Terminal Concept, value xKblayout.
←)                         - 1.3.6.1.4.1.10098.1.1.1.26``

gotoProfileServer             (GOto -
← specifies the profile server)                      - 1.3.6.1.4.1.10098.1.1.11.

←8``

fdAccountRDN                 (FusionDirectory -
← use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.

←12.2``

gotoScannerEnable              (GOto - Gonicus Terminal Concept, value scannerEnable.
←)                         - 1.3.6.1.4.1.10098.1.1.1.10``

ghGfxAdapter                  (Hardware definitions,
← value Grafikkarte)           - 1.3.6.1.4.1.10098.1.1.2.9``

gotoFontPath                   (GOto - Gonicus Terminal Concept, value fontPath.
←)                         - 1.3.6.1.4.1.10098.1.1.1.5``

ghIdeDev                      (Hardware definitions,
← value ideDev)                  - 1.3.6.1.4.1.10098.1.1.2.4``

gotoLpdEnable                  (GOto - Gonicus Terminal Concept, value lpdEnable.
←)                         - 1.3.6.1.4.1.10098.1.1.1.9``

gotoXKbVariant                 (GOto - Gonicus Terminal Concept, value xKbvariant.
←)                         - 1.3.6.1.4.1.10098.1.1.1.27``

fdRfc2307bis                  (FusionDirectory -
← rfc2307bis)                     - 1.3.6.1.4.1.38414.8.10.1``

gotoAutoFs                      (GOto - Gonicus Terminal Concept, value autofs.
←)                         - 1.3.6.1.4.1.10098.1.1.1.31``

gotoSndModule                  (GOto - Gonicus Terminal Concept, value sound Modules.
←)                         - 1.3.6.1.4.1.10098.1.1.1.29``

gotoCdromEnable                 (GOto - Gonicus Terminal Concept, value cdromEnable.
←)                         - 1.3.6.1.4.1.10098.1.1.1.8``

gotoScannerModel                (GOto - Gonicus Terminal Concept, value scannerModel.
←)                         - 1.3.6.1.4.1.10098.1.1.1.40``

gosaLoginRestriction            (GOsa -
← Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.

←10098.1.1.12.46``

gotoXColordepth                 (GOto - Gonicus Terminal Concept, value xColordepth.
←)                         - 1.3.6.1.4.1.10098.1.1.1.21``

←

←academicTitle                  (Field to represent the academic title)
← 1.3.6.1.4.1.10098.1.1.6.2``

fdSnapshotAdminDn               (FusionDirectory -
← Snapshot admin dn)           - 1.3.6.1.4.1.38414.8.17.4``

gotoFilesystem                  (GOto - Gonicus Terminal Concept, value filesystem.
←)                         - 1.3.6.1.4.1.10098.1.1.1.6``

←

←ghInventoryNumber                (Unique number for inclusion in an inventory)
← 1.3.6.1.4.1.10098.1.1.2.10``

gosaSubtreeACL                  (GOsa -
← ACL entry)                      - 1.3.6.1.4.1.10098.1.1.12.

←1``

fdIdGenerator                  (FusionDirectory -
← An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``
```

(suite sur la page suivante)

(suite de la page précédente)

ghUsbSupport	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.3``
↳ value usbSupport)	(Keeps current system status - - 1.3.6.1.4.1.10098.1.1.2.11``
gotoSysStatus	(FusionDirectory - (de)Activate copy/ - 1.3.6.1.4.1.38414.8.14.5``
↳ info shown in GOsa)	(Goto - Gonicus Terminal Concept, value xDriver. - 1.3.6.1.4.1.10098.1.1.1.28``
fdCopyPaste	(Goto - Gonicus Terminal Concept, value xKbmodel. - 1.3.6.1.4.1.10098.1.1.1.25``
↳ paste)	(Goto - Gonicus Terminal Concept, value xDriver. - 1.3.6.1.4.1.10098.1.1.1.28``
gotoXDriver	(Goto - Gonicus Terminal Concept, value xDriver. - 1.3.6.1.4.1.10098.1.1.1.28``
↳)	(Goto - Gonicus Terminal Concept, value xDriver. - 1.3.6.1.4.1.10098.1.1.1.28``
gotoXKbModel	(Goto - Gonicus Terminal Concept, value xKbmodel. - 1.3.6.1.4.1.10098.1.1.1.25``
↳)	(Goto - Gonicus Terminal Concept, value lpdServer. - 1.3.6.1.4.1.10098.1.1.1.4``
fdPersonalTitleInDN	(FusionDirectory - - 1.3.6.1.4.1.38414.8.12.5``
↳ Personal title in dn)	(Goto - Gonicus Terminal Concept, value lpdServer. - 1.3.6.1.4.1.10098.1.1.1.4``
gotoLpdServer	(Goto - Gonicus Terminal Concept, value lpdServer. - 1.3.6.1.4.1.10098.1.1.1.4``
↳)	(Goto - Gonicus Terminal Concept, value xHsync. - 1.3.6.1.4.1.10098.1.1.1.18``
gotoXHsync	(Goto - Flags <b>for</b> Profile handling - - 1.3.6.1.4.1.10098.1.1.11.7``
gotoProfileFlags	(Goto - Flags <b>for</b> Profile handling - - 1.3.6.1.4.1.10098.1.1.11.7``
↳ C is <b>for</b> caching)	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.1``
ghCpuType	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.1``
↳ value cpuType)	(Goto - Gonicus Terminal Concept, value xResolution. - 1.3.6.1.4.1.10098.1.1.1.20``
gotoXResolution	(Goto - Gonicus Terminal Concept, value xResolution. - 1.3.6.1.4.1.10098.1.1.1.20``
↳)	(Goto - - 1.3.6.1.4.1.10098.1.1.11.
gotoShare	(Goto - - 1.3.6.1.4.1.10098.1.1.11.
↳ specifies a share)	9``
↳)	9``
gotoScannerBackend	(Goto - Gonicus Terminal Concept, - 1.3.6.1.4.1.10098.1.1.1.39``
↳ value scannerBackend.)	(FusionDirectory - - 1.3.6.1.4.1.38414.8.17.5``
fdSnapshotAdminPassword	(FusionDirectory - - 1.3.6.1.4.1.38414.8.17.5``
↳ Snapshot admin password)	(FusionDirectory - - 1.3.6.1.4.1.38414.19.11.2``
fdVoicemailContexts	(FusionDirectory - - 1.3.6.1.4.1.38414.19.11.2``
↳ available voicemail contexts)	(GOsa - - 1.3.6.1.4.1.10098.1.1.12.
gosaDefaultLanguage	(GOsa - - 1.3.6.1.4.1.10098.1.1.12.
↳ Defines the default language <b>for</b> a user)	14``
ghMemSize	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.2``
↳ value memSize)	(Goto - - 1.3.6.1.4.1.10098.1.1.11.
gotoProfileQuota	(Goto - - 1.3.6.1.4.1.10098.1.1.11.
↳ save quota <b>for</b> home)	15``
↳)	15``
fdSipContexts	(FusionDirectory - - 1.3.6.1.4.1.38414.19.11.1``
↳ available sip contexts)	(FusionDirectory - - 1.3.6.1.4.1.38414.19.10.3``
fdPhoneConferencerRDN	(FusionDirectory - - 1.3.6.1.4.1.38414.19.10.3``
↳ Phone conference RDN)	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.5``
ghScsiDev	(FusionDirectory - - 1.3.6.1.4.1.38414.19.10.2``
↳ value scsiDev)	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.8``
fdPhoneMacroRDN	(Goto - Gonicus Terminal Concept, value floppyEnable. - 1.3.6.1.4.1.10098.1.1.1.7``
↳ Phone macro RDN)	gotoFloppyEnable
ghNetNic	(Goto - Gonicus Terminal Concept, value xMouseButtons. - 1.3.6.1.4.1.10098.1.1.1.23``
↳ value Network Device)	gotoXMouseButtons
gotoFloppyEnable	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.1.34``
↳)	gotoXMouseType
gotoXMouseButtons	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.1.34``
↳)	gotoXMouseType
gotoXMouseType	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.1.34``
↳ value Type of mouse)	value Type of mouse)

Deprecated objectClasses :

```

goCupsServer          (CUPS server description)
↳ 1.3.6.1.4.1.10098.1.2.1.23```
gosaCacheEntry        (Gosa -
↳ Class for Gosa caching)           - 1.3.6.1.4.1.10098.1.2.1.
↳ 19.3```
gosaUserTemplate      (Gosa -
↳ Class for Gosa User Templates)    - 1.3.6.1.4.1.10098.1.2.1.
↳ 19.11```
gosaAccount           (Gosa -
↳ Class for Gosa Accounts)         - 1.3.6.1.4.1.10098.1.2.1.
↳ 19.6```
gosaObject             (Gosa -
↳ Class for Gosa settings)         - 1.3.6.1.4.1.10098.1.2.1.
↳ 19.1```

```

The **check-deprecated** option will output a list of dn using old attributes and objectClasses of they are present in your ldap server

```

fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes

```

The **ldif-deprecated** option will output an ldif file on the console that you can use with ldapmodify to clean you ldap server from old attributes.

```
fusiondirectory-setup --ldif-deprecated > remove_deprecated.ldif
```

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup -check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## Migrate your DHCP entries

if you where using the DHCP plugin in 1.0.16, you need to migrate your entries to the dhcp branch, run the **fusiondirectory-setup -migrate-dhcp** for this

```
fusiondirectory-setup --migrate-dhcp
```

## Checking your indexed attributes

Check that all you index still match with valid attributes present in your ldap directory

Enjoy :)

### Migrate FusionDirectory from 1.0.17 to 1.0.18

#### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

#### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

#### Upgrade of LDAP directory

Upgrade the core schemas

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
```

#### Upgrade of LDAP directory

if you are using the systems plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/service-fd.schema
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd.schema
```

#### Check for deprecated attributes and objectClasses in your LDAP

The **list-deprecated** option of **fusiondirectory-setup** show deprecated attributes and objectClasses for FusionDirectory

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses
˓→ Deprecated attributes:

  gotoModules          (Goto - Gonicus Terminal Concept,
  ˓→ value kernel modules.)   - 1.3.6.1.4.1.10098.1.1.1.32```
  fdPasswordHook       (FusionDirectory -
  ˓→ Password hook (external command))   - 1.3.6.1.4.1.38414.8.13.4````
```

(suite sur la page suivante)

(suite de la page précédente)

```

fdSnapshotURI          (FusionDirectory -
    ↵ Snapshot URI)           - 1.3.6.1.4.1.38414.8.17.3``

gotoXVsync             (Goto - Gonicus Terminal Concept, value xvsync.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.19``

ghSoundAdapter         (Hardware definitions,
    ↵ value soundAdapter)   - 1.3.6.1.4.1.10098.1.1.2.7``

gotoXMouseport         (Goto - Gonicus Terminal Concept, value xMouseport.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.22``

gotoXMonitor           (Goto - Gonicus Terminal Concept, value xMonitor.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.17``

gotoAdaptPath          (Goto - Gonicus Terminal Concept, value adaptPath.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.33``

gotoScannerClients     (Goto - Gonicus Terminal Concept,
    ↵ value scannerClients.) - 1.3.6.1.4.1.10098.1.1.1.11``

gotoHardwareChecksum   (Goto -
    ↵ quick way to see if something has changed)           - 1.3.6.1.4.1.10098.1.1.2.

    ↵12``

gotoRootPasswd         (Goto - Gonicus Terminal Concept, value rootPasswd.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.14``

gotoXKbLayout           (Goto - Gonicus Terminal Concept, value xKbLayout.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.26``

gotoProfileServer       (Goto -
    ↵ specifies the profile server)                  - 1.3.6.1.4.1.10098.1.1.11.

    ↵8``

fdAccountRDN           (FusionDirectory -
    ↵ use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.

    ↵12.2``

gotoScannerEnable        (Goto - Gonicus Terminal Concept, value scannerEnable.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.10``

ghGfxAdapter            (Hardware definitions,
    ↵ value Grafikkarte)           - 1.3.6.1.4.1.10098.1.1.2.9``

gotoFontPath             (Goto - Gonicus Terminal Concept, value fontPath.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.5``

ghiDeDev                (Hardware definitions,
    ↵ value ideDev)                 - 1.3.6.1.4.1.10098.1.1.2.4``

gotoLpdEnable             (Goto - Gonicus Terminal Concept, value lpdEnable.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.9``

gotoXKbVariant            (Goto - Gonicus Terminal Concept, value xKbVariant.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.27``

fdRfc2307bis             (FusionDirectory -
    ↵ rfc2307bis)                  - 1.3.6.1.4.1.38414.8.10.1``

gotoAutoFs               (Goto - Gonicus Terminal Concept, value autoFs.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.31``

gotoSndModule              (Goto - Gonicus Terminal Concept, value sound Modules.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.29``

gotoCdromEnable            (Goto - Gonicus Terminal Concept, value cdromEnable.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.8``

gotoScannerModel            (Goto - Gonicus Terminal Concept, value scannerModel.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.40``

gosaLoginRestriction       (Gosa -
    ↵ Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.

    ↵10098.1.1.12.46``

gotoXColordepth            (Goto - Gonicus Terminal Concept, value xColordepth.
    ↵)                      - 1.3.6.1.4.1.10098.1.1.1.21``

    ↵

    ↵academicTitle            (Field to represent the academic title)
    ↵ 1.3.6.1.4.1.10098.1.1.6.2``
```

(suite sur la page suivante)

(suite de la page précédente)

fdSnapshotAdminDn	(FusionDirectory - - 1.3.6.1.4.1.38414.8.17.4`` ↳ Snapshot admin dn)
gotoFilesystem	(Goto - Gonicus Terminal Concept, value filesystem. - 1.3.6.1.4.1.10098.1.1.1.6``
↳	
↳ ghInventoryNumber	(Unique number <b>for</b> inclusion in an inventory) ↳ 1.3.6.1.4.1.10098.1.1.2.10``
gosaSubtreeACL	(Gosa - ↳ ACL entry) - 1.3.6.1.4.1.10098.1.1.12. - 1``
fdIdGenerator	(FusionDirectory - ↳ An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``
ghUsbSupport	(Hardware definitions, ↳ value usbSupport) - 1.3.6.1.4.1.10098.1.1.2.3``
gotoSysStatus	(Keeps current system status - ↳ info shown in Gosa) - 1.3.6.1.4.1.10098.1.1.2.11``
fdCopyPaste	(FusionDirectory - (de)Activate copy/ - 1.3.6.1.4.1.38414.8.14.5``
↳ paste)	
gotoXDriver	(Goto - Gonicus Terminal Concept, value xDriver. - 1.3.6.1.4.1.10098.1.1.1.28``
gotoXKbModel	(Goto - Gonicus Terminal Concept, value xKbmodel. - 1.3.6.1.4.1.10098.1.1.1.25``
fdPersonalTitleInDN	(FusionDirectory - ↳ Personal title in dn) - 1.3.6.1.4.1.38414.8.12.5``
gotoLpdServer	(Goto - Gonicus Terminal Concept, value lpdServer. - 1.3.6.1.4.1.10098.1.1.1.4``
gotoXHsync	(Goto - Gonicus Terminal Concept, value xHsync. - 1.3.6.1.4.1.10098.1.1.1.18``
gotoProfileFlags	(Goto - Flags <b>for</b> Profile handling - ↳ C is <b>for</b> caching) - 1.3.6.1.4.1.10098.1.1.11.7``
ghCpuType	(Hardware definitions, ↳ value cpuType) - 1.3.6.1.4.1.10098.1.1.2.1``
gotoXResolution	(Goto - Gonicus Terminal Concept, value xResolution. - 1.3.6.1.4.1.10098.1.1.1.20``
gotoShare	(Goto - ↳ specifies a share) - 1.3.6.1.4.1.10098.1.1.11. - 9``
gotoScannerBackend	(Goto - Gonicus Terminal Concept, ↳ value scannerBackend.) - 1.3.6.1.4.1.10098.1.1.1.39``
fdSnapshotAdminPassword	(FusionDirectory - ↳ Snapshot admin password) - 1.3.6.1.4.1.38414.8.17.5``
fdVoicemailContexts	(FusionDirectory - ↳ available voicemail contexts) - 1.3.6.1.4.1.38414.19.11.2``
gosaDefaultLanguage	(Gosa - ↳ Defines the default language <b>for</b> a user) - 1.3.6.1.4.1.10098.1.1.12. - 14``
ghMemSize	(Hardware definitions, ↳ value memSize) - 1.3.6.1.4.1.10098.1.1.2.2``
gotoProfileQuota	(Goto - ↳ save quota <b>for</b> home) - 1.3.6.1.4.1.10098.1.1.11. - 15``
fdSipContexts	(FusionDirectory - ↳ available sip contexts) - 1.3.6.1.4.1.38414.19.11.1``
fdPhoneConferencerRDN	(FusionDirectory - ↳ Phone conference RDN) - 1.3.6.1.4.1.38414.19.10.3``
ghScsiDev	(Hardware definitions, ↳ value scsiDev) - 1.3.6.1.4.1.10098.1.1.2.5``

(suite sur la page suivante)

(suite de la page précédente)

fdPhoneMacroRDN	(FusionDirectory - - 1.3.6.1.4.1.38414.19.10.2``
↳ Phone macro RDN)	
ghNetNic	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.8``
↳ value Network Device)	
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable. ↳ - 1.3.6.1.4.1.10098.1.1.1.7``
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons. ↳ - 1.3.6.1.4.1.10098.1.1.1.23``
gotoXMouseType	(Hardware definitions, ↳ value Type of mouse) - 1.3.6.1.4.1.10098.1.1.1.34``

Deprecated objectClasses :

goCupsServer	(CUPS server description) ↳ 1.3.6.1.4.1.10098.1.2.1.23``
gosaCacheEntry	(Gosa - ↳ Class <b>for</b> GOsa caching) - 1.3.6.1.4.1.10098.1.2.1. ↳ 19.3``
gosaUserTemplate	(Gosa - ↳ Class <b>for</b> GOsa User Templates) - 1.3.6.1.4.1.10098.1.2.1. ↳ 19.11``
gosaAccount	(Gosa - ↳ Class <b>for</b> GOsa Accounts) - 1.3.6.1.4.1.10098.1.2.1. ↳ 19.6``
gosaObject	(Gosa - ↳ Class <b>for</b> GOsa settings) - 1.3.6.1.4.1.10098.1.2.1. ↳ 19.1``

The **check-deprecated** option will output a list of dn using old attributes and objectClasses of they are present in your ldap server

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

The **ldif-deprecated** option will output an ldif file on the console that you can use with ldapmodify to clean you ldap server from old attributes.

```
fusiondirectory-setup --ldif-deprecated > remove_deprecated.ldif
```

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup -check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## Correcting acl editownpwd

**Avertissement :** To fix the error in the installed editownpwd, you need to go :

- Acl roles
- Open the editownpwd acl
- Save it

Its very important you do it, to know why look at [the users must update his role editownpasswd](#)

## Checking your indexed attributes

Check that all you index still match with valid attributes present in your ldap directory

Enjoy :)

## Migrate FusionDirectory from 1.0.18 to 1.0.19

### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

## Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

## Upgrade of LDAP directory

No upgrade

## Upgrade of LDAP directory

No Upgrade

## Correcting acl editownpwd

**Avertissement :** To fix the error in the installed editownpwd, you need to go :

- Acl roles
- Open the editownpwd acl
- Save it

Its very important you do it, to know why look at [the users must update his role editownpasswd](#)

Enjoy :)

## Migrate FusionDirectory from 1.0.19 to 1.0.20

### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

## Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

## Upgrade of LDAP directory

Upgrade the core schemas

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/template-fd.schema
```

## Upgrade of LDAP directory

if you are using the argonaut plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/argonaut-fd.schema
```

## Check for deprecated attributes and objectClasses in your LDAP

The **list-deprecated** option of **fusiondirectory-setup** show deprecated attributes and objectClasses for FusionDirectory

```
fusiondirectory-setup --list-deprecated List deprecated attributes and objectclasses
˓→ Deprecated attributes:

gotoModules           (Goto - Gonicus Terminal Concept,
˓→ value kernel modules.)      - 1.3.6.1.4.1.10098.1.1.1.32```
fdPasswordHook        (FusionDirectory -
˓→ Password hook (external command))      - 1.3.6.1.4.1.38414.8.13.4```
fdSnapshotURI         (FusionDirectory -
˓→ Snapshot URI)          - 1.3.6.1.4.1.38414.8.17.3```
gotoXVsync            (Goto - Gonicus Terminal Concept, value xvsync.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.19```
ghSoundAdapter        (Hardware definitions,
˓→ value soundAdapter)     - 1.3.6.1.4.1.10098.1.1.2.7```
gotoXMouseport        (Goto - Gonicus Terminal Concept, value xMouseport.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.22```
gotoXMonitor          (Goto - Gonicus Terminal Concept, value xMonitor.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.17```
gotoAdaptPath         (Goto - Gonicus Terminal Concept, value adaptpath.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.33```
gotoScannerClients    (Goto - Gonicus Terminal Concept,
˓→ value scannerClients.) - 1.3.6.1.4.1.10098.1.1.1.11```
gotoHardwareChecksum  (Goto -
˓→ quick way to see if something has changed)      - 1.3.6.1.4.1.10098.1.1.2.
˓→12```
gotoRootPasswd        (Goto - Gonicus Terminal Concept, value rootPasswd.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.14```
gotoXKbLayout         (Goto - Gonicus Terminal Concept, value xKblayout.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.26```
gotoProfileServer     (Goto -
˓→ specifies the profile server)      - 1.3.6.1.4.1.10098.1.1.11.
˓→8```
fdAccountRDN          (FusionDirectory -
˓→ use a placeholder pattern for generating account RDNs)      - 1.3.6.1.4.1.38414.8.
˓→12.2```
gotoScannerEnable      (Goto - Gonicus Terminal Concept, value scannerEnable.
˓→)                  - 1.3.6.1.4.1.10098.1.1.1.10```

```

(suite sur la page suivante)

(suite de la page précédente)

```

ghGfxAdapter           (Hardware definitions,
← value Grafikkarte) - 1.3.6.1.4.1.10098.1.1.2.9``

gotoFontPath           (Goto - Gonicus Terminal Concept, value fontPath.
←) - 1.3.6.1.4.1.10098.1.1.1.5``

ghIdleDev              (Hardware definitions,
← value ideDev) - 1.3.6.1.4.1.10098.1.1.2.4``

gotoLpdEnable           (Goto - Gonicus Terminal Concept, value lpdEnable.
←) - 1.3.6.1.4.1.10098.1.1.1.9``

gotoXKbVariant          (Goto - Gonicus Terminal Concept, value xKbvariant.
←) - 1.3.6.1.4.1.10098.1.1.1.27``

fdRfc2307bis           (FusionDirectory -
← rfc2307bis) - 1.3.6.1.4.1.38414.8.10.1``

gotoAutoFs              (Goto - Gonicus Terminal Concept, value autofs.
←) - 1.3.6.1.4.1.10098.1.1.1.31``

gotoSndModule            (Goto - Gonicus Terminal Concept, value sound Modules.
←) - 1.3.6.1.4.1.10098.1.1.1.29``

gotoCdromEnable          (Goto - Gonicus Terminal Concept, value cdromEnable.
←) - 1.3.6.1.4.1.10098.1.1.1.8``

gotoScannerModel          (Goto - Gonicus Terminal Concept, value scannerModel.
←) - 1.3.6.1.4.1.10098.1.1.1.40``

gosaLoginRestriction      (GOsa -
← Multivalue attribute to carry a number of allowed ips/subnets) - 1.3.6.1.4.1.
←10098.1.1.12.46``

gotoXColordepth           (Goto - Gonicus Terminal Concept, value xColordepth.
←) - 1.3.6.1.4.1.10098.1.1.1.21``

↳
←academicTitle            (Field to represent the academic title)
← 1.3.6.1.4.1.10098.1.1.6.2``

fdSnapshotAdminDn          (FusionDirectory -
← Snapshot admin dn) - 1.3.6.1.4.1.38414.8.17.4``

gotoFilesystem             (Goto - Gonicus Terminal Concept, value filesystem.
←) - 1.3.6.1.4.1.10098.1.1.1.6``

↳
←ghInventoryNumber          (Unique number for inclusion in an inventory)
← 1.3.6.1.4.1.10098.1.1.2.10``

gosaSubtreeACL              (GOsa -
← ACL entry) - 1.3.6.1.4.1.10098.1.1.12.

←1``

fdIdGenerator              (FusionDirectory -
← An automatic way to generate new user ids) - 1.3.6.1.4.1.38414.8.12.4``

ghUsbSupport                (Hardware definitions,
← value usbSupport) - 1.3.6.1.4.1.10098.1.1.2.3``

gotoSysStatus               (Keeps current system status -
← info shown in GOsa) - 1.3.6.1.4.1.10098.1.1.2.11``

fdCopyPaste                  (FusionDirectory - (de)Activate copy/
← paste) - 1.3.6.1.4.1.38414.8.14.5``

gotoXDriver                  (Goto - Gonicus Terminal Concept, value xDriver.
←) - 1.3.6.1.4.1.10098.1.1.1.28``

gotoXKbModel                  (Goto - Gonicus Terminal Concept, value xKbmodel.
←) - 1.3.6.1.4.1.10098.1.1.1.25``

fdPersonalTitleInDN          (FusionDirectory -
← Personal title in dn) - 1.3.6.1.4.1.38414.8.12.5``

gotoLpdServer                 (Goto - Gonicus Terminal Concept, value lpdServer.
←) - 1.3.6.1.4.1.10098.1.1.1.4``

gotoXHsync                    (Goto - Gonicus Terminal Concept, value xHsync.
←) - 1.3.6.1.4.1.10098.1.1.1.18``

gotoProfileFlags              (Goto - Flags for Profile handling -
← C is for caching) - 1.3.6.1.4.1.10098.1.1.11.7``
```

(suite sur la page suivante)

(suite de la page précédente)

ghCpuType	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.1``
↳ value cpuType)	(Goto - Gonicus Terminal Concept, value xResolution.
gotoXResolution	- 1.3.6.1.4.1.10098.1.1.1.20``
↳ 9``	(Goto -
gotoShare	- 1.3.6.1.4.1.10098.1.1.11.
↳ specifies a share)	
gotoScannerBackend	(Goto - Gonicus Terminal Concept, - 1.3.6.1.4.1.10098.1.1.1.39``
↳ value scannerBackend.)	
fdSnapshotAdminPassword	(FusionDirectory - - 1.3.6.1.4.1.38414.8.17.5``
↳ Snapshot admin password)	
fdVoicemailContexts	(FusionDirectory - - 1.3.6.1.4.1.38414.19.11.2``
↳ available voicemail contexts)	
gosaDefaultLanguage	(GOsa - - 1.3.6.1.4.1.10098.1.1.12.
↳ Defines the default language <b>for</b> a user)	
↳ 14``	
ghMemSize	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.2``
↳ value memSize)	
gotoProfileQuota	(Goto - - 1.3.6.1.4.1.10098.1.1.11.
↳ save quota <b>for</b> home)	
↳ 15``	
fdSipContexts	(FusionDirectory - - 1.3.6.1.4.1.38414.19.11.1``
↳ available sip contexts)	
fdPhoneConferencerRDN	(FusionDirectory - - 1.3.6.1.4.1.38414.19.10.3``
↳ Phone conference RDN)	
ghScsiDev	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.5``
↳ value scsiDev)	
fdPhoneMacroRDN	(FusionDirectory - - 1.3.6.1.4.1.38414.19.10.2``
↳ Phone macro RDN)	
ghNetNic	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.2.8``
↳ value Network Device)	
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable.
↳ - 1.3.6.1.4.1.10098.1.1.1.7``	
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons.
↳ - 1.3.6.1.4.1.10098.1.1.1.23``	
gotoXMouseType	(Hardware definitions, - 1.3.6.1.4.1.10098.1.1.1.34``
↳ value Type of mouse)	

#### Deprecated objectClasses :

goCupsServer	(CUPS server description)
↳ 1.3.6.1.4.1.10098.1.2.1.23``	
gosaCacheEntry	(GOsa - - 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> GOsa caching)	
↳ 19.3``	
gosaUserTemplate	(GOsa - - 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> GOsa User Templates)	
↳ 19.11``	
gosaAccount	(GOsa - - 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> GOsa Accounts)	
↳ 19.6``	
gosaObject	(GOsa - - 1.3.6.1.4.1.10098.1.2.1.
↳ Class <b>for</b> GOsa settings)	
↳ 19.1``	

The **check-deprecated** option will output a list of dn using old attributes and objectClasses of they are present in your ldap server

```
fusiondirectory-setup --check-deprecated  
List LDAP entries using deprecated attributes or objectclasses  
There are no entries in the LDAP using obsolete attributes  
There are no entries in the LDAP using obsolete classes
```

The **ldif-deprecated** option will output an ldif file on the console that you can use with ldapmodify to clean your ldap server from old attributes.

```
fusiondirectory-setup --ldif-deprecated > remove_deprecated.ldif
```

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup -check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## Correcting acl editownpwd

**Avertissement :** To fix the error in the installed editownpwd, you need to go :

- Acl roles
- Open the editownpwd acl
- Save it

It's very important you do it, to know why look at [the users must update his role editownpasswd](#)

## Checking your indexed attributes

Check that all your index still match with valid attributes present in your ldap directory

Enjoy :)

## Migrate FusionDirectory from 1.0.20 to 1.1

### Ubuntu 12.0.4 TLS users

**Avertissement :** Since 1.0.9.2 FusionDirectory need the php-cas library for CAS server support. This library can normally found in universe in the Ubuntu repositories.

In case you did not find it, grab the deb from here and install it

<https://packages.ubuntu.com/trusty/all/php-cas/download>

and select your preferred mirror

## New Depot Configuration

**Avertissement :** The repositories have been cleaned and reorganized please update your configuration accordingly

*Debian Repository.*

*RPM Repository.*

## Removed plugins

If you used kolab2 plugin you need to remove the plugin and its schema with the following command

```
apt-get remove fusiondirectory-plugin-kolab2  
apt-get remove fusiondirectory-plugin-kolab2-schema
```

## Splitted plugins

The posix tab of fusiondirectory is now a plugin by itself, if you use posix attributes install the corresponding plugin

```
apt-get install fusiondirectory-plugin-posix
```

## Upgrade schema2ldif

For Jessie distribution add extra repository

```
#fusiondirectory debian-extra repository  
  
deb http://repos.fusiondirectory.org/fusiondirectory-extra/debian-jessie jessie main
```

Update the package list and upgrade schema2ldif

```
apt-get update  
apt-get install schema2ldif
```

## Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

## Upgrade of LDAP directory

Upgrade the core schemas

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd-conf.schema  
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema
```

## Upgrade of LDAP directory

if you are using the argonaut plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/argonaut-fd.schema
```

if you are using the dhcp plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/dhcp-fd.schema
```

if you are using the fai plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/fai.schema
```

if you are using the mail plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/mail-fd.schema
```

if you are using the systems plugin you have to update its schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/service-fd.schema
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd-conf.  
→schema
```

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/systems-fd.schema
```

## Migrate old objects

If you have systems use this command to migrate them

```
fusiondirectory-setup --migrate-systems
```

If you have phones use this command to migrate them

```
fusiondirectory-setup --migrate-phones
```

If you have winstations use this command to migrate them

```
fusiondirectory-setup --migrate-winstations
```

## Check for deprecated attributes and objectClasses in your LDAP

The **list-deprecated** option of **fusondirectory-setup** show deprecated attributes and objectClasses for FusionDirectory

```
fusondirectory-setup --list-deprecated List deprecated attributes and objectclasses
↳ Deprecated attributes:

gotoModules           (Goto - Gonicus Terminal Concept, value kernel)
↳ modules.)          - 1.3.6.1.4.1.10098.1.1.1.32```
fdPasswordHook        (FusionDirectory - Password hook (external command))
↳ - 1.3.6.1.4.1.38414.8.13.4```
fdSnapshotURI         (FusionDirectory - Snapshot URI)
↳ - 1.3.6.1.4.1.38414.8.17.3```
gotoXVsync             (Goto - Gonicus Terminal Concept, value xvsync.)
↳ - 1.3.6.1.4.1.10098.1.1.1.19```
ghSoundAdapter         (Hardware definitions, value soundAdapter)
↳ - 1.3.6.1.4.1.10098.1.1.2.7```
gotoXMouseport         (Goto - Gonicus Terminal Concept, value xMouseport.)
↳ - 1.3.6.1.4.1.10098.1.1.1.22```
gotoXMonitor            (Goto - Gonicus Terminal Concept, value xMonitor.)
↳ - 1.3.6.1.4.1.10098.1.1.1.17```
gotoAdaptPath           (Goto - Gonicus Terminal Concept, value adaptPath.)
↳ - 1.3.6.1.4.1.10098.1.1.1.33```
gotoScannerClients      (Goto - Gonicus Terminal Concept, value scannerClients)
↳ scannerClients.)     - 1.3.6.1.4.1.10098.1.1.1.11```
gotoHardwareChecksum    (Goto - quick way to see if something has changed)
↳ - 1.3.6.1.4.1.10098.1.1.2.12```
gotoRootPasswd          (Goto - Gonicus Terminal Concept, value rootPasswd.)
↳ - 1.3.6.1.4.1.10098.1.1.1.14```
gotoXKbLayout            (Goto - Gonicus Terminal Concept, value xKbLayout.)
↳ - 1.3.6.1.4.1.10098.1.1.1.26```
gotoProfileServer        (Goto - specifies the profile server)
↳ - 1.3.6.1.4.1.10098.1.1.11.8```
fdAccountRDN            (FusionDirectory - use a placeholder pattern for generating account RDNs)
↳ - 1.3.6.1.4.1.38414.8.12.2```
gotoScannerEnable        (Goto - Gonicus Terminal Concept, value scannerEnable.)
↳ - 1.3.6.1.4.1.10098.1.1.1.10```
ghGfxAdapter             (Hardware definitions, value Grafikkarte)
↳ - 1.3.6.1.4.1.10098.1.1.2.9```
gotoFontPath              (Goto - Gonicus Terminal Concept, value fontPath.)
↳ - 1.3.6.1.4.1.10098.1.1.1.5```
ghIdeDev                 (Hardware definitions, value ideDev)
↳ - 1.3.6.1.4.1.10098.1.1.2.4```
gotoLpdEnable             (Goto - Gonicus Terminal Concept, value lpdEnable.)
↳ - 1.3.6.1.4.1.10098.1.1.1.9```
gotoXKbVariant            (Goto - Gonicus Terminal Concept, value xKbVariant.)
↳ - 1.3.6.1.4.1.10098.1.1.1.27```
fdRfc2307bis             (FusionDirectory - rfc2307bis)
↳ - 1.3.6.1.4.1.38414.8.10.1```
gotoAutoFs                (Goto - Gonicus Terminal Concept, value autoFs.)
↳ - 1.3.6.1.4.1.10098.1.1.1.31```
gotoSndModule              (Goto - Gonicus Terminal Concept, value sound Modules.)
↳ - 1.3.6.1.4.1.10098.1.1.1.29```
gotoCdromEnable            (Goto - Gonicus Terminal Concept, value cdromEnable.)
↳ - 1.3.6.1.4.1.10098.1.1.1.8```
gotoScannerModel            (Goto - Gonicus Terminal Concept, value scannerModel.)
↳ - 1.3.6.1.4.1.10098.1.1.1.40```
```

(suite sur la page suivante)

(suite de la page précédente)

gosaLoginRestriction	(GOsa - Multivalue attribute to carry a number of allowed ips/subnets)
↳ - 1.3.6.1.4.1.10098.1.1.12.46`	
gotoXColordepth	(GOto - Gonicus Terminal Concept, value xColordepth.)
↳ - 1.3.6.1.4.1.10098.1.1.1.21`	
academicTitle	(Field to represent the academic title)
↳ - 1.3.6.1.4.1.10098.1.1.6.2`	
fdSnapshotAdminDn	(FusionDirectory - Snaphost admin dn)
↳ - 1.3.6.1.4.1.38414.8.17.4`	
gotoFilesystem	(GOto - Gonicus Terminal Concept, value filesystem.)
↳ - 1.3.6.1.4.1.10098.1.1.1.6`	
ghInventoryNumber	(Unique number <b>for</b> inclusion in an inventory)
↳ - 1.3.6.1.4.1.10098.1.1.2.10`	
gosaSubtreeACL	(GOsa - ACL entry)
↳ - 1.3.6.1.4.1.10098.1.1.12.1`	
fdIdGenerator	(FusionDirectory - An automatic way to generate new user ids)
↳ - 1.3.6.1.4.1.38414.8.12.4`	
ghUsbSupport	(Hardware definitions, value usbSupport)
↳ - 1.3.6.1.4.1.10098.1.1.2.3`	
gotoSysStatus	(Keeps current system status - info shown in GOsa)
↳ - 1.3.6.1.4.1.10098.1.1.2.11`	
fdCopyPaste	(FusionDirectory - (de)Activate copy/paste)
↳ - 1.3.6.1.4.1.38414.8.14.5`	
gotoXDriver	(GOto - Gonicus Terminal Concept, value xDriver.)
↳ - 1.3.6.1.4.1.10098.1.1.1.28`	
gotoXKbModel	(GOto - Gonicus Terminal Concept, value xKbmodel.)
↳ - 1.3.6.1.4.1.10098.1.1.1.25`	
fdPersonalTitleInDN	(FusionDirectory - Personal title in dn)
↳ - 1.3.6.1.4.1.38414.8.12.5`	
gotoLpdServer	(GOto - Gonicus Terminal Concept, value lpdServer.)
↳ - 1.3.6.1.4.1.10098.1.1.1.4`	
gotoXHsync	(GOto - Gonicus Terminal Concept, value xHsync.)
↳ - 1.3.6.1.4.1.10098.1.1.1.18`	
gotoProfileFlags	(GOto - Flags <b>for</b> Profile handling - C is <b>for</b> caching)
↳ - 1.3.6.1.4.1.10098.1.1.11.7`	
ghCpuType	(Hardware definitions, value cpuType)
↳ - 1.3.6.1.4.1.10098.1.1.2.1`	
gotoXResolution	(GOto - Gonicus Terminal Concept, value xResolution.)
↳ - 1.3.6.1.4.1.10098.1.1.1.20`	
gotoShare	(GOto - specifies a share)
↳ - 1.3.6.1.4.1.10098.1.1.11.9`	
gotoScannerBackend	(GOto - Gonicus Terminal Concept, value scannerBackend.)
↳ - 1.3.6.1.4.1.10098.1.1.1.39`	
fdSnapshotAdminPassword	(FusionDirectory - Snaphost admin password)
↳ - 1.3.6.1.4.1.38414.8.17.5`	
fdVoicemailContexts	(FusionDirectory - available voicemail contexts)
↳ - 1.3.6.1.4.1.38414.19.11.2`	
gosaDefaultLanguage	(GOsa - Defines the default language <b>for</b> a user)
↳ - 1.3.6.1.4.1.10098.1.1.12.14`	
ghMemSize	(Hardware definitions, value memSize)
↳ - 1.3.6.1.4.1.10098.1.1.2.2`	
gotoProfileQuota	(GOto - save quota <b>for</b> home)
↳ - 1.3.6.1.4.1.10098.1.1.11.15`	
fdSipContexts	(FusionDirectory - available sip contexts)
↳ - 1.3.6.1.4.1.38414.19.11.1`	
fdPhoneConferencerDN	(FusionDirectory - Phone conference RDN)
↳ - 1.3.6.1.4.1.38414.19.10.3`	
ghScsiDev	(Hardware definitions, value scsiDev)
↳ - 1.3.6.1.4.1.10098.1.1.2.5`	

(suite sur la page suivante)

(suite de la page précédente)

fdPhoneMacroRDN	(FusionDirectory - Phone macro RDN)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.38414.19.10.2`	<a href="#">↳</a>
ghNetNic	(Hardware definitions, value Network Device)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.10098.1.1.2.8`	<a href="#">↳</a>
gotoFloppyEnable	(Goto - Gonicus Terminal Concept, value floppyEnable.)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.10098.1.1.1.7`	<a href="#">↳</a>
gotoXMouseButtons	(Goto - Gonicus Terminal Concept, value xMouseButtons.)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.10098.1.1.1.23`	<a href="#">↳</a>
gotoXMouseType	(Hardware definitions, value Type of mouse)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.10098.1.1.1.34`	<a href="#">↳</a>

Deprecated objectClasses :

goCupsServer	(CUPS server description)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.10098.1.2.1.23`	<a href="#">↳</a>
gosaCacheEntry	(Gosa - Class <b>for</b> Gosa caching)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.10098.1.2.1.19.3`	<a href="#">↳</a>
gosaUserTemplate	(Gosa - Class <b>for</b> Gosa User Templates)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.10098.1.2.1.19.11`	<a href="#">↳</a>
gosaAccount	(Gosa - Class <b>for</b> Gosa Accounts)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.10098.1.2.1.19.6`	<a href="#">↳</a>
gosaObject	(Gosa - Class <b>for</b> Gosa settings)	<a href="#">↳</a>
↳	- 1.3.6.1.4.1.10098.1.2.1.19.1`	<a href="#">↳</a>

The **check-deprecated** option will output a list of dn using old attributes and objectClasses of they are present in your ldap server

```
fusiondirectory-setup --check-deprecated
List LDAP entries using deprecated attributes or objectclasses
There are no entries in the LDAP using obsolete attributes
There are no entries in the LDAP using obsolete classes
```

The **ldif-deprecated** option will output an ldif file on the console that you can use with ldapmodify to clean you ldap server from old attributes.

```
fusiondirectory-setup --ldif-deprecated > remove_deprecated.ldif
```

If they are old objectClasses it will warn you and you will have to remove it by hand, they have been specified at the **fusiondirectory-setup -check-deprecated** step.

**Avertissement :** Please read it carefully before applying !!

## Checking your indexed attributes

Check that all you index still match with valid attributes present in your ldap directory

## New format for repository service

If you have a repository service. Open and save it back so it will use the new format

Enjoy :)

## Migrate FusionDirectory from 1.1 to 1.1.1

### New Depot Configuration

**Avertissement :** The repositories have been cleaned and reorganized please update your configuration accordingly

*Debian Repository.*

*RPM Repository.*

### Upgrade schema2ldif

For Jessie distribution add extra repository

```
#fusiondirectory debian-extra repository  
deb http://repos.fusiondirectory.org/fusiondirectory-extra/debian-jessie jessie main
```

Update the package list and upgrade schema2ldif

```
apt-get update  
apt-get install schema2ldif
```

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

Enjoy :)

## Migrate FusionDirectory from 1.1.1 to 1.2

### New Depot Configuration

**Avertissement :** The repositories have been cleaned and reorganized please update your configuration accordingly  
*Debian Repository.*  
*RPM Repository.*

**Avertissement :** The gpg keys for FusionDirectory and Argonaut have been renewed so you need to install the new keys for the packages to install correctly  
*Getting the official GPG keys to active package signature.*

### Upgrade schema2ldif

For Jessie distribution add extra repository

```
#fusiondirectory debian-extra repository  
deb http://repos.fusiondirectory.org/fusiondirectory-extra/debian-jessie jessie main
```

Update the package list and upgrade schema2ldif

```
apt-get update  
apt-get install schema2ldif
```

### Upgrade FusionDirectory first

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

Upgrade FusionDirectory core package before other ones to avoid dependencies errors :

```
apt-get install fusiondirectory
```

Upgrade FusionDirectory schema package too.

```
apt-get install fusiondirectory-schema
```

### Upgrade of LDAP directory

Upgrade core schema of FusionDirectory

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/core-fd.schema
```

if you are using the renater plugin you have to add its new schema

```
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/renater-partage-fd.  
↳schema
```

if you are using the sympa plugin you have to update its schema

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/sympa-fd-conf.schema
fusiondirectory-insert-schema -m /etc/ldap/schema/fusiondirectory/sympa-fd.schema
```

In case you use system template that have a DNS tab, you need to remake it because the separator « | » is changed to « ^ »


Enjoy :)

## 1.6 Core

FusionDirectory Core

### 1.6.1 Main menu


Once logged in into FusionDirectory, you get to the main menu. Here is what it looks like with core view :



### Users and groups

This section contains most plugins allowing to manage objects in your LDAP, by default mainly users and groups as the name suggest, but as you install plugin you may end up handling other types of objects.

In our example, this user can access the following Users and groups sections :



— **Departments** : manage Departments, countries, domain components, domains, localities and organization nodes

Here is an overview of Departments section details

	Name	Description	Actions
0	0	0	0
0	0	0	0
0	0	0	0

— **Users** : manage user accounts and their properties

Here is an overview of Users section details

	Last name	First name	Login	Properties	Actions
Administrator	System	fd-admin			
paul	dufour	admin			
carole	durieux	manager			
peter	antoine	user			

— **Groups and roles** : allows you to manage objects groups, POSIX groups and roles

Here is an overview of Groups and roles section details

#### — ACL roles : manage ACL roles


Here is an overview of ACL roles section details

#### — ACL assignments : manage ACL roles assignments to users

Here is an overview of ACL assignments section details

## Configuration

This section contains the configuration page of your FusionDirectory installation, and it may contain configuration screen for other plugins as you install them.



Here is an overview of configuration section details

The screenshot shows the 'FusionDirectory configuration' interface. At the top, there are tabs for Configuration, Samba, Mail, Plugins, Systems, User reminder, Password recovery, and FAI configuration. The Configuration tab is selected.

**Look and feel:**

- Language: English (English)
- Theme: breezy
- Timezone: Europe/Brussels

**Password settings:**

- Password default hash\*: ssha
- Force default hash:
- Password minimum length:
- Password minimum differs:
- Use account expiration:
- SASL Realm:
- SASL Exop:

**SSL:**

- Key path: /etc/ssl/private/fd.key

**Core settings:**


- LDAP size limit: 200
- Edit locking: entryCSN
- Enable logging:
- Schema validation:
- Enable snapshots:
- Snapshot base: ou=snapshots,dc=demo-fus
- Wildcard foreign keys:

**Login and session:**

- Login attribute\*: uid
- Enforce encrypted connections:
- Warn if session is not encrypted:
- Session lifetime\*: 1800
- HTTP Basic authentication:
- HTTP Header authentication:
- Header name: AUTH\_USER


## Reporting

This section contains the dashboard and any reporting plugin you may install.



## My account

This special category shows you the user tabs for the user account you signed in as. It's in this section that your users will be able to edit their own informations if you give them ACL rights to do so.




Here is an overview of user section details

 A detailed screenshot of the 'User' configuration page. At the top, there are navigation links: 'Sign out' and 'User'. On the right, it says 'Signed in' with a user ID. Below these are several tabs: 'Personal information', 'Account information', 'Organizational contact information', and 'Personal contact information'. 
 - 'Personal information' tab: Contains fields for Last name (paul), First name (dufour), Description, and a Picture section with a browse button.
 - 'Account information' tab: Shows a dropdown menu with an LDAP tree structure starting from '/ [Root]' and listing 'test42 [test42]', 'History [History students]', 'synDepartment [Syn]', and 'fsdfsdf [fsdfsdf]'.
 - 'Organizational contact information' tab: Contains fields for Location, State, Address, Room No., Phone, Mobile, Pager, Fax, and Homepage.
 - 'Personal contact information' tab: Contains fields for Display name, Home address, and Private phone.
 The bottom of the page has a large 'Ed' button.

## 1.6.2 Departments

This page allows you to manage your LDAP tree structure, so that you may sort the other objects in branches later.

Click on Departments icon on FusionDirectory main page



You will be directed to Departments management page

The following actions are available :

- **Create Department** : Think of this as the LDAP equivalent of a folder, it's the basic container for organizing objects in your LDAP.

- **Create Country** : You may use this if your activity is spread over several countries and you want to reflect that in your tree.

- **Domain Component** : You may use that to reflect your DNS in your tree


- **Domain** : Same as above but if you want to put the whole domain as only one node (ie *d=example.com* instead of *dc=example,dc=com*)

- **Locality** : You may use this if your activity is spread over several locations and you want to reflect that in your tree.

- **Organization** : May represent a company or any other kind of organization.

- **Export list** :

- PDF : Export the current object list as a PDF document
- CSV : Export the current object list as a CSV file




**Remove** : Delete an existing department

### 1.6.3 Users

This page is for user management.

You can access Users management in two ways : either by clicking Users icon on FusionDirectory main page



or by clicking Users entry in Users and Groups Menu on the left

## Users and groups

Departments

Users

Groups and roles

NIS Netgroups

Aliases

Sympa

ACL roles

ACL assignments

SupAnn structures

Sudo

EJBCA

DSA


Applications

You will be directed on users management page

Users					
	Surname ▾	Given name	Login	Properties	Actions
	test42 [test42]				
<input type="checkbox"/>	 Administrator	System	fd-admin		     
<input type="checkbox"/>	 carole	durieux	manager		     
<input type="checkbox"/>	 paul	dufour	admin	 	     
<input type="checkbox"/>	 peter	antoine	user	 	     

**Note :** All management pages you will see in FusionDirectory look like this. This one allows to manage users.

Click on one user entry in order to access this user's information overview




The screenshot shows a detailed user profile for 'peter'. The top navigation bar includes tabs for User, Unix, Personal, Mail, Samba, Groups and roles, SSH, Nagios, Quota, Proxy, Ftp, Freeradius, NIS Netgroup, SupAnn, Subcontracting, SpamAssassin, Certificates, Newsletter, GPG, EJBCA, References, and LDAP. The 'Groups and roles' tab is active, indicated by a black background. The main content area is divided into several sections:

- Personal Information:** Contains fields for Last name (peter), First name (antoine), Description, and a Picture section with a browse button.
- Account Information:** Contains fields for Base (/), Login (user), Preferred language, Password method (ssha), and Password/Password again.
- Organizational Information:** Contains fields for Location, State, Address, Room No., Phone, Mobile, Pager, Fax, and Homepage.
- Organizational contact information:** Contains fields for Location, State, Address, Room No., Phone, Mobile, Pager, Fax, and Homepage.
- Personal contact information:** Contains fields for Display name, Home address, and Private phone.

FusionDirectory is based on tabs. You will find the same tab-system in plugins, configuration etc.

Activated tabs are always in black and non-activated tab are gray.



## Navigation

The navigation bar allows you to navigate your tree. The first icon will take you to your LDAP root, the second one will move one branch up, the third one goes to the LDAP base the user you are signed in as is stored. Then there is a refresh button, and then the Base dropdown allows you to quickly jump anywhere in your tree.

## Actions

The following actions are available :

**Create User** : Create a new user

This screenshot shows the 'Actions' dropdown menu open. The 'Create' option is selected, showing its sub-options: 'User' (selected) and 'From template'. There are also two checkboxes at the top: 'Show templates' and 'Show functional users'.

**Create From template** : Create a new user from a template

This screenshot shows the 'Actions' dropdown menu open. The 'Create' option is selected, showing its sub-options: 'User' (selected) and 'From template'. There are also two checkboxes at the top: 'Show templates' and 'Show functional users'.

**Create Template** : Create a user template

This screenshot shows the 'Actions' dropdown menu open. The 'Create' option is selected, showing its sub-options: 'User', 'From template', and 'Template'. There are also two checkboxes at the top: 'Show templates' and 'Show functional users'.

**Edit** : Edit an existing user

This screenshot shows the 'Edit' action interface. It features a large blue button with a pencil icon and the word 'Edit'.

**Remove** : Delete an existing user

This screenshot shows the 'Remove' action interface. It features a large blue button with a trash bin icon and the word 'Remove'.

**Lock users** : Lock existing users

## Lock users

**Unlock users** : Unlock existing users

## Unlock users

**Apply template** : Apply a template to an existing user

## Apply template

### Export list

- PDF : Export the current object list as a PDF document
- CSV : Export the current object list as a CSV file

## Export list ▾

## CSV

## Copy

## PDF

**Copy** : Copy users

## Copy

**Cut** : Cut users to move them

## Cut

**Paste** : Paste copied or cut users to the current base

## Paste

**Restore snapshots** : Restore snapshots of users

## Restore snapshots

## **Filter**

On the right, you have a very practical Filter menu. The filter box let you filter what you are listing.

You can select which object types you want to list or hide, if you want to show templates or hide them.

You can also filter objects depending on which tabs are activated on them.

You can also use the text box to do a text search.

## Filter

### Types

-  User
-  Template

### Tabs

-  Unix
-  Personal
-  Mail
-  Samba
-  SSH
-  Quota
-  Ftp
-  Freeradius
-  SupAnn
-  SupAnn status
-  SpamAssassin
-  Subcontracting
-  Certificates
-  GPG
-  Newsletter
-  EJBCA

Search in subtrees



Click on the filter you are interested in in order to show all the users that apply to that filter.

For example, if you select « Mail » filter, you will see the list of users having Mail plugin installed

The screenshot shows the 'Users' list view. On the left is a table with columns: Last name, First name, Login, Properties, and Actions. The first row shows a user named 'peter'. On the right is a 'Filter' sidebar with sections for 'Types' (User, Template) and 'Tabs' (Unix, Personal, Mail). The 'Mail' tab is selected.

Checking the « Search in subtrees » checkbox allows to search in the whole subtree under the current base.



There is an option to search on attribute dependent on the columns displayed in list.

When you put your cursor on the magnifying glass icon under filter menu, a black line will appear, describing the different items displayed for this user

A screenshot of the user interface showing a search bar with a magnifying glass icon. A tooltip below it reads: 'Searches in user/uid, user/cn, user/description, user/sn, user/givenName'.

## List

In the list you see objects matching current filter options under the currently selected base.


In this example, we selected the following filter : Mail

The screenshot shows the 'Users' list view with two users listed: 'paul' and 'peter'. The 'Mail' tab is selected in the filter sidebar. The table columns are: Last name, First name, Login, Properties, and Actions.

You can click on column headers to sort the list

A screenshot of a table header with columns: Last name, First name, Login, and Properties. The 'Last name' column is highlighted.

and you can quickly access actions on an object using the icons in the last column



You may also check several objects in the first column and apply an action to all of them using the actions menu.

Under the list is a summary of how many objects of each type are shown (in this example there is 1 Department and 3 Users)





---

**Note :** In FusionDirectory you can show **each icon description** by simply putting the cursor on the concerned icon

---


For example, the « floppy disk » icon means « Create a new snapshot from this object »



#### 1.6.4 Groups

This page is for groups and roles management.

Click on Groups and roles icon on FusionDirectory main page



You will be directed to Groups and roles management page

The screenshot shows the 'Groups and roles' section of the FusionDirectory web interface. On the left is a table with columns: Name, Description, Members, Properties, and Actions. The table contains three entries: 'ogroup-test', 'posixgroup-test', and 'role-test'. To the right is a 'Filter' sidebar with sections for Types (Group, POSIX group, Role, Template), Tabs (Mail, Samba, Partage, Freeradius, Applications), Members (User, Group, Application, Server, Workstation, Terminal, Phone, Printer, Simple security object), and a search bar.

Click on one group entry in order to access this group's information overview

This screenshot shows the 'ogroup-test' group's properties dialog. It includes tabs for Object group, Mail, Partage, References, and LDAP. The 'Properties' tab displays fields for Base (set to '/'), Name\* (set to 'ogroup-test'), Description (empty), and Owner (set to 'None'). The 'Member objects' tab lists members 'antoine peter [user]' and 'Alain Deloin [adeloin]'. The 'System trust' tab shows 'disabled' as the trust mode. At the bottom are 'Ok', 'Apply', and 'Cancel' buttons.

On the previous page, the following actions are available :

**Create Template Group** : Create a group template

This screenshot shows the 'Create Template Group' dialog. It has an 'Actions' dropdown with options 'Show user groups' and 'Show organizational roles', and a 'Create' button.

**Create Template Role** : Create a role template

This screenshot shows the 'Role' creation dialog, which has a large input field labeled 'Role'.

**Create POSIX Group** : Create a POSIX group template

 **POSIX group**

**Create From Template Role** : Create a role using a template



**Create From Template POSIX Group** : Create a POSIX group using a template

 **POSIX group**

Of course, you can also create groups, roles and POSIX groups from scratch, by clicking on Actions-> Create -> Group, Actions-> Create -> Roles, Actions-> Create -> POSIX Groups

Actions ▾	Show user groups
<a href="#">Create ▶</a>	<a href="#">Template ▶</a>
<a href="#">Edit</a>	<a href="#">From template ▶</a>
<a href="#">Remove</a>	<a href="#">Group</a>
<a href="#">Export list ▶</a>	<a href="#">Role</a>
<a href="#">Copy</a>	<a href="#">POSIX group</a>

**Edit** : Edit an existing group



**Remove** : Delete an existing group



**Export list**

- PDF : Export the current object list as a PDF document
- CSV : Export the current object list as a CSV file



**Copy** : Copy groups



**Cut** : Cut groups to move them



**Paste** : Paste copied or cut groups to the current base




**Restore snapshots** : Restore snapshots of groups



### 1.6.5 Configurable lists

Unlike version 1.3, where you had to see the list as it is, in the latest version of FusionDirectory you can decide what you want to see.

Click on Users icon on FusionDirectory main page



You will be directed to Users page

Users					
	Last name	First name	Login	Properties	Actions
<input type="checkbox"/>	 Administrator	System	fd-admin	    	       
<input type="checkbox"/>	 carole	durieux	manager	    	     
<input type="checkbox"/>	 paul	dufour	admin	    	     
<input type="checkbox"/>	 peter	antoine	user	    	     
 4					


On top left page you will see a little icon representing two lines with a dot



By clicking on this icon, you can decide which items you want to see in the list

Management configuration					
Columns	ObjectTypeColumn				  
	LinkColumn	sn	Last name	  	
	LinkColumn	givenName	First name	  	
	Column	uid	Login	  	
	PropertiesColumn		Properties	  	
	ActionsColumn		Actions	  	
Type*	LinkColumn				
Attribute	<input type="text"/>				
Label	<input type="text"/>				
	<input type="button" value="Add"/>				
Persistent	<input type="checkbox"/>				
Global default	<input type="checkbox"/>				

You can play with the little arrows to determine the order of the items in the list.



On configuration page, fill in the following fields :

- **Type** : type of column (required)
- **Attribute** : LDAP attributes to display, separated by commas. The special values « nameAttr » and « mainAttr » also work
- **Label** : title of the column
- **Persistent** : Should this configuration be saved in LDAP as the default configuration for this page
- **Global default** : Should this configuration be saved in LDAP as the default configuration for this page for all users

Click on save button, bottom right




Now, on Users main page you will see columns in the order you choose

<input type="checkbox"/>	Last name	First name	Login	Properties	Actions
--------------------------	-----------	------------	-------	------------	---------

## 1.6.6 ACL Roles

This page allows to manage ACL Roles

Click on ACL roles icon on FusionDirectory main page



You will be directed to ACL roles management page, where you can see the list of all created ACL roles

The screenshot shows a table titled "ACL roles" with columns for Name, Description, and Actions. The "Actions" column contains icons for edit, delete, and other operations.

	Name	Description	Actions
<input type="checkbox"/>	admin	Donner tous les droits sur tous les objets	
<input type="checkbox"/>	manager	Donner tous les droits sur les utilisateurs de cette branche	
<input type="checkbox"/>	editowninfos	Permet aux utilisateurs d'éditer leur propres informations (onglet principal et posix, à n'utiliser que sur la base)	

Filter

Types:  ACL role

Search in subtrees

**Note :** ACL roles can be used to give rights to users through ACL assignment. Setup offers to create a few default roles for you with common usecases.

If you click on one ACL role, you will see the rights of this role

The screenshot shows the properties of the "manager" role. It includes fields for Base (set to "/"), Name (set to "manager"), and Description (set to "Donner tous les droits sur les utilisateurs de cette branche"). Below this, the "ACLs" section shows a table with one entry for "Contains settings for these objects: user/password, user/user, user posixAccount".

Properties	
Base	/
Name*	manager
Description	Donner tous les droits sur les utilisateurs de cette branche

ACLs	
Contains settings for these objects: user/password, user/user, user posixAccount	
*	
Add	

The following actions are available :

**Create ACL role** : Create a new ACL role

The screenshot shows the "Actions" dropdown menu with the "Create ACL role" option highlighted.

**Edit** : Edit an existing ACL role

The screenshot shows the "Actions" dropdown menu with the "Edit" option highlighted.

**Remove** : Delete an existing ACL role

## Remove

### Export list

- PDF : Export the current object list as a PDF document
- CSV : Export the current object list as a CSV file

 Export list ▾

 CSV

 Copy

 PDF

**Copy** : Copy ACL role

 Copy

**Cut** : Cut ACL roles to move them

 Cut

**Paste** : Paste copied or cut ACL roles to the current base


 Paste

**Restore snapshots** : Restore snapshots of ACL roles

 Restore snapshots

### 1.6.7 ACL Assignments

Click on ACL assignments icon on FusionDirectory main page



This page allows to assign ACL roles to user and manage existing assignments.

ACL assignments		
Actions ▾		
<input type="checkbox"/>	DN	Actions
<input type="checkbox"/> 	dc=demo-fusiondirectory,dc=org	
 1		

**Note :** Note that only existing assignments are shown here, if you want to add ACL assignment on a department which has none yet, you need to go in **Departments**, edit this object and go to the ACL tab.

Click on an ACL assignments to see its assignments

ou=test42,dc=demo-fusiondirectory,dc=org			
ACL Assignment			
Assignments on object or subtree ou=test42,dc=demo-fusiondirectory,dc=org			
subtree	cn=manager,ou=aclroles,dc=demo-fusiondirectory,dc=org	uid=rhollandais,ou=people,ou=test42,dc=demo-fusiondirectory,dc=org	 
subtree	cn=student,ou=aclroles,ou=test42,dc=demo-fusiondirectory,dc=org	uid=pitalienne,ou=people,ou=test42,dc=demo-fusiondirectory,dc=org	 

The following actions are available :

**Create ACL assignment** : Create a new ACL assignment

 Actions ▾

 Create

**Edit** : Edit an existing ACL assignment

 Edit

**Remove** : Delete an existing ACL assignment


 Remove

#### Export list

- PDF : Export the current object list as a PDF document
- CSV : Export the current object list as a CSV file




**Restore snapshots** : Restore snapshots of ACL assignments



### 1.6.8 Dashboard

Click on Dashboard icon on FusionDirectory main page



The dashboard screen allows you to consult statistics about the content of your LDAP tree.

The first tab shows the number of objects for each type known to your FusionDirectory installation. Clicking them will lead you to the management page for them, if any.

A screenshot of the FusionDirectory dashboard. At the top, there is a navigation bar with icons for 'Main', 'Sign out', and 'Dashboard'. To the right, it says 'Signed in: fd-admin'. On the left, there is a sidebar with a tree menu: 'Users and groups' (Departments, Users, Groups and roles, ACL roles, ACL assignments), 'Configuration' (Configuration), 'Reporting' (Dashboard, highlighted in blue), and 'My account' (User). The main content area has tabs for 'Dashboard', 'Users', and 'Passwords'. The 'Dashboard' tab is selected, showing a 'Statistics' section with the following data:

Object Type	Count
Organization	1
Domain Component	1
User	1
ACL role	4
ACL assignment	1
FusionDirectory configuration	1

## Users

User tab shows more detailed statistics about users.

It is especially useful to track expired or soon-to-expire users, when using posix plugin.

Signed in: fd-admin

**Users and groups**

- Departments
- Users
- Groups and roles
- ACL roles
- ACL assignments

**Configuration**

- Configuration

**Reporting**

**Dashboard** (selected)

**My account**

**User**

**Dashboard**

**Users**

**Passwords**

**Users statistics**

- There is 1 user:
  - None of them have a mail account
  - None of them have a posix account
  - None of them have a samba account

**Groups statistics**

- There are no groups
  - There is no mail group
  - There is no samba group

**Expired accounts**

**There is no expired account**

**There is no account expiring in the next 15 days**

- **Users statistics** : it shows you the number of users and the e-mail account type of each user
- **Groups statistics** : it shows you how many groups there are
- **Expired accounts** : It shows you the expired accounts and the accounts that will expire soon

## Passwords

Passwords tab shows statistics about passwords, and it is especially useful for tracking old accounts still using an obsolete password method in order to update them.

Signed in: fd-admin

**Users and groups**

- Departments
- Users
- Groups and roles
- ACL roles
- ACL assignments

**Configuration**

- Configuration

**Reporting**

**Dashboard** (selected)

**My account**

**User**

**Dashboard**

**Users**

**Passwords** (selected)

**Passwords statistics**

- There is 1 user:
  - One of them use ssha method
  - None of them is locked


## 1.7 Configuration

FusionDirectory Configuration


### 1.7.1 Configuration

All the configuration is stored inside the ldap, in FusionDirectory branch.


If you need to modify something, you can access to FD configuration by clicking on « Configuration » icon of the main menu.



Then click on « Configuration » Tab



You need to click on « Edit » button bottom right first to access edition and then « Ok » once you've finished.



#### Look and feel

Look and feel	
Language	Automatic
Theme*	breezy
Timezone*	America/New_York

- **Language** : Defines the default language used by FusionDirectory. Normally FusionDirectory autodetects the language from the browser settings. If this is not working or you want to force the language, just modify the language here.
- **Theme** : (required) Defines what theme is used to display FusionDirectory pages. You can install some corporate identity like theme and/or modify certain templates to fit your needs within themes.
- **Timezone** : (required) Defines the timezone used within FusionDirectory to handle date related tasks, such as password expiration, vacation messages, etc. The timezone value should be a unix conform timezone value like in /etc/timezone.

## Core settings

Core settings	
LDAP size limit	200 <input style="width: 20px; height: 20px;" type="button" value="^"/> <input style="width: 20px; height: 20px;" type="button" value="v"/>
Edit locking	entryCSN <input style="width: 20px; height: 20px;" type="button" value="▼"/>
Enable logging	<input type="checkbox"/>
Schema validation	<input type="checkbox"/>
Enable snapshots	<input type="checkbox"/>
Snapshot base	ou=snapshots,dc=demo-fu: <input style="width: 20px; height: 20px;" type="button" value="▼"/>
Wildcard foreign keys	<input type="checkbox"/>

- **LDAP size limit** : Tells FusionDirectory to retrieve the specified maximum number of results. The user will get a warning, that not all entries were shown.
- **Edit locking** : Enables FusionDirectory to check if a entry currently being edited has been modified from someone else outside FusionDirectory in the meantime. It will display an informative dialog then. It can be set to *entryCSN* for OpenLDAP based systems or *contextCSN* for Sun DS based systems.
- **Enable logging** : Enables event logging on FusionDirectory side. Setting it to true, FusionDirectory will log every action a user performs via syslog. If you use rsyslog and configure it to mysql logging, you can browse all events within FusionDirectory.
- **Schema validation** : Validate the installed schema before connecting to FusionDirectory
- **Enable snapshots** : This enables you to save certain states of entries and restore them later on.
- **Snapshot base** : Defines the base where snapshots should be stored inside of the LDAP.
- **Wildcard foreign keys** : Whether to activate foreign key handling in cases where a wildcard filter is needed. For instance when moving a department containing users, this will make sure any reference to a user in this department is updated. This maintain consistency but may be a bit slow on big trees.

## Password settings

**Allowed password hashes\***

The screenshot shows a configuration interface for 'Password settings'. At the top, there's a title bar labeled 'Password settings'. Below it, a large dropdown menu lists various password hash types. The list includes: clear, crypt/blowfish, crypt/enhanced-des, crypt/md5, crypt/sha-256, crypt/sha-512, crypt/standard-des, empty, md5, sasl, sha, smd5, and ssh. The item 'ssha' is highlighted as the current selection. To the left of the dropdown, there are several configuration options with their current values displayed in input fields:

- Password default hash\***: ssha
- Force default hash**:
- Password minimum length**:  (empty)
- Password minimum differs**:  (empty)
- Use account expiration**:
- SASL Realm**:  (empty)
- SASL Exop**:  (empty)

— **Allowed password hashes** : (required) Defines the default password hash to choose for new accounts.

Valid values are :

- crypt/standard-des
- crypt/enhanced-des
- crypt/md5
- crypt/blowfish
- crypt/sha-256
- crypt/sha-512
- smd5
- md5
- sasl
- ssh
- sha

These values will be overridden when using templates.

— **Force default hash** : Enable/Disable force the use of the default password hash.

— **Password minimum length** : Determines the minimum length of a new password entered to be considered

valid. Note that this only affect passwords that are set by the user, not by the admins.

- **Password minimum differs** : Determines how many characters that must be different from the previous password. Note that this only affect passwords that are set by the user, not by the admins.
- **Use account expiration** : Enables shadow attribute tests during the login to FusionDirectory and forces password renewal or account locking.
- **SASL Realm** : Defines the way the kerberos realm is stored in the userPassword attribute. Set it to REALM.NET in order to get {sasl}user@REALM.NET.
- **SASL Exop** : Defines the attribute to be stored in the userPasword attribute. Set it to uid in order to get the {sasl}uid of the user.

## Login and session

<b>Login and session</b>	
<b>Login attribute*</b>	uid <input type="button" value="▼"/>
<b>Enforce encrypted connections</b>	<input type="checkbox"/>
<b>Warn if session is not encrypted</b>	<input checked="" type="checkbox"/>
<b>Session lifetime*</b>	1800 <input type="button" value="▼"/>
<b>Login method*</b>	HTML form <input type="button" value="▼"/>
<b>Header name</b>	AUTH_USER

- **Login attribute** : (required) Defines which LDAP attribute is used in Fusiondirectory as the login name during login. It can be set to uid, mail or both.
- **Enforce encrypted connections** : Enables PHP security checks to force encrypted access (https) to the web interface.
- **Warn if session is not encrypted** : Enables PHP security checks to detect non encrypted access to the web interface. FusionDirectory will display a warning in this case.
- **Session lifetime** : (required) Defines when a session will expire in seconds. For Debian systems, this will not work because the sessions will be removed by a cron job instead. Please modify the value inside of your php.ini instead.
- **Login method** : (required) Which login method should be used for connecting to FusionDirectory
- **Header name** : Define the name of the header you will use for HTTP Header Authentication

## SSL

<b>SSL</b>	
<b>Key path</b>	/etc/ssl/private/fd.key
<b>Certificate path</b>	/etc/ssl/certs/fd.cert
<b>CA certificate path</b>	/etc/ssl/certs/ca.cert

- **Key path** : Path of the private key for FusionDirectory on the server.

- **Certificate path** : Path of the certificate for FusionDirectory on the server.
- **CA certificate path** : Path of the CA on the server.

## CAS

CAS	
CA certificate path	/etc/ssl/certs/ca.cert
Host	localhost
Port	443
CAS context	/cas

- **CA certificate path** : Path of the CA for the CAS server.
- **Host** : Host of the CAS Server.
- **Port** : Port of the CAS Server.
- **CAS context** : CAS context to be used

## People and group storage

Pay attention to the changes in this section of the configuration

People and group storage (editing this can break your LDAP)	
People DN attribute*	uid
CN pattern*	%givenName% %sn%
Strict naming policy	<input checked="" type="checkbox"/>
Users RDN*	ou=people
ACL role RDN*	ou=aclroles
Restrict role members	<input type="checkbox"/>
Separate address fields	<input type="checkbox"/>
Postal address pattern	
Avatar max size	200


- **People DN attribute** : (required) Defines the attribute to use at the beginning of users dn.

Possible values are *uid* and *cn*

- *uid* style DN : uid=superuser,ou=staff,dc=example,dc=net
- *cn* style DN : cn=Foo Bar,ou=staff,dc=example,dc=net

- **CN pattern** : The pattern to use to build the common name field.
- **Strict naming policy** : Enables strict checking of uids and group names. If you need characters like . or - inside of your accounts, don't enable this option.
- **Users RDN** : (required) Defines the location where new accounts will be created inside of defined departments. The default is ou=people.
- **ACL role RDN** : The branch where ACL roles are stored.
- **Restrict role members** : When enabled only users from the same branch or members of groups from the same branch can be added to a role.
- **Separate address fields** : When enabled, expose *street*, *postOfficeBox* and *postalCode* fields instead of *postalAddress*.
- **Postal address pattern** : When **Separate address fields** is enabled, filling this allows to fill *postalAddress* using values from the separate fields in a pattern.
- **Avatar max size** : Maximum user picture width and height in pixels. Bigger uploaded pictures will be resized.

## Debugging



- **Display errors** : Defines whether to enable the display of PHP errors in the upper part of the screen. This should be disabled in productive deployments, because there might be some passwords in it.
- **Maximum LDAP query time** : Tells FusionDirectory to stop LDAP actions if there is no answer within the specified number of seconds.
- **Log LDAP statistics** : Tells FusionDirectory to track LDAP timing statistics to the syslog. This may help to find indexing problems or bad search filters.
- **Debug level** : Display certain debug informations on each page load. Valid values are LDAP, Database, Shell, POST, SESSION, ACL, SI, Mail. The different values can also be combined with each other.
- **Log debug messages** : Sends debug output to syslog as well

## Miscellaneous

The screenshot shows the 'Miscellaneous' configuration page. It includes several settings with checkboxes and dropdowns:

- Display summary in listings**: A checkbox.
- Show ACL tab on all objects**: A checkbox.
- Available department categories**: A dropdown menu with a scrollbar.
- Plugin menu blacklist**: A large empty dropdown menu.
- ACL target filter limit**: A dropdown menu set to 100, with up and down arrow buttons.

- **Display summary in listings** : Determines whether a status bar will be shown on the bottom of FusionDirectory generated lists, displaying a short summary of type and number of elements in the list.
- **Show ACL tab on all objects** : For very specific ACL rights setting where you might need to give rights on a single object.
- **Available department categories** : Available categories in the departments category dropdown.
- **Plugin menu blacklist** : A list of plugins to hide from FusionDirectory menu for a given group of users.
- **ACL target filter limit** : Defines the maximum number of entries an ACL target filter is allowed to return

## Triggers


Click on Triggers tab



The screenshot shows the 'Triggers' configuration page. At the top left is a checkbox labeled 'Display trigger output'. Below it is a table with four columns: 'Tab', 'Mode', 'Deactivated', and 'Command'. The table has one row, which is currently empty. The entire section is titled 'Triggers'.

- **Triggers** : Defines triggers that are called when specific actions happens.  
Each trigger is defined by :
  - Tab : The plugin tab triggering this trigger
  - Mode : When this trigger is triggered
  - Command : The executed command when this trigger is triggered. Use the placeholder syntax to pass attribute values to the trigger.
- **Display trigger output** : Activate to display the trigger output.

Click on Plugins tab



## Object groups

The screenshot shows the 'Object groups' configuration page. At the top is a title 'Object groups'. Below it is a field labeled 'Groups RDN\*' containing the value 'ou=groups'. A note below the field states: '— Groups RDN : (required) Branch in which object groups will be stored.'

## SASL

The screenshot shows the 'SASL' configuration page. At the top is a title 'SASL'. Below it is a checkbox labeled 'Force to ask for password\*'.

- **Force to ask for password** : (required) Useful if you add a trigger using password value when SASL user passwords are edited.

### Dashboard name schema

**Dashboard name schema**

Number of digits	3
Prefixes*	PC

- **Number of digits** : Number of digits to use after prefix.
- **Prefixes** : (required) Prefixes to be used for computer ids.

### Dashboard expired users

**Dashboard expired users**

Number of days	15
----------------	----


- **Number of days** : Number of days before expiration needed for an account to show in the dashboard not expired accounts list.

## 1.7.2 Configure Password recovery

FusionDirectory has a password recovery fonction.

- If the Mail plugin is installed it can use the mail attribute
- If the Personal plugin is installed it can use the fdPrivateMail
- If the Supann plugin is installed it can use the supannMailPerso


In the login window of the user's connection, you will find the option "I forgot my password".



The screenshot shows the FusionDirectory sign-in page. At the top left is the FusionDirectory logo. The main title "Sign in" is centered at the top. Below it is a message: "Please use your username and your password to log into the site administration system." There are two input fields: the first is a blue circle containing a user icon, and the second is a white rectangle. Below these fields is a link "I forgot my password".

This option allows your users to generate a new password.

If you click on "I forgot my password" now, the following window appears :




The screenshot shows the "Lost password" page. At the top left is the FusionDirectory logo. The main title "Lost password" is centered at the top. Below it is a message: "Password recovery is not activated. If you have lost your password, please contact your administrator".


To activate the recovery of the password, the administrator must set it up

— Configuration

Connect as administrator and click on Configuration button in FusionDirectory



Go to Password recovery tab



In the next windows click on "Edit" button bottom right



### Password recovery settings

Activate password recovery	<input type="checkbox"/>
Sender email address*	to.be@chang.ed
Link validity (minutes)*	10
Salt for tokens*	SomethingSecretAndVeryl
Allow the use of alternate addresses	<input type="checkbox"/>
Login attribute*	uid

To activate password recovery you must check the box next to “Activate password recovery”

### Activate password recovery



- Sender email address : e-mail address from which e-mails will be sent (required)
- Link validity (minutes) : number of minutes before a recovery link expires (required)
- Salt for tokens : just a security measure, you can put anything in there, even random characters (required)
- Allow the use of alternate addresses : if checked, users will also be able to enter one of theirs alternate addresses to recover their password

Fill-in First email settings

### First email

Subject*	[FusionDirectory] Passwor
Body (first %s is login, second is link)*	Hello, Here are your

- Subject : subject of the first e-mail (required)
- Body (first %s is login, second is link) : body of the first e-mail, sent when the users asks for a new password. Use % for the login and the recovery link (required)

Fill-in Second email settings

### Second email

Subject*	[FusionDirectory] Passwor
Body (%s is login)*	Hello, Your password has been

- Subject : subject of the second e-mail (required)

- Body (%s is login) : body of the first e-mail, sent to confirm that the password has been changed. Use % for the user login (required)
- Use it

Now your users can be able to use password recovery. When they will click on “I forgot my password” this windows will appear

The screenshot shows a 'Lost password' page. At the top left is the FusionDirectory logo. The main title 'Lost password' is centered at the top. Below it, a text instruction reads: 'Enter your current e-mail address in the field below and press the 'Change' button.' followed by '**=> Use your e-mail in the long format, e.g : John Doe => john.doe@example.com**'. There is a large text input field with a blue border and a placeholder 'Enter your current e-mail address...'. To the left of the input field is a circular icon containing a blue envelope symbol. Below the input field is a blue link 'Return to login screen'. At the bottom right is a blue 'Change' button.

They will enter their full e-mail address and after click on “Change”

A message will appear on the screen informing your user of sending an e-mail to his address, with a link to change his password.

Your user will receive a mail like this :

```
[FusionDirectory] Password recovery link
From: reset@fusiondirectory.org
To: myname@acme.org
Hello,
Here are your informations :
- Login : myname
- Link : http://fusiondirectory.org/fusiondirectory/recovery.php?
  ↵uniq=KSDnZ31AYR7psZETCtHNGyNkzMKfZKOXP9xpTAF5nprwwMnwF3ZH28EL9&uid=tototot&address_
  ↵mail=myname@acme.org
This link is only valid for 10 minutes.
```

When user will browse to the link sending him by e-mail, a message like this will appear on the screen

Now the user need to fill the required new password and then click on “Change”. A confirmation email is sent to his mailbox :

```
[FusionDirectory] Password Changed recovery successful
From: reset@fusiondirectory.org
To: myname@acme.org

Hello,
Your password has been changed.
Your login is still myname.
```

He just needs to click on “Return to login screen” to connect with his new password


## 1.8 ACLs

FusionDirectory ACLs


### 1.8.1 Introductions

FusionDirectory ACLs can be used to give rights on FusionDirectory content to other users than the admin. They can be used to allow users to edit their own information for instance, or to allow a project manager to edit the users from his team.

For example, here is the Admin view of the interface. As you can see, the Admin has access to all the plugins



And here is the Manager view. As you can see, the Manager can only access Users and groups, account and Unix




### 1.8.2 Functionalities

#### ACL roles

— What can a person do in FusionDirectory ?

Click on ACL roles icon on the main page of FusionDirectory



The ACL role groups all the rights you want to give to a group or a user

You will see the list of created roles.

Each role has two columns :

- **Name** : this is the name of the role
- **Description** : a short description of what can be done by this role

<input type="checkbox"/>	<b>Name</b> ▾	<b>Description</b>
	test42 [test42]	
<input type="checkbox"/>	admin	Donner tous les droits sur tous les objets
<input type="checkbox"/>	editowninfos	Permet aux utilisateurs d'édition leur propres informations (onglet principal et posix, à n'utiliser que sur la base)
<input type="checkbox"/>	manager	Donner tous les droits sur les utilisateurs de cette branche

Click on a role, in this example manager; you will be on Role tab

Properties settings

### Properties

Base	/
Name*	manager
Description	Donner tous les droits sur les utilisateurs de cette branche

- **Base** : object base

If you put the cursor on the base field, you will see all the base objects and you will be able to choose the one that you need.

- **Name** : a name for this role (required)
- **Description** : short description of this role

ACLs settings

This field is very important because it defines the settings of the rights that this role has and the objects that it can manage

### ACLs

Contains settings for these objects: user/password, user/user, user posixAccount	
*	
<input type="button" value="Add"/>	

In order to see the list of ACL categories assigned to this role, click on the little pencil on the right



This will bring you to the whole list of available ACL categories. Scroll down to see the categories assigned to this role.

In this example, User is assigned to this role and it is marked as « ACL for these objects : posixAccount, user ».

User	ACL for these objects: posixAccount, user		
------	---	--	--

Click on the little pencil next to User category on the right



This will give you a simplified view of Object User attributes, highlighted in purple

Object: Unix	Show/hide advanced settings
<input type="checkbox"/> Create objects <input type="checkbox"/> Move objects <input type="checkbox"/> Remove objects <input type="checkbox"/> Grant permission to owner	Complete object: <input type="checkbox"/> read <input type="checkbox"/> write

The **beauty** and the **strength** of FusionDirectory is that you can also play on each single attribute of the object.

To do this, click on « Show/hide advances settings » button on next to the object you are interested in

## Show/hide advanced settings

This wil open a dialog incliding all the object settings and you can check/uncheck the ones you need

Object: User	Show/hide advanced settings
<input type="checkbox"/> Create objects <input type="checkbox"/> Move objects <input type="checkbox"/> Remove objects <input type="checkbox"/> Grant permission to owner	Complete object: <input type="checkbox"/> read <input type="checkbox"/> write
hidden (cn)	Last name of this user (sn) <input type="checkbox"/> read <input type="checkbox"/> write
Short description of the user (description)	The avatar for this user (jpegPhoto) <input type="checkbox"/> read <input type="checkbox"/> write
State (st)	Business postal address (postalAddress) <input type="checkbox"/> read <input type="checkbox"/> write
Business phone number (telephoneNumber)	Business mobile number (mobile) <input type="checkbox"/> read <input type="checkbox"/> write
Business fax number (facsimileTelephoneNumber)	Personal homepage (labeledURI) <input type="checkbox"/> read <input type="checkbox"/> write
Preferred language (preferredLanguage)	Password of the user (userPassword) <input type="checkbox"/> read <input type="checkbox"/> write
Home postal address (homePostalAddress)	Title of a person in their organizational context. Each title is one value of this multi-valued attribute (title) <input type="checkbox"/> read <input type="checkbox"/> write
Organization (o)	Organizational unit this user belongs to (ou) <input type="checkbox"/> read <input type="checkbox"/> write
Employee number (employeeNumber)	Employee type (employeeType) <input type="checkbox"/> read <input type="checkbox"/> write
User lock status (userLock)	Department number (departmentNumber) <input type="checkbox"/> read <input type="checkbox"/> write
	Manager (manager) <input type="checkbox"/> read <input type="checkbox"/> write
	<input type="button"/> Apply <input type="button"/> Cancel

Then you have a part for each user tab depending on your installed plugins. The **Create** right on a tab allows to activate it while the **Remove** one allows to deactivate. The **Grant permission** to owner checkbox allows to give rights only on the user's own node as in the editowninfos role we used earlier.

## Special cases about rights

### Template

The template part is available for objects which support templates and allow to give rights on templates, and control rights on the template\_cn field.

To be able to create a user using a template, the connected user needs :

- Read right of user/template :template\_cn on the template object (or any parent department)
- Create right of user/user on the base the user is created in (or any parent department)
- Write right of the fields required by the templates on the base the user is created in (or any parent department)

### Snapshot

There is a Snapshot part for objects which supports snapshots.

- Create right means the user will be able to take new snapshots
- Delete right means he will be able to delete existing snapshots
- Write right on restore\_over field means he will be able to restore snapshots of an existing object
- Write right on restore\_deleted field means he will be able to restore snapshots of deleted objects

### ACL assignments

- How to assign ACLs

After the creation of a role, we can say what a person has the right to do.

Click on ACL Assignments icon in FusionDirectory



You will see the list of ACL Assignments

<input type="checkbox"/>		Name ▾	Description	Actions
<input type="checkbox"/>		. [ACL Assignment]	fusiondirectory	
<input type="checkbox"/>		templates [ACL Assignment]		
<input type="checkbox"/>		test42 [ACL Assignment]	test42	

Click on an ACL Assignment, in this example test42 and you will see three columns

ACL Assignment	
Assignments on object or subtree ou=test42,dc=demo-fusiondirectory,dc=org	
subtree	cn=manager,ou=aclroles,dc=demo-fusiondirectory,dc=org
	uid=manager,ou=people,dc=demo-fusiondirectory,dc=org

- **first column** : on what mode of operation the LDAP will work
- **second column** : the dn of the role. It defines the rights assigned to the person in column 3 in relation to the ACLs assigned to him
- **third column** : person to which the ACL is assigned

### ACL filter

We have 2 kind of filters :

- Restrict users with filter
- Restrict targets with filter

#### Restrict users with filter

Restrict users with filter can be used to restrict members to the one matching this filter.

- This is a **fixed filter** with no support for template matching.
- Example : (eduPersonAffiliation=student) to limit to users with student supann affiliation. This may be used when «all users» is checked, or when the members contain groups in which there are students and non-students.

#### Restrict targets with filter

Restrict targets with filter can be used to restrict target objects on which rights are given.

- This is a **template pattern** which may use any user field.
- Example : (manager=%dn%) on base with subtree, will only give rights on objects of which we are manager.  
It may be smarter to put add an objectClass check in the filter. An other example is (memberUid=%uid%) to give rights on groups the user is member of.

For target filter, people should avoid using a field that users can edit in the filter like (something=%description%) if users are allowed to edit their description.

Also, target filter should not match more than the sizelimit, so it should not be used for something too general like (eduPersonAffiliation=student), because that will match a lot of LDAP node and FD will attempt at storing an ACL for each of them in RAM. (user filter have no such restriction because they are only tested on the logged in user).


### 1.8.3 Create ACLs

- How to create an ACL role

To give rights to users, the first step is to define an ACL role which will list the permissions you want to give.

Now let's get more into the details of which kind of permission an ACL role can give.

Click on ACL roles icon on FusionDirectory main page



Click on Actions -> Create -> ACL role



Fill name and description as you see fit.\

**Properties**

Base	/test42
Name*	student
Description	Student can change his phone number


Click **Add** button bottom left ACLs

ACLs

*
---

Add

You will see a screen listing the ACL categories :



The screenshot shows the 'ACL roles management' page in the FusionDirectory web interface. The left sidebar has a 'Users and groups' section with 'ACL roles' selected. The main content area displays a table titled 'List of available ACL categories'. The table has two columns: 'Category' and 'Description'. Each category row includes edit and delete icons. The categories listed are: 'ACL & ACL roles', '\* All categories', 'FusionDirectory configuration', 'Departments', 'Group', 'Role', and 'User'. A note in each row states 'No ACL settings for this category'. At the bottom right of the content area are 'Apply' and 'Cancel' buttons.

Category	Description
ACL & ACL roles	No ACL settings for this category
* All categories	No ACL settings for this category
FusionDirectory configuration	No ACL settings for this category
Departments	No ACL settings for this category
Group	No ACL settings for this category
Role	No ACL settings for this category
User	No ACL settings for this category

Click on pencil icon next to User category



Then you have a part for each user tab depending on your installed plugins. The **Create** right on a tab allows to activate it while the **Remove** one allows to deactivate.

The **Grant permission to owner** checkbox allows to give rights only on the user's own node as in the editowninfos role we used earlier.

In this case we want to create a role named student having the rights to read and write his phone number.

Role	References	LDAP																								
Edit ACL for "User"																										
<table border="1"> <tr> <td>Toggle C</td> <td>Toggle M</td> <td>Toggle D</td> <td>-</td> <td>Toggle R</td> <td>Toggle W</td> <td>-</td> <td>R+</td> <td>W+</td> </tr> <tr> <td>C+</td> <td>C-</td> <td>M+</td> <td>M-</td> <td>D+</td> <td>D-</td> <td>-</td> <td>R+</td> <td>R-</td> <td>W+</td> <td>W-</td> <td>R+</td> <td>R-</td> <td>W+</td> <td>W-</td> </tr> </table>			Toggle C	Toggle M	Toggle D	-	Toggle R	Toggle W	-	R+	W+	C+	C-	M+	M-	D+	D-	-	R+	R-	W+	W-	R+	R-	W+	W-
Toggle C	Toggle M	Toggle D	-	Toggle R	Toggle W	-	R+	W+																		
C+	C-	M+	M-	D+	D-	-	R+	R-	W+	W-	R+	R-	W+	W-												
<b>Object: EJBCA</b>																										
<input type="checkbox"/> Create objects <input type="checkbox"/> Move objects <input type="checkbox"/> Remove objects <input type="checkbox"/> Grant permission to owner																										
Show/hide advanced settings   Complete object: <input type="checkbox"/> read <input type="checkbox"/> write																										
<b>Object: Template</b>																										
<input type="checkbox"/> Create objects <input type="checkbox"/> Move objects <input type="checkbox"/> Remove objects																										
Show/hide advanced settings   Complete object: <input type="checkbox"/> read <input type="checkbox"/> write																										
<b>Object: GPG</b>																										
<input type="checkbox"/> Create objects <input type="checkbox"/> Move objects <input type="checkbox"/> Remove objects <input type="checkbox"/> Grant permission to owner																										
Show/hide advanced settings   Complete object: <input type="checkbox"/> read <input type="checkbox"/> write																										
<b>Object: Newsletter</b>																										
<input type="checkbox"/> Create objects <input type="checkbox"/> Move objects <input type="checkbox"/> Remove objects <input type="checkbox"/> Grant permission to owner																										
Show/hide advanced settings   Complete object: <input type="checkbox"/> read <input type="checkbox"/> write																										
<b>Object: Certificates</b>																										
<input type="checkbox"/> Create objects <input type="checkbox"/> Move objects <input type="checkbox"/> Remove objects <input type="checkbox"/> Grant permission to owner																										
Show/hide advanced settings   Complete object: <input type="checkbox"/> read <input type="checkbox"/> write																										
<b>Object: User</b>																										
<input type="checkbox"/> Create objects <input type="checkbox"/> Move objects <input type="checkbox"/> Remove objects <input checked="" type="checkbox"/> Grant permission to owner																										
Show/hide advanced settings   Complete object: <input type="checkbox"/> read <input type="checkbox"/> write																										

Check the box against Grant permission to owner

<b>Object: User</b>
<input type="checkbox"/> Create objects <input type="checkbox"/> Move objects <input type="checkbox"/> Remove objects <input checked="" type="checkbox"/> Grant permission to owner

Go to object User and click on Show/hide advanced settings button

Show/hide advanced settings

Check read and write options in Business mobile number

<b>Business mobile number (mobile)</b>
<input checked="" type="checkbox"/> read <input checked="" type="checkbox"/> write

Click on Apply button

Apply
-------

Now, on the List of available ACL categories you can see that User category changed to ACL for these objects : user

User	ACL for these objects: user
------	-----------------------------


Click on Apply button

Apply
-------

Now you can see that ACL's settings are filled-in

Contains settings for these objects: user/user *	
---	--

Click on Ok button bottom right



#### 1.8.4 Use ACLs

##### ACLs Assignment

Click on ACL assignments on FusionDirectory main page




Click on the ACL assignment that you need



ACL Assignment tab you can see all the assignments

Assignments on object or subtree dc=demo-fusiondirectory,dc=org					
subtree	cn=admin,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=fd-admin,ou=people,dc=demo-fusiondirectory,dc=org			
subtree	cn=admin,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org			
subtree	cn=manager,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=manager,ou=people,dc=demo-fusiondirectory,dc=org			
subtree	cn=editowninfos,ou=aciroles,dc=fusiondirectory,dc=org	uid=user,ou=people,dc=fusiondirectory,dc=org			

Click on Add button bottom left



Select ACL Assignment properties as follows

- **Mode** : subtree
- **Role** : student

**ACL Assignment**

**Properties**

Mode*	Subtree ▾
Role*	student ▾
For all users	<input type="checkbox"/>
Members*	<div style="border: 1px solid #ccc; padding: 5px; height: 100px; margin-top: 10px;"> <input type="button" value="Add"/> <input type="button" value="Delete"/> </div>

Select a user by clicking on Add button under Members field

Select the user to whom you wish to assign student role (in this example, leheros toto)

<input type="checkbox"/>	Name ▾	Login	Description
	leheros toto	toto	

Click on Add button bottom right



In ACL Assignment tab you can now see toto in Members field

**Members\***

toto

**Add** **Delete**

Click on Add button bottom right

Add

You can see that ACL Assignment tab is now correctly filled

ACL Assignment			
Assignments on object or subtree dc=demo-fusiondirectory,dc=org			
subtree	cn=admin,ou=aclroles,dc=demo-fusiondirectory,dc=org	uid=fd-admin,ou=people,dc=demo-fusiondirectory,dc=org	▼ 🔍 🔏
subtree	cn=admin,ou=aclroles,dc=demo-fusiondirectory,dc=org	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org	▲ 🔍 🔏
subtree	cn=manager,ou=aclroles,dc=demo-fusiondirectory,dc=org	uid=manager,ou=people,dc=demo-fusiondirectory,dc=org	▲ 🔍 🔏
subtree	cn=editowninfos,ou=aclroles,dc=fusiondirectory,dc=org	uid=user,ou=people,dc=fusiondirectory,dc=org	▲ 🔍 🔏
subtree	cn=student,ou=aclroles,ou=test42,dc=demo-fusiondirectory,dc=org	uid=toto,ou=people,ou=test42,dc=demo-fusiondirectory,dc=org	▲ 🔍 🔏

Click on Ok button bottom right to save


Ok

## Result


— User view

Now let's see how the ACL has been applied to our User


Login as toto



Click on User icon



Click on Edit button bottom right



You will see that the only editable field is Mobile (this user can only modify his mobile number as per the ACL that we set earlier)

 Organizational contact information


Location	
State	
Address	
Room No.	
Phone	
Mobile	
Pager	
Fax	
Homepage	

### 1.8.5 Use ACLs with department

**delegate department management**

So, let's say you want to give manager rights to user **Richard Hollandais** to the branch **ou=test42,dc=demo-fusiondirectory,dc=org**

Start by clicking on Departments icon on FusionDirectory main page



Then click on edit icon (pencil) against test42 department line

<input type="checkbox"/>		test42	test42	
--------------------------	---	--------	--------	---

Go to ACL Assignment tab.

Click on Add button bottom left

Add

Fill-in ACL Assignment tab settings

Mode*	Subtree
Role*	manager
For all users	<input type="checkbox"/>
Members*	
<input type="button" value="Add"/> <input type="button" value="Delete"/>	

- **Mode** : subtree
- **Role** : manager
- **Members** : rhollandais

In order to select members, click on add button against member

Add

Select user Richard Hollandais from the users list

		Richard Hollandais	rhollandais	
--	--	--------------------	-------------	--

Click on Add button bottom right

Add

Click again on Add button bottom right

You can now see the ACL Assignment tab filled with role manager for user Richard Hollandais

The screenshot shows a tabbed interface with 'Department', 'Community project', 'ACL Assignment' (which is selected), 'References', and 'LDAP'. Below the tabs, a header reads 'Assignments on object or subtree ou=test42,dc=demo-fusiondirectory,dc=org'. There are two entries in the list: 'subtree cn=manager,ou=aclroles,dc=demo-fusiondirectory,dc=org' and 'uid=rhollandais,ou=people,ou=test42,dc=demo-fusiondirectory,dc=org'. To the right of the list are edit and delete icons.

Click on Ok button bottom right

Ok

## Result

Now in order to see that Manager Richard Hollandais can manage student Paola Italienne, let's sign in FusionDirectory as rhollandais

The sign-in page features a logo for 'FUSION DIRECTORY'. The main text says 'Sign in' and 'Please use your username and your password to log into the site administration system.' A warning message 'Warning: Session is not encrypted!' is displayed in red. The login fields are labeled 'rhollandais' and 'password' (represented by a series of dots). Below the fields are links for 'I forgot my password' and 'default'. At the bottom is a 'Sign in' button.

As manager role, he can see Users icon on his interface

The screenshot shows the FusionDirectory web interface. At the top left is the logo 'FUSION DIRECTORY'. To the right are links for 'Main' and 'Sign out'. A welcome message 'Welcome Richard Hollandais!' is displayed. On the left, there's a sidebar with two sections: 'Users and groups' (containing 'Users') and 'My account' (containing 'User' and 'Unix'). The main content area is titled 'Users and groups' and contains three icons: a blue user icon labeled 'Users', a grey user icon labeled 'User', and a penguin icon labeled 'Unix'.

Click on Users icon and you will see the users Richard can manage


This screenshot shows the 'Users' management page. The title is 'Users'. Below it is a toolbar with navigation icons and a search bar set to 'Base /test42'. The main area is a table with columns: 'Actions', 'Properties', 'Login', 'Given name', and 'Surname'. It lists two users: 'Hollandais' (Richard) and 'Italiienne' (Paola). Each user row has edit, lock, and delete icons in the 'Actions' column.

	Properties	Login	Given name	Surname	Actions
<input type="checkbox"/>		rhollandais	Richard	Hollandais	
<input type="checkbox"/>		pitalienne	Paola	Italiienne	

## 1.8.6 ACLs Assignment with user filter

### ACLs Assignment

Click on ACL assignments on FusionDirectory main page



Click on the ACL assignment that you need

This screenshot shows the 'ACL Assignment' page. At the top is a toolbar with icons for creating, deleting, and filtering. The main area is a table with columns: 'Actions', 'fusiondirectory', and '[ACL Assignment]'. It lists one item: 'fusiondirectory'.

	fusiondirectory	[ACL Assignment]	Actions
<input type="checkbox"/>	fusiondirectory		

ACL Assignment tab you can see all the assignments

Assignments on object or subtree dc=demo-fusiondirectory,dc=org			
subtree	cn=admin,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=fd-admin,ou=people,dc=demo-fusiondirectory,dc=org	 
subtree	cn=admin,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org	 
subtree	cn=manager,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=manager,ou=people,dc=demo-fusiondirectory,dc=org	 
subtree	cn=editowninfos,ou=aciroles,dc=fusiondirectory,dc=org	uid=user,ou=people,dc=fusiondirectory,dc=org	 

Click on Add button bottom left

Add

Select ACL Assignment properties as follows

- **Mode** : subtree
- **Role** : student
- **All users** : ticked

Properties

Mode*	Subtree
Role*	student
For all users	<input checked="" type="checkbox"/>
Members*	<input type="text"/>
	<b>Add</b> <b>Delete</b>

Add your member filter as follows

- **Member filter** : (uid=toto)

Advanced

These options allow you to restrict members or targets by LDAP filter. The member filter cannot use masks, and is safe to return any number of results as it will only be applied to the logged in user. For target filter, please avoid using a filter returning too many results, and if using template masks, avoid doing so on user-editable fields.	
Member filter	(uid=toto)
Target filter	<input type="text"/>

Click on Add button bottom right

Add

You can see that ACL Assignment tab is now correctly filled

Assignments on object or subtree dc=demo-fusiondirectory,dc=org				
subtree	cn=admin,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=fd-admin,ou=people,dc=demo-fusiondirectory,dc=org		▼ 🔒 🔑
subtree	cn=admin,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org		▲ 🔒 🔑
subtree	cn=manager,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=manager,ou=people,dc=demo-fusiondirectory,dc=org		▲ 🔒 🔑
subtree	cn=editowninfos,ou=aciroles,dc=demo-fusiondirectory,dc=org	uid=user,ou=people,dc=fusiondirectory,dc=org		▲ 🔒 🔑
subtree	cn=student,ou=aciroles,dc=demo-fusiondirectory,dc=org	*	(uid=toto)	▲ 🔒 🔑

Add

Click on Ok button bottom right to save


Ok

## Result

— User view


Now let's see how the ACL has been applied to our User

Login as toto



The screenshot shows the Fusion Directory sign-in page. At the top, there is a logo for 'FUSION DIRECTORY' and a large 'Sign in' button. Below the logo, a message reads: 'Please use your username and your password to log into the site administration system.' A red warning message 'Warning: Session is not encrypted!' is displayed. The sign-in form consists of two input fields: a blue circular icon with a user silhouette followed by a text input field containing 'toto'. Below the inputs is a grey circular icon with a keyhole and a password input field showing five blue dots. To the right of the password field is a link 'I forgot my password'. Further down, there is a blue folder icon with a globe symbol and a dropdown menu set to 'default'. At the bottom right is a 'Sign in' button.

Click on User icon




We only have our mobile info because we assign ACL Role student for everyone but it applied only for (uid=toto)

Account information	Organizational contact information
Base /	Mobile

### 1.8.7 ACLs Assignment with target filter

#### ACLs Assignment

Click on ACL assignments on FusionDirectory main page




Click on the ACL assignment that you need

			[ACL Assignment]	fusondirectory				
--	--	--	------------------	----------------	--	--	--	--

ACL Assignment tab you can see all the assignments

ACL Assignment			
Assignments on object or subtree dc=demo-fusondirectory,dc=org			
subtree	cn=admin,ou=aclroles,dc=demo-fusondirectory,dc=org	uid=fd-admin,ou=people,dc=demo-fusondirectory,dc=org	
subtree	cn=admin,ou=aclroles,dc=demo-fusondirectory,dc=org	uid=admin,ou=people,dc=demo-fusondirectory,dc=org	
subtree	cn=manager,ou=aclroles,dc=demo-fusondirectory,dc=org	uid=manager,ou=people,dc=demo-fusondirectory,dc=org	
subtree	cn=editowninfos,ou=aclroles,dc=fusondirectory,dc=org	uid=user,ou=people,dc=fusondirectory,dc=org	

Click on Add button bottom left



Select ACL Assignment properties as follows

- **Mode** : subtree
- **Role** : manager
- **Members** : toto

**Properties**

Mode*	Subtree
Role*	manager
For all users	<input type="checkbox"/>
Members*	<p>toto leheros</p> <p>Add      Delete</p>

Add your target filter as follows

— **Member filter** : (manager=%dn%)

**Advanced**

These options allow you to restrict members or targets by LDAP filter. The member filter cannot use masks, and is safe to return any number of results as it will only be applied to the logged in user. For target filter, please avoid using a filter returning too many results, and if using template masks, avoid doing so on user-editable fields.

Member filter	<input type="text"/>
Target filter	(manager=%dn%)


Click on Add button bottom right



You can see that ACL Assignment tab is now correctly filled

Assignments on object or subtree dc=demo-fusiondirectory,dc=org					
subtree	cn=admin,ou=aclroles,dc=demo-fusiondirectory,dc=org	uid=fd-admin,ou=people,dc=demo-fusiondirectory,dc=org			▼ □
subtree	cn=admin,ou=aclroles,dc=demo-fusiondirectory,dc=org	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org			▲ □
subtree	cn=manager,ou=aclroles,dc=demo-fusiondirectory,dc=org	uid=manager,ou=people,dc=demo-fusiondirectory,dc=org			▲ □
subtree	cn=editowninfos,ou=aclroles,dc=fusiondirectory,dc=org	uid=user,ou=people,dc=fusiondirectory,dc=org			▲ □
subtree	cn=student,ou=aclroles,dc=demo-fusiondirectory,dc=org	*	(uid=toto)		▲ □
subtree	cn=manager,ou=aclroles,dc=demo-fusiondirectory,dc=org	uid=toto,ou=people,dc=demo-fusiondirectory,dc=org		(manager=%dn%)	▲ □
<input type="button" value="Add"/>					

Click on Ok button bottom right to save



## Result

— User view

Now let's see how the ACL has been applied to our User


Login as toto

Please use your username and your password to log into the site administration system.  
Warning: Session is not encrypted!

I forgot my password

Sign in

Click on User icon to manage them



We see that we can manage another user because the target filter give the manager right for the objects where (manager=%dn%) match (%dn% mean our own dn)

Users					
Actions ▾					
	Last name ▾	First name	Login	Properties	Actions
<input type="checkbox"/>	<a href="#">paul</a>	dufour	admin	<a href="#">g=</a> <a href="#">g=</a>	<a href="#"></a> <a href="#"></a> <a href="#"></a> <a href="#"></a>
<a href="#">2</a>					

## 1.9 Plugins

FusionDirectory Plugins

### 1.9.1 Alias

FusionDirectory Plugins Alias

#### Description

This plugin is used in the management of two types of aliases :

- Mailbox redirection (e.g. when a person leaves the company) from alias FORWARD TO another/s mail address
- Mailbox distribution when receive a message for alias SEND TO mailbox in mail-server

#### Installation

##### Install packages

###### Debian

```
apt-get install fusiondirectory-plugin-alias  
apt-get fusiondirectory-plugin-alias-schema
```

###### RHEL

```
yum install fusiondirectory-plugin-alias  
yum install fusiondirectory-plugin-alias-schema
```

##### Install schemas

###### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/alias-fd-conf.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/alias-fd.schema
```

###### RHEL

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/alias-fd-conf.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/alias-fd.schema
```

## Configuration

No configuration needed for this plugin.

## Functionalities

- Alias create temporary mail

For example, we need that all mails send to :

- myboss.sharedbox@acme.com (mail attribute)
- myboss@acme.com (gosaMailAlternateAddress)

are delivered to :

- bigboss@acme.com (mail Attribute) mailbox on mailbox.server.com (gosaMailServer)

Click on the “Aliases” entry or icon, in administration section, to join the “Alias management” page. Now you can add a new Mailbox distribution via “Actions → Create → Temporary Mail distribution” (or modify the existing ones)



A new dialog is open :

- Alias create temporary mail wiew

The dialog has tabs for 'Références' and 'LDAP'. The 'Mail distribution' tab is active. It contains fields for Base (set to '/'), Name (required), Description, Email address (required), Email aliases (required, with a dropdown menu and 'Add'/'Delete' buttons), Mail server (dropdown menu), and Expiration date (date picker).

- Base : Object base
- Name : Name to identify this alias (required)
- Description : Description of this alias
- Email address : Email address (required)
- Email aliases : Aliases of this email address (required)
- Mail server : Mail server for this alias (required)
- Expiration date : Date after which the distribution should be deleted. Leave empty for no deletion.

**Temporary mail distribution** References LDAP

**Mail distribution**

Base: /

Name\*: myboss

Description: mail distribution for myboss

Email address\*: bigboss@acme.com

myboss.sharedbox@acme.com  
myboss@acme.com

Email aliases\*:

Mail server:

Expiration date: 17.04.2019

— Alias create temporary mail redirection

For example we need to forward (duplicate and send) all mails send to :

- it.support@acme.com
- it.team@acme.com
- it.help@acme.com

towards :

- technician1@acme.com
- technician2@acme.com
- technician3@acme.com

Click on the entry or on the icon in administration section to join the “Alias management” page. Now you can add a new Mailbox redirection via “Actions –> Create –> Temporary Mail redirection” (or modify the existing ones) :

Alias		
<input type="button" value="&lt;"/>	<input type="button" value="&lt;"/>	<input type="button" value="&gt;"/>
<input type="button" value="Base"/>	/	<input type="button" value=""/>
<input type="checkbox"/>	Name <input type="button" value="▼"/>	Description
<input type="button" value="Actions"/>		
<input type="checkbox"/> Create <input type="checkbox"/> Edit <input type="checkbox"/> Remove		
Distribution temporaire de courriel Redirection temporaire de courriel		

— Alias create temporary mail redirection view

The screenshot shows a configuration interface for 'Mail redirection'. The fields are as follows:

- Base:** /
- Name\***: A required field.
- Description:** An optional field.
- Redirect from\***: A list containing three entries: it.support@acme.com, it.team@acme.com, and it.help@acme.com. Below this list are 'Add' and 'Delete' buttons.
- Redirect to\***: A list containing three entries: technician1@acme.com, technician2@acme.com, and technician3@acme.com. Below this list are 'Add' and 'Delete' buttons.
- Expiration date:** 17.04.2019

- Base : Object base
- Name : (required) Name to identify this redirection.
- Description : Description of this redirection.
- Redirect from : (required) Mail address from which you want to redirect. This means the mail alias.
- Redirect to : (required) Destination of this redirection.
- Expiration date : Date after which the redirection should be deleted. Leave empty for no deletion.

Fill the required information, for the above example :

- Alias create temporary mail redirection filled

The screenshot shows the same configuration interface with the following data entered:

- Base:** /
- Name\***: technicians
- Description:** An optional field.
- Redirect from\***: A list containing three entries: it.support@acme.com, it.team@acme.com, and it.help@acme.com. Below this list are 'Add' and 'Delete' buttons.
- Redirect to\***: A list containing three entries: technician1@acme.com, technician2@acme.com, and technician3@acme.com. Below this list are 'Add' and 'Delete' buttons.
- Expiration date:** 17.04.2019

Aliases						
		Name ▾		Description	Expiration date	Actions
<input type="checkbox"/>	<input checked="" type="checkbox"/>	 	technicians		17.04.2019	    
 1						

## 1.9.2 Applications

FusionDirectory Plugins Applications

### Description

The application plugin is used to add the definition of web and desktop applications. The web applications can be used on a roles or used to make a portal where users can click on icons. The Desktop applications can be used with deployment systems to create desktop entries

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-applications
apt-get install fusiondirectory-plugin-applications-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-applications
yum install fusiondirectory-plugin-applications-schema
```

#### Install schemas

##### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/applications-fd.
↳ schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/applications-fd-
↳ conf.schema
```

### RHEL


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/applications-fd.  
↳ schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/applications-fd-  
↳ conf.schema
```

### Configuration

No configuration needed for this plugin.

### Functionalities

#### Add a web application



A new dialog box will open, fill the forms and save your application :


- Base : where is the application entry in the LDAP
- Name : applications name
- Description : description of the application
- URL : URL of the application
- Display Name : the name that we display (FusionDirectory portal)
- Set your icon for you application (FusionDirectory portal)

The screenshot shows the 'Application' configuration dialog box. It has several input fields:

- Base: /
- Name\*: wordpress
- Description: (empty)
- URL\*: https://wordpress.com
- Display Name\*: wordpress

The 'Display Name' field is currently selected, indicated by a blue border around the input field.

Click « ok », and you will see the wordpress line created in the application



Now, if you click on the menu entry « Groups and roles » on the left, you will find a « role-test » group

Groups and roles	
	Name ▾
<input type="checkbox"/>	FR [france]
<input type="checkbox"/>	internet
<input type="checkbox"/>	ogroup-test
<input type="checkbox"/>	posixgroup-test
<input type="checkbox"/>	role-test

If you click on the role-test group, you will see the Applications tab

The screenshot shows the 'Applications' tab selected. A message at the top states: 'This account has Applications settings enabled. You can disable them by clicking below.' Below this is a 'Remove Applications settings' button. The main area is titled 'Application list' and contains a single entry: 'wordpress'. At the bottom are buttons for 'wordpress' (with a dropdown arrow), 'Add', and 'Delete'.

Click on the entry that you created before and click « add », and you will see your webapplication added

Now go to LDAP tab and click on the entry you see

The screenshot shows the 'LDAP' tab selected. It displays an LDAP entry for 'cn=role-test,ou=roles'. The attributes shown are:


- createTimestamp: 2019-04-11 22:14:01
- modifyTimestamp: 2019-04-17 11:35:13
- cn: role-test
- roleOccupant: uid=admin,ou=people,dc=demo-fusiondirectory,dc=org
- objectClass: organizationalRole
- objectClass: fdApplicationRights
- fdApplicationAllowed: cn=wordpress,ou=apps,dc=demo-fusiondirectory,dc=org

This will give you an overview of attributes **fdApplicationAllowed** that you will be able to use in a filter to restrict who can login

### Use FusionDirectory as portal

- Activate portal mode

Go in configuration



Select your portal mode in the « Show web applications in menu » drop-down menu

The screenshot shows a dropdown menu with three options: 'None', 'Only allowed', and 'All'.

- None : no use portal mode
- Only allowed : only allow user that are in a role that have your application
- All : the icons are displayed for everyone

### 1.9.3 Archive

FusionDirectory Plugin Archive

#### Description

This plugin is used to archive users and keep unicity. Its also used to prevent creating a user that has been deleted and avoiding rights issues, eg : giving access to files of a previous user

#### Installation

##### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-archive
apt-get install fusiondirectory-plugin-archive-schema
```

## RHEL

```
yum install fusiondirectory-plugin-archive  
yum install fusiondirectory-plugin-archive-schema
```

## Install schemas

### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/archive-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/archive-fd-conf.  
↳ schema
```

## RHEL

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/archive-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/archive-fd-conf.  
↳ schema
```

## Configuration


Click on Configuration icon on FusionDirectory main page



Click on Plugins tab



Click on Edit button bottom right



Go to Archive section to configure

**Archive**

Archive RDN*	bu=archive		
Type and fields	Type	Fields	Unique Fields
	User	homeDirectory	uidNumber,gidNumber,uid

Type\*

Fields

Unique fields

Fill the following fields :

- **Archive RDN** : branch in which archived objects will be stored (required)
- **Type and fields** : configure in this attribute which type are archivable and which LDAP fields will be archived for these types. The format for fields is a comma separated list. Fields are split in two lists : one for fields archived for storing only, and one for fields archived for unicity constraints.

When you are done, click on the OK button to save your settings


Ok

## ACL


To give rights to a user to archive objects, you need to give him a creation right on the Archived Object item in the concerned category. For instance, for someone to be able to archive users, you need to give him right « c » on user/archivedObject. Remember that archiving is deleting.

## Functionalities

Once you have configured archive for a given type, you will see an archive action in the management page for the given type.



As for any action you can use it from the icon in the action column, or by selecting objects and using the action from the action menu, allowing to archive several objects at once.



Once objects are archived, they are deleted, and you can consult the archived objects in the Archive page from the Reporting menu section.

Archived objects						
			Time ▲	Type	Origin	Actions
<input type="checkbox"/>	<input type="checkbox"/>	2020-10-22, 09:54:25		uid=jsmith,ou=people,dc=example,dc=com		
<input type="checkbox"/>	<input type="checkbox"/>	2020-10-22, 09:54:23		uid=sjones,ou=people,dc=example,dc=com		

You can open an archived object to read all archived information

Archived Object	References	LDAP																					
<table border="1"> <thead> <tr> <th colspan="2">Data</th> <th>Origin</th> </tr> </thead> <tbody> <tr> <td>Fields</td> <td> <table border="1"> <thead> <tr> <th>Field</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>homeDirectory</td> <td>/home/jones</td> </tr> </tbody> </table> </td> <td> Time* 2020-10-22, 05:54:23  Object type*  User  Origin DN* uid=sjones,ou=people,dc=example,dc=com </td> </tr> <tr> <td>Unique fields</td> <td> <table border="1"> <thead> <tr> <th>Field</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>gidNumber</td> <td>1335</td> </tr> <tr> <td>uid</td> <td>sjones</td> </tr> <tr> <td>uidNumber</td> <td>1337</td> </tr> </tbody> </table> </td> <td></td> </tr> </tbody> </table>			Data		Origin	Fields	<table border="1"> <thead> <tr> <th>Field</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>homeDirectory</td> <td>/home/jones</td> </tr> </tbody> </table>	Field	Value	homeDirectory	/home/jones	Time* 2020-10-22, 05:54:23 Object type*  User Origin DN* uid=sjones,ou=people,dc=example,dc=com	Unique fields	<table border="1"> <thead> <tr> <th>Field</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>gidNumber</td> <td>1335</td> </tr> <tr> <td>uid</td> <td>sjones</td> </tr> <tr> <td>uidNumber</td> <td>1337</td> </tr> </tbody> </table>	Field	Value	gidNumber	1335	uid	sjones	uidNumber	1337	
Data		Origin																					
Fields	<table border="1"> <thead> <tr> <th>Field</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>homeDirectory</td> <td>/home/jones</td> </tr> </tbody> </table>	Field	Value	homeDirectory	/home/jones	Time* 2020-10-22, 05:54:23 Object type*  User Origin DN* uid=sjones,ou=people,dc=example,dc=com																	
Field	Value																						
homeDirectory	/home/jones																						
Unique fields	<table border="1"> <thead> <tr> <th>Field</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>gidNumber</td> <td>1335</td> </tr> <tr> <td>uid</td> <td>sjones</td> </tr> <tr> <td>uidNumber</td> <td>1337</td> </tr> </tbody> </table>	Field	Value	gidNumber	1335	uid	sjones	uidNumber	1337														
Field	Value																						
gidNumber	1335																						
uid	sjones																						
uidNumber	1337																						

## 1.9.4 Audit

FusionDirectory Plugins Audit

### Description

This plugin is used to audit all the operation done from FusionDirectory.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-audit
apt-get install fusiondirectory-plugin-audit-schema
```

## RHEL

```
yum install fusiondirectory-plugin-audit  
yum install fusiondirectory-plugin-audit-schema
```

## Install schemas

### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/audit-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/audit-fd-conf.schema
```

## RHEL

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/audit-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/audit-fd-conf.schema
```

## Configuration


Click on Configuration icon on FusionDirectory main page



Click on Plugins tab



Click on Edit button otom right



Go to Audit section to configure

### Audit

<b>Audit RDN*</b>	<input type="text" value="ou=audit"/>
<b>Actions to audit*</b>	<div style="border: 1px solid #ccc; padding: 5px; height: 100px; overflow-y: scroll;">         create          modify          remove          security       </div>
	<input type="button" value="copy"/> <input type="button" value="Add"/> <input type="button" value="Delete"/>
<b>Days to keep*</b>	<input type="text" value="120"/>

Fill the following fields :

- **Audit RDN** : branch in which audit events will be stored (required)
- **Actions to audit** : choose which actions should be stored in LDAP audit log (required)
- **Days to keep** : number of days of audit to keep in the LDAP when cleaning (required)

When you are done, click on OK button bottom right to save your settings

Ok

## Functionalities

- Audit list

### Audit

	Time	Author	IP	Action	Type	Target
	2020-04-27, 11:29:26	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org	109.136.14.185	modify	plugin/user	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org
	2020-04-27, 11:28:09	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org	109.136.14.185	security	login	admin
	2					

- Create a filter

### Filter

Types

 Audit event

Date

Newer than  ×

Older than

Action

modify  
 create  
 remove  
 copy  
 snapshot  
 security  
 error

**Apply filter**

---

— Audit filter result

Time	Author	IP	Action	Type	Target
2020-04-27, 11:29:26	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org	109.136.14.185	modify	plugin/user	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org
2020-04-27, 11:28:09	uid=admin,ou=people,dc=demo-fusiondirectory,dc=org	109.136.14.185	security	login	admin

Date
Newer than  ×

Older than

---

— Audit event

Événement d'audit	Références	LDAP														
<b>Event</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Time*</td> <td style="width: 85%;">2019-04-15, 13:21:48</td> </tr> <tr> <td>Action*</td> <td>modify</td> </tr> <tr> <td>Author*</td> <td> dufour paul</td> </tr> <tr> <td>Object type*</td> <td>plugin/configInLdap</td> </tr> <tr> <td>Object*</td> <td>cn=config,ou=fusiondirectory,dc=demo-fusiondirectory,dc=org</td> </tr> <tr> <td>Attributes</td> <td>fdLanguage, fdTimezone</td> </tr> <tr> <td>Result</td> <td>Success</td> </tr> </table>			Time*	2019-04-15, 13:21:48	Action*	modify	Author*	 dufour paul	Object type*	plugin/configInLdap	Object*	cn=config,ou=fusiondirectory,dc=demo-fusiondirectory,dc=org	Attributes	fdLanguage, fdTimezone	Result	Success
Time*	2019-04-15, 13:21:48															
Action*	modify															
Author*	 dufour paul															
Object type*	plugin/configInLdap															
Object*	cn=config,ou=fusiondirectory,dc=demo-fusiondirectory,dc=org															
Attributes	fdLanguage, fdTimezone															
Result	Success															

If you click on the author icon, you will get the author information

— Audit author


1.9. Plugins

185

The screenshot shows the 'Utilisateur' tab selected in the top navigation bar. The 'Personal Information' tab is active, displaying fields for Last name (paul), First name (dufour), Description, and Picture (with a placeholder icon). The 'Organizational contact information' tab is also visible, showing fields for Location, State, Address, Room No., and Phone.

### — Security Audit

Click on Users icon on FusionDirectory main page



Click on the user you want show the security audit data



Go to Security tab



You will now see the Security audit data for this user

Event	Author	Origin	Time	Result
Sign in	dufour paul	109.136.14.185	33 minute(s) ago	Logged in successfully

In this example, you can say that User dufour paul (**Author**) has signed-in (**Event**) and successfully logged-in (**Result**) from IP address 109.136.14.185 (**Origin**) 33 minutes ago (**Time**)

### 1.9.5 Autofs

FusionDirectory Plugins Supann

#### Description

The Autofs plugin is used to manage autofs through an LDAP directory.

Autofs is a program for automatically mounting directories on an as-needed basis.

Auto-mounts are mounted only as they are accessed, and are unmounted after a period of inactivity.

Because of this, automounting NFS/Samba shares conserves bandwidth and offers better overall performance compared to static mounts via fstab.

## Installation

### Install packages

#### Debian

```
apt-get install fusiondirectory-plugin-autofs  
apt-get install fusiondirectory-plugin-autofs-schema
```

#### RHEL

```
yum install fusiondirectory-plugin-autofs  
yum install fusiondirectory-plugin-autofs-schema
```

### Install schemas

#### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/autofs-fd-conf.  
→schema
```

#### RHEL

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/autofs-fd-conf.  
→schema
```

## Configuration

If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :




Access to configuration is read-only. If you need to make changes, then you must press the “Edit” button at the bottom right of the window.



## Functionalities

In your FusionDirectory web interface you have now, in the “Administration” section, a new tab and a new icon called “Autofs” that you can use to manage auto-mounts in your infrastructure :




The screenshot shows the “Auto fs” interface. In the top navigation bar, the “Mount point” tab is selected. Below it, there is a form for creating a new mount point:

Mount point	
Base	/
Name*	auto.nfs

Below the form, there are tabs for “Mount point”, “References”, and “LDAP”. The “Mount point” tab is currently active.

Fill the different informations and click on ok to save it.

— Create a directory



The screenshot shows the “Auto fs” interface. In the top navigation bar, the “Directory” tab is selected. Below it, there is a form for creating a new directory:

Directory	
Base	/
Name*	/misc
Automount entry*	ldap://192.168.10.80:nisMapName=auto.nfs,ou=autofs,dc=labo,dc=opensides,dc=be --ghost
Mount point*	<input type="button" value="▼"/>

Below the form, there are tabs for “Mount point”, “References”, and “LDAP”. The “Mount point” tab is currently active.

Fill the different informations and click on ok to save it.



The screenshot shows a file browser interface with the following details:

- Left sidebar: Shows a tree view with a folder icon and the name “auto.nfs”.
- Right pane: Shows a list item with the name “auto.nfs”.
- Bottom status bar: Shows “1” next to the “auto.nfs” entry.
- Top toolbar: Includes icons for close, refresh, search, and other file operations.

## 1.9.6 Certificates

FusionDirectory Plugins Supann

### Description

The Certificates plugin is used to store private certificates in pem format.

### Installation

#### Install packages

##### Debian


```
apt-get install fusiondirectory-plugin-certificates
```

##### RHEL

```
yum install fusiondirectory-plugin-certificates
```

### Configuration

If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :



### Functionalities

- Add a certificate

Select an user and click on certificate tab

A screenshot of the FusionDirectory Configuration Interface. At the top, there's a navigation bar with tabs like 'User', 'Unit', 'Personal', 'Mail', 'Samba', 'Groups and roles', 'SSH', 'Nagios', 'Quotas', 'Proxy', 'Ftp', 'Freeradius', 'NIS Netgroup', 'SupAnn', 'Subcontracting', 'SpamAssassin', 'Certificates', 'Newsletter', 'GPG', 'EJBCA', 'References', 'LDAP'. Below the navigation bar, a message says 'This account has Certificates settings disabled. You can enable them by clicking below.' with a button 'Add Certificates settings'. The 'Certificates' tab is highlighted in blue. In the main content area, there's a table with columns for 'User', 'Unit', 'Personal', 'Mail', 'Samba', 'Groups and roles', 'SSH', 'Nagios', 'Quotas', 'Proxy', 'Ftp', 'Freeradius', 'NIS Netgroup', 'SupAnn', 'Subcontracting', 'SpamAssassin', 'Certificates', 'Newsletter', 'GPG', 'EJBCA', 'References', 'LDAP'. The 'Certificates' column for the selected user contains a link 'Certificates'.

- Activate certificate tab

- Add a browsable crt or pem certificate

This account has Certificates settings enabled. You can disable them by clicking below.

[Remove Certificates settings](#)

Certificates			
openvpnclient	sslvpn-full-default-authority	2017-01-30 -> 2027-01-28	
<a href="#">Browse...</a>		No file selected.	<a href="#">Add</a>

## 1.9.7 Community

FusionDirectory Plugins Community

### Description

The Community plugin is used to manage user communities in FusionDirectory.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-community  
apt-get install fusiondirectory-plugin-community-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-community  
yum install fusiondirectory-plugin-community-schema
```

#### Install schemas

##### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/community-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/community-fd-conf.  
schema
```

## RHEL


```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/community-fd-
↪schema
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/community-fd-
↪conf.schema
```

## Configuration


If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :




Go to Plugins tab




Click on Edit button bottom right



Fill-in Community options




Click on OK button bottom right to save your options



## Functionalities

- Create a department

Click on Departments icon in FusionDirectory



Click on Actions → Create → Department



Go to Community Project tab




Click on Add Community projects settings

Add Community project settings

Fill-in all required fields


Project		Dates	
Project full name	<input type="text"/>	Start date*	14.06.2019 <input type="button" value=""/>
Project key	<input type="text"/>	End date	<input type="text"/> <input type="button" value=""/>
Contact			
First name	<input type="text"/>		
Last name	<input type="text"/>		
Address	<input type="text"/>		
City	<input type="text"/>		
State	<input type="text"/>		
Country	<input type="text"/>		
<input type="button" value="Ok"/> <input type="button" value="Cancel"/>			

Click on OK button bottom right to save settings



- Create an organization


Click on Departments icon in FusionDirectory



Click on Actions → Create → Organization

A screenshot of a software interface showing a dropdown menu under the "Actions" button. The menu includes options like "Create", "Export list", and "Remove". To the right of the main menu, there is a secondary list of items: "Show Department", "Show Country", "Department", "Country", "Domain Component", "Domain", "Locality", and "Organization". The "Organization" item is highlighted with a light blue background.

Click on Community organization tab



Click on Add Community organization settings

Add Community organization settings

Fill-in all required fields

<b>Membership</b>	<b>Dates</b>
Membership type <input type="button" value="▼"/>	Start date* <input type="text" value="14.06.2019"/> <input type="button" value=""/>
Agreement signed <input type="checkbox"/>	End date <input type="text"/> <input type="button" value=""/>
Active <input type="checkbox"/>	
Hidden <input type="checkbox"/>	
<b>Contact</b>	
First name <input type="text"/>	
Last name <input type="text"/>	
Address <input type="text"/>	
City <input type="text"/>	
State <input type="text"/>	
Country <input type="text"/>	

Click on OK button bottom right to save settings

Ok

## 1.9.8 Cyrus

FusionDirectory Plugins Cyrus

### Description

This plugin is used to manage Cyrus mailboxes with FusionDirectory.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-cyrus
apt-get install fusiondirectory-plugin-cyrus-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-cyrus
yum install fusiondirectory-plugin-cyrus-schema
```

## Install schemas

### Debian


```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/cyrus-fd.schema
```

### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/cyrus-fd.schema
```

## Configuration

If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :



— Cyrus mail configuration

Access to configuration is read-only. If you need to make changes, then you must press the “Edit” button at the bottom right of the window.

In Mail tab you will find the configuration of the cyrus plugin.

The screenshot shows the 'Mail settings' configuration page. At the top, there is a navigation bar with tabs: Configuration, Samba, Mail, Plugins, Systems, User reminder, Password recovery, and FAI configuration. The 'Mail' tab is currently selected. Below the tabs, the page title is 'Mail settings'. The configuration options listed include:

- Account identification attribute\*: A dropdown menu set to 'mail'.
- Mail user template: An empty input field.
- Mail folder template: An empty input field.
- Use cyrus UNIX style: A checked checkbox.
- Delete mailbox on account deletion: An unchecked checkbox.
- Cyrus autocreate folders: A large text area with a scroll bar, currently empty.
- IMAP timeout: A dropdown menu with a scroll bar, currently set to '10'.
- Shared prefix: An empty input field.

### Mail settings

- Account identification attribute : (required) Determines which attribute FusionDirectory will use to create accounts. Valid values are mail and uid.

- Mail user template : Allows to override the user account creation syntax. See the “Mail folder template” description for more details.

Examples :

```
%prefix%%uid%          => user.foobar
```

```
my-prefix.%uid%%domain%  => my-prefix.foobar@example.com
```

- Mail folder template : Allows to override the methods default account creation syntax.

Examples :

```
%prefix%%cn%          => shared.development
```

```
my-prefix.%cn%%domain%  => my-prefix.development@example.com
```

- Placeholders for the Mail folder template usage :

```
%prefix%    The methods default prefix. (Depends on 'Use cyrus UNIX style')
```

```
%cn%        The groups/users cn.
```

```
%uid%        The users uid.
```

```
%mail%        The objects mail attribute.
```

```
%domain%      The domain part of the objects mail attribute.
```

```
%mailpart%    The user address part of the mail address.
```

```
%uattrib%    Depends on mailAttribute (uid/mail).
```

- Use cyrus UNIX style : Determines if FusionDirectory should use “foo/bar” instead of “foo.bar” namespaces in IMAP. Unix style is with slashes.

To use this option, you must set “unixhierarchysep” parameter to “yes” in your imap.conf configuration file.


```
unixhierarchysep: yes
```

- Delete mailbox on account deletion : Determines if FusionDirectory should remove the mailbox from your IMAP server or keep it after the account is deleted in LDAP.
- Cyrus autocreate folders : Contains a comma separated list of personal IMAP folders that should be created along initial account creation.
- IMAP timeout : Sets the connection timeout for imap actions. Default value is 10 seconds.
- Shared prefix : Defines the prefix to add for mail shared folders.


## Functionalities

- Add Cyrus service


Click on the System button located in the System section of FusionDirectory main page




Click on the server you wish to configure cyrus service, in this exemple we assume that the server name is “demo-fixes”



Click on “Services” tab and click on “action - create - cyrus IMAP/POP3 :



Fill in required fields then click “Save” :



### Cyrus settings

- Hostname : Hostname of the Cyrus server.
- Port : Port number on which Cyrus server should be contacted.
- Option : (required) Options for contacting Cyrus server. Valid values are notls, tls and ssl.
- Valide certificates : Whether or not to validate server certificate on connexion. Valid values are validate and no-validate.
- Admin user : (required) Imap server admin user.
- Password : (required) Admin user password.

### Sieve settings

- Hostname : Hostname of the Cyrus Sieve server.
- Port : Port number on which Cyrus Sieve server should be contacted.
- Option : (required) Options for contacting Cyrus Sieve server. Valid values are notls, tls and ssl.

Click on “save”

Now, in services column, you can see the cyrus icon :



From now you can create User Mailbox

### 1.9.9 Developers

FusionDirectory Plugins Developers

#### Description

The Developers plugin gives information for developers in FusionDirectory.

#### Installation

##### Install packages

###### Debian

```
apt-get install fusiondirectory-plugin-developers
```

###### RHEL

```
yum install fusiondirectory-plugin-developers
```


#### Configuration

No configuration needed for this plugin.


#### Functionalities

##### — Debug help

In the Reporting section in FusionDIrectory, click on Debug help icon



You can download a diagram and see the content of all object types



### Object Types

- Dashboard
- FusionDirectory configuration
- Group
- Debug help
- GPG server info
- Printer
- special
- OPSI import
- Inventory object
- OPSI ondemand list
- Organization
- OPSI software list
- POSIX group
- OPSI profile
- Public form
- Phone
- SOGo resource
- Sudo role
- Sympa list alias
- Simple security object
- Terminal
- User
- Web application
- Workstation
- Repository distribution
- Repository section
- Role
- Samba Domain

- Server
- Locality
- Network device
- Audit event
- Build repository
- Country
- Domain Component
- Debconf profile
- Department
- DHCP configuration
- Argonaut task import
- ACL assignment
- ACL role
- Application
- Argonaut task
- Directory
- LDAP Manager
- FAI Profile
- FAI script
- FAI template
- FAI variable
- Temporary mail distribution
- Temporary mail redirection
- Mobile phone
- NIS Netgroup
- Mount point
- FAI partition table
- FAI package configuration
- DNS view
- DNS acl
- DNS zone
- FAI Package

- FAI script
- FAI template
- FAI variable
- Temporary mail distribution
- Temporary mail redirection
- Mobile phone
- NIS Netgroup
- Mount point
- FAI partition table
- FAI package configuration
- DNS view
- DNS acl
- DNS zone
- FAI Package
- Domain
- EJBCA certificate
- SupAnn Entity
- SupAnn Establishment
- FAI hook

When you click on an object type, in this example FusionDirectory configuration, you can see the content of this object

- **FusionDirectory configuration**

**aciCategory** configuration

**mainAttr**

**ou** ou=fusiondirectory,

**filter** (objectClass=fusionDirectoryConf)

**tabClass** tabs\_configInLdap

**tabGroup** CONFIGURATIONTABS

**mainTab** configInLdap

**management** configInLdap

**count** 1

## 1.9.10 Dovecot

FusionDirectory Plugin Dovecot

### Description

The Dovecot plugin allows to manage Dovecot mailbox in FusionDirectory.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-dovecot  
apt-get install fusiondirectory-plugin-dovecot-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-dovecot  
yum install fusiondirectory-plugin-dovecot-schema
```

#### Install schemas

##### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/dovecot-fd.schema
```

##### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/dovecot-fd.  
schema
```

### Configuration


If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :



## Functionalities

- Add Dovecot service

Go to Systems



- Create your server or edit an server

This screenshot shows the 'Inventory' section of the FusionInventory interface. It displays a table with columns: Name, IP, MAC, Description, Services, and Release. A single row is visible, showing 'demo-fives' with IP '195.154.20.159'. On the right side, there is a 'Filter' panel with various checkboxes for different types of inventory items like Show Server, Show Workstation, etc., and a search bar at the bottom.

Click on services tab

This screenshot shows the 'Services' tab within the FusionInventory interface. It has a header with tabs: Server, NIS Netgroup, DHCP, DNS, Debconf, FAI, FAI Logs, Inventory, FusionInventory, Web link, Puppet, IPMI client, Deployment time frame, Argonaut client, and Services. The 'Services' tab is selected. Below the tabs is a table with columns: a checkbox, an exclamation mark icon, and 'Description'.

Add Dovecot service

This screenshot shows the 'Services' creation interface. At the top, there is a toolbar with icons for back, forward, search, and actions, followed by an 'Actions' dropdown menu with options: Create, Remove, and Export list. The main area lists several service entries, each with an icon and a name. The entry 'Dovecot (IMAP/POP3)' is highlighted with a blue background, indicating it is selected or the current item of interest.

Fill the fields for the Dovecot plugin and save it :

- Hostname : the hostname of the server
- Port : port for the connexion

- Option : tls or not
- Validate certificate : if we validate the certificate or not

Fill in Dovecot connections

Dovecot connection	
Hostname*	<input type="text"/>
Port*	143 <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="^"/> <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="v"/>
Option*	notls <input style="width: 20px; height: 20px; vertical-align: middle;" type="button" value="▼"/>
Validate TLS/SSL Certificates	<input type="checkbox"/>


  

Options	
Create the user folder via Argonaut*	<input type="checkbox"/>

Fill in Dovecot master credentials

Master credentials	
Admin user*	<input type="text"/>
Password*	<input type="password"/>
Mail directory*	/var/mail

Click on ok to save your server



### 1.9.11 Dsa

FusionDirectory Plugins Dsa

#### Description

The dsa plugin is used to create Directory Service Accounts for administrative purpose (like pam\_ldap, dns, nssldap, smbldap-tools, argonaut etc.) inside the LDAP directory.

#### Installation

##### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-dsa
apt-get install fusiondirectory-plugin-dsa-schema
```

### RHEL

```
yum install fusiondirectory-plugin-dsa  
yum install fusiondirectory-plugin-dsa-schema
```

### Install schemas

#### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/dsa-fd-conf.schema
```

### RHEL

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/dsa-fd-conf.schema
```

### Configuration

If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :



Access to configuration is read-only. If you need to make changes, then you must press the “Edit” button at the bottom right of the window.

In Plugins tab you will find the block DSA, which is related to the configuration of the Dsa plugin

— DSA RDN : (required) Branch in which Directory Service Account (dsa) will be stored

DSA	
DSA RDN*	ou=dsa

### Functionalities

#### How use custom the DSA plugin


In your FusionDirectory Web interface, in the « Users and Groups » section, you will find an icon called “DSA” that you can use to manage service accounts in your ldap directory :



- Create a DSA account
- Click on the “DSA” entry or icon, in users and groups section, to join the “DSA management” page.

DSA			
	Name ▾	Description	Actions
<input type="checkbox"/>	active [active]		
<input type="checkbox"/>	bar [test bar]		
<input type="checkbox"/>	fff [ffff]		

Now you can add a new account (simple security object) via “Actions → Create” (or modify the existing ones) :



A new dialog is open, fill at least in required fields :

- Base : object base
- Entry Name : (required) Service Account name

Simple security object	References	LDAP
<b>Simple security object</b>		
Base	<input type="text" value="/"/>	
Entry name*	<input type="text"/>	
Description	<input type="text"/>	

- Change password

Fill in the required fields :

- Password method : (required) Password hash method to use
- Password : (required) Service Account password
- Password again : (required) Same password as above, to avoid errors

Change password		
Password method*	<input type="text" value="ssha"/>	
Password*	<input type="text"/>	
Password again*	<input type="text"/>	

## 1.9.12 Dyngroup

FusionDirectory Plugins Dyngroup

### Description

The dyngroup plugin is used to manage dynamic group in FusionDirectory, such as groupOfURLs in LDAP Directory. It requires dynlist and autogroup overlays to be installed.

---

**Note :** See OpenLdap documentation on how to set it up : <https://www.openldap.org/doc/admin24/overlays.html#Dynamic%20Lists>

---

### Installation

#### Install packages

##### Archlinux

```
yaourt -S fusiondirectory-plugin-dyngroup
```

##### Debian

```
apt-get install fusiondirectory-plugin-dyngroup
```


##### RHEL

```
yum install fusiondirectory-plugin-dyngroup
```

### Functionalities

Dyngroup plugin lets you manage groupOfURLs objects within FusionDirectory just like regular groups and roles.

You can go to the « Groups and roles » page and create a dynamic group.



You can configure memberURL attribute and see how member attribute is populated with entries that match the memberURL attribute.

The screenshot shows the 'Dynamic group' configuration page. The 'Properties' section includes 'Base' set to '/ou=groups,dc=fusiondirectory,dc=dev', 'Name' set to 'dyngroup', and 'Description' set to 'Dynamic Group'. The 'Group members' section lists three users: uid=fd-admin, uid=test1, and uid=test2. The 'member URL' section contains the LDAP query 'ldap://ou=people,dc=fusiondirectory,dc=dev?uid?(objectClass=inetOrgPerson)'. Buttons for 'Add' and 'Delete' are visible.

The created groups will appear in the list with other groups.

The screenshot shows the 'Groups and roles' management page. It lists two groups: 'dyngroup' and 'cn=dyngroup2'. The 'Filter' sidebar on the right shows options for 'Types' (Group, POSIX group, Dynamic group, Template) and 'Members' (User, Group). A search bar and 'Apply filter' button are also present.

**Note :** Dynamic group requires dynlist and autogroup overlays to be installed in your LDAP directory.

### 1.9.13 EJBCA

FusionDirectory Plugins EJBCA

#### Description

The EJBCA plugin is used to read ssl certificates published by EJBCA into LDAP with FusionDirectory.

#### Installation

##### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-ejbca
apt-get install fusiondirectory-plugin-ejbca-schema
```

## RHEL

```
yum install fusiondirectory-plugin-ejbca  
yum install fusiondirectory-plugin-ejbca-schema
```

## Install schemas

### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/ejbca-fd*
```

## RHEL


```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/ejbca-fd*
```

## Configuration


If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :



Go to Plugins tab



Click on Edit button bottom right



Fill-in EJBCA RDN

A screenshot of a configuration form for the 'EJBCA plugin'. At the top, it says 'EJBCA plugin'. Below that, there's a field labeled 'EJBCA RDN\*' containing the value 'ou=certificates'. The entire input field has a light blue border.


Click on OK button bottom right to save

Ok

## Functionalities

- Assign a certificate at a user

Click on Users icon in FusionDirectory



Click on Actions -> Edit



Activate EJBCA tab



Click on EJBCA settings button

Add EJBCA settings

Select a certificate from the list




Click on Apply button bottom right to save


Apply

- Assign a certificate at a system

Click on Systems icon in FusionDirectory



Click on Actions → Create → Server



Actions ▾

- Create ►
- Remove
- Export list ►

Template ►

From template ►

Server

Activate EJBCA tab



Click on EJBCA settings button




Add EJBCA settings


EJBCA certs

Add

Click on Apply button bottom right to save




Click on OK button bottom right to save



— Add a certificate

Click on EJBCA icon in FusionDirectory



EJBCA part in FusionDirectory

**EJBCA**

Back | Base / Actions ▾

	Name ▾	Description	Actions
<input type="checkbox"/>	<a href="#">ama [ama]</a>		
<input type="checkbox"/>	<a href="#">test [test]</a>		

You can download your certificate here, but you may click on his name and see more info

### 1.9.14 GPG

FusionDirectory Plugins GPG

#### Description

The GPG plugin is used to store GPG keys in your directory through FusionDirectory.

#### Installation

##### Install packages

###### Debian

```
apt-get install fusiondirectory-plugin-gpg  
apt-get install fusiondirectory-plugin-gpg-schema
```

###### RHEL

```
yum install fusiondirectory-plugin-gpg  
yum install fusiondirectory-plugin-gpg-schema
```

### Install schemas

#### Debian


```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/gpg-fd.schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/pgp*
```

#### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/gpg-fd.schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/pgp*
```

### Configuration


If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :




### Functionalities

- Create a user


Click on « users » icon in FusionDirectory



Click on Actions → create → user



Activate GPG tab



Click on Add GPG settings

Add a key that is in your LDAP

GPG keys							
Key ID	User ID	Creation time	Expiration	Algorithm	Size	Revoked	Disabled
*							

Thick the key and save it

### 1.9.15 Ipam

FusionDirectory Plugins Supann

#### Description

The Ipam plugin is used to manage interface and network in a structured way in FusionDirectory.

#### Installation

##### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-ipam
apt-get install fusiondirectory-plugin-ipam-fd.schema
```

## RHEL

```
yum install fusiondirectory-plugin-ipam  
yum install fusiondirectory-plugin-ipam-fd.schema
```

## Install schemas

### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/ipam-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/ipam-fd-conf.schema
```

## RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/ipam-fd.schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/ipam-fd-conf.  
schema
```

## Configuration


Click on Configuration icon in FusionDirectory main page



Click on Plugins tab



Click Edit button bottom right and go down to Ipam configuration menu



and go down to Ipam configuration menu

IPAM	
Subnet RDN*	ou=ipam
VLAN RDN*	ou=ipam

Fill-in the following fields :

- **Subnet RDN** : branch in which ipam subnets info will be stored (required)
- **VLAN RDN** : branch in which ipam vlan info will be stored (required)


Click OK button bottom right to save your settings

Ok

## Functionalities

### Create a subnet

Click on Ipam icon in FusionDirectory



On Ipam main page, click on Actions → Create → Subnet



This will bring you to subnet configuration page

 A detailed screenshot of the "Subnet" configuration dialog box. It has three tabs at the top: "Subnet" (which is selected), "References", and "LDAP". The "Subnet" tab contains two main sections: "General information" and "IP information". The "General information" section includes fields for "Base" (containing "/"), "Name\*" (with a red asterisk), "Description", "Active\*" (with a checked checkbox), "Organization", "Type", "Applicant", "Allocation date" (set to "04 / 24 / 2020"), "Release date" (set to "mm / dd / yyyy"), and "VLANs". The "IP information" section includes fields for "IP", "Netmask", "Gateway", and "Broadcast". At the bottom of the dialog are "Add" and "Delete" buttons, and "Ok" and "Cancel" buttons on the right side.

Fill-in the following fields :

- **Base** : object base
- **Name** : subnet name (required)
- **Description** : description of this subnet
- **Active** : is the subnet active (required)
- **Organization** : organization who asked for the subnet
- **Type** : subnet type (lan, wan, wifi)
- **Applicant** : name of the person who asked for the subnet
- **Allocation date** : start allocation
- **Release date** : end allocation date
- **VLANs** : VLANs linked to this subnet
- **IP** : subnet IP
- **Netmask** : subnet netmask
- **Gateway** : gateway IP
- **Broadcast** : Broadcast IP

---

**Note :** You can attach multiple VLANs to a subnet.

---

### Example of Subnet

General information		IP information	
Base	/	IP	192.168.10.0
Name*	lan-192-168-10	Netmask	255.255.255.0
Description	lan interne 192.168.10	Gateway	192.168.10.1
Active*	<input checked="" type="checkbox"/>	Broadcast	
Organization	fusiondirectory		
Type	lan		
Applicant	bmortier		
Allocation date	04 / 24 / 2020 <input type="button" value="X"/>		
Release date	mm / dd / yyyy		
VLANs	vlan42		
<input type="button" value="Add"/> <input type="button" value="Delete"/>		<input type="button" value="Ok"/> <input type="button" value="Apply"/> <input type="button" value="Cancel"/>	

When you are done, click on Apply button bottom right to save your subnet

Then, click on OK button. This will bring you back to Ipam main page

You can now see you just created subnet in the list

		Name ▾	Description	Actions
<input type="checkbox"/>		lan-192-168-10	lan interne 192.168.10	

### Create a VLAN

On Ipam main page, click on Actions → Create → VLAN

The screenshot shows a navigation bar with 'Actions ▾' and two options: 'Create' and 'Export list'. To the right, there is a sidebar titled 'types' with two items: 'Subnet' and 'VLAN', where 'VLAN' is highlighted.

This will bring you to VLAN configuration page

The screenshot shows a form with tabs: 'VLAN' (selected), 'References', and 'LDAP'. The 'General information' tab is active, containing the following fields:

- Base: /
- Name\*: [Input field]
- Description: [Text area]
- Active\*:
- Organization: [Input field]
- Inner ID\*: [Input field]
- QinQ ID: [Input field]
- Applicant: [Input field]

Fill-in the following fields :

- **Base** : object base
- **Name** : subnet name (required)
- **Description** : description of this vlan
- **Active** : is this subnet active (required)
- **Organization** : organization who asked for the subnet
- **Inner ID** : inner VLAN ID (required)
- **QinQ ID** : QinQ ID VLAN ID
- **Applicant** : name of the person who asked for the subnet

## Example of VLAN

The screenshot shows a configuration page for a VLAN. At the top, there are tabs for 'VLAN', 'References', and 'LDAP'. The 'VLAN' tab is active. Below the tabs, the title 'General information' is displayed. The form fields include:

- Base: /
- Name\*: vlan42
- Description: (empty)
- Active\*: checked
- Organization: fusiondirectory
- Inner ID\*: 42
- QinQ ID: (empty)
- Applicant: bmortier

When you are done, click on Apply button bottom right to save your vlan

Then, click on OK button. This will bring you back to Ipam main page

You can now see you just created vlan in the list

	Name	Description	Actions
<input type="checkbox"/>	lan-192-168-10	lan interne 192.168.10	

## VLAN section when creating Systems

Note that when you create a system in *Systems* section, additional IPAM fields will appear and need to be filled :

The screenshot shows the 'Interfaces' tab of a system creation form. The 'General information' section includes fields for Name\* (mandatory), Mac address, and IP address. The 'IPAM' section includes fields for VLAN (dropdown menu with 'None'), VLAN tag (text input), Subnet (dropdown menu with 'None'), and Add free IP from subnet (button).

- **VLAN** : if you select a vlan, the network subnet will be restricted to the vlan contained in this subnet
- **VLAN tag** : VLAN tag
- **Subnet** : choose a subnet from the drop-down menu
- **Add free IP from subnet** : the ADD IP button allows you to automatically add a free ip in the subnet selected

## 1.9.16 Ipmi

FusionDirectory Plugins Ipmi

### Description

This impi plugin is used to store the impi credentials to connect to the impi component inside your systems.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-ipmi  
apt-get install fusiondirectory-plugin-ipmi-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-ipmi  
yum install fusiondirectory-plugin-ipmi-schema
```

#### Install schemas

##### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/ipmi-fd.schema
```

##### RHEL

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/ipmi-fd.schema
```

### Configuration

If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :




## Functionalities

- How to add an Ipmi client


Go to Systems



Click on Ipmi client tab



Click on Add Ipmi client settings button



Fill IP, user login and user password Click on ok to save it

IPMI client settings	
IP*	<input type="text"/>
User login*	<input type="text"/>
User password*	<input type="text"/>

Ok

### 1.9.17 Ldapdump

FusionDirectory Plugins Ldapdump

## Description

The Ldapdump plugin gives all the information from an object that is stored in the LDAP.

## Installation

### Install packages

#### Debian


```
apt-get install fusiondirectory-plugin-ldapdump
```

#### RHEL

```
yum install fusiondirectory-plugin-ldapdump
```

## Configuration

If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :




## Functionalities

### — How to use the LDAP Dump plugin

For example to see the ldpdump of a user object


Click on Users icon in FusionDirectory



Select a user by thickening the little box



Click on Actions -> Edit



Go to LDAP tab at the bottom



In the LDAP tab, you can see the DN of your element

- uid=admin,ou=people

If you click on your element, you will see all the informations that the LDAP contains

• uid=admin,ou=people	
<b>createTimestamp</b>	2019-05-09 11:52:54
<b>modifyTimestamp</b>	2019-06-04 12:09:01
<b>sn</b>	paul
<b>givenName</b>	dufour
<b>uid</b>	admin
<b>cn</b>	dufour paul
<b>userPassword</b>	{SSHA}3N/UeGTI6Bt3+gFs++MZ10e2/2nO/SKS
<b>homeDirectory</b>	/home/bla
<b>gecos</b>	dufour paul
<b>uidNumber</b>	1101
<b>gidNumber</b>	1102
<b>shadowLastChange</b>	18025
<b>fdPhotoVisible</b>	TRUE
<b>sambaSID</b>	0-815-4711-2203
<b>sambaDomainName</b>	DEFAULT
<b>sambaMungedDial</b>	IAAgACAAIAAgACAAIAAgACAAIAAgACAAIAAgACAAIAAgACAAIAAgACAAIAAgACAAIAAgACAAIA AgACAAIAAgACAAIAAgACAAIAAgACAAIAAgACAAIAAgACAAIAAgACAAIAAgACAAUAEABoACAABAEMAd AB4AEMAZgBnAFAAcgBIAHMAZQBuAHQANTUxZTBiYjAYAAgAAQBDAHQAcADBAGYAZwBGA GwAYQBnAHMAMQAwMGUwMDAxMBIAABAEMAdAB4AFMAaAbhAGQAbwB3ADAxMDAwM DAwKgACAAEAQwB0AhgATQBpAG4ARQBuAGMAcgB5AHAAAdABpAG8AbgBMAGUAdgBIAG wAMDA=
<b>sambaAccFlags</b>	[U ]
<b>radiusTunnelMediumType</b>	IEEE-802
<b>radiusTunnelType</b>	VLAN
<b>radiusFramedProtocol</b>	PPP
<b>radiusFramedIPAddress</b>	255.255.255.254
<b>radiusFramedMTU</b>	1500
<b>radiusFramedCompression</b>	Van-Jacobsen-TCP-IP
<b>radiusServiceType</b>	Framed-User
<b>radiusIdleTimeout</b>	10

### 1.9.18 Ldap manager

FusionDirectory Plugins Ldap manager

#### Description

The LDAP Manager plugin is used to export/import ldif and csv with/without templates in FusionDirectory.

#### Installation

##### Install packages

###### Debian

```
apt-get install fusiondirectory-plugin-ldapmanager
```

###### RHEL


```
yum install fusiondirectory-plugin-ldapmanager
```

#### Configuration

There is no configuration for ldap manager

#### Functionalities

In your FusionDirectory web interface, you now have, in the Configuration section, a new item called “LDAP import/export” that you can use to manage ldif in your infrastructure :



When you click on this item, then you can :

- Export ldif
- Import ldif
- Import CSV

## Export LDIF

The LDIF export plugin provides methods to download a complete snapshot of the running LDAP directory as ldif. You may save these files for backup purpose or when initializing a new server.

The screenshot shows a 'Export' interface with three main sections:

- Export single entry:** A text input field followed by a 'Export' button.
- Filter:** A text input field containing '(objectClass=\*)' followed by a 'Export' button.
- Export complete LDIF for:** A text input field containing '/' followed by a 'Export' button.

« Export single entry » allows you to export a single ldap record. For example, in my ldap directory, if I ask to export the sales group :

```
cn=sales,ou=groups,dc=fusiondirectory,dc=org
```

the result is an ldif file with this content :

```
dn: cn=sales,ou=groups,dc=fusiondirectory,dc=org
cn: sales
gidNumber: 1105
memberUid: Homer.Sympson
memberUid: gmarquez
objectClass: top
objectClass: posixGroup
```

« Export complete LDIF for » allows you to export all records of your ldap directory.

## Import LDIF

The LDIF import plugin provides methods to upload a set of entries to your running LDAP directory as LDIF. You may use this to add new or modify existing entries. Remember that FusionDirectory will not check your ldifs for FusionDirectory conformance.

The screenshot shows an 'Import LDIF' interface with the following elements:

- Overwrite existing entries:** A checkbox.
- Import LDIF file:** A file input field with a 'Browse...' button, a message 'No file selected.', and a 'Upload' button.
- Import:** A button.

### Import LDIF File (Modify existing objects, keep untouched attributes)

For example, in FusionDirectory, I have this posixgroup-test group :

which corresponds to this entry in my ldap directory :

```
dn: cn=posix-group,ou=groups,dc=fusiondirectory,dc=org
cn: posix-group
gidNumber: 1105
memberUid: durieux.Bcarole
objectClass: top
objectClass: posixGroup
```

## CSV import

The CSV import plugin provides methods to generate objects (for instance user accounts) from a file containing Colon Separated Values. You can decide which columns should be transferred to which attribute and select a template to apply.

You can also add fixed values for fields which are missing from the CSV file for instance

Note that the file must not contain a header line, all lines are treated as data to import, except if they start with a #.

## Multivaluated columns

When you need to import data to a multivalue field, like group members for instance, you need to separate your values with the character « | ».

## System interfaces

When importing systems with interfaces information, you need to represent each interface as a JSON object, with an array for the value of each field. Interfaces still need to be separated by « | » if there are several, as for other multivaluated columns.

Example :

```
server1;{"cn":["eth0"],"macAddress":["00:11:22:33:12:01"],"ipHostNumber":["192.168.12.  
↪1"]}  
server2;{"cn":["eth0"],"macAddress":["00:11:22:33:12:02"],"ipHostNumber":["192.168.12.  
↪2"]}|{"cn":["eth1"],"macAddress":["00:11:22:33:12:03"],"ipHostNumber":["192.168.12.3  
↪"]}
```

## 1.9.19 Invitations

FusionDirectory Plugins Invitations

### Description

The Invitations plugin is used to send invitations to register and manage registrations.

It is built on the Public Forms plugin.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-invitations  
apt-get install fusiondirectory-plugin-invitations-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-invitations  
yum install fusiondirectory-plugin-invitations-schema
```

### Install schemas

#### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/invitations-fd.  
↳ schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/invitations-fd-conf.  
↳ schema
```

#### RHEL


```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/invitations-fd.  
↳ schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/invitations-fd-  
↳ conf.schema
```

### Configuration


Click on Configuration icon on FusionDirectory main page



Go to Invitations tab



Click on Edit button bottom right



You are now able to configure Invitations parameters

LDAP		Emails	
Invitations RDN*	ou=invitations	Email expeditor*	no-reply@example.com
Registrations RDN*	ou=registrations	Default email content*	Hello, Please subscribe by doing

## LDAP configuration

- **Invitations RDN** : Defines the branch in which invitations objects will be stored
- **Registrations RDN** : Defines the branch in which registrations objects will be stored

## Emails configuration

- **Email expeditor** : the e-mail address used to send invitations e-mails. Be careful to select an address that your server can send from without being flagged as spam (required)
- **Default email content** : Default content of e-mail sent invitations (required)

## Functionalities

### Invitation

You can create an invitation for any form you created from the Public Forms plugin.

### Properties

- **Base** : The LDAP branch is which this invitation will be stored
- **Name** : A name to identify this invitation
- **Form** : The form to show for this invitation
- **Email subject** : The subject of the sent email
- **Email content** : The content of the sent email
- **Author** : Shows the author of this invitation

## Sending invitations

To actually send invitation you need to fill the second section on the right.

- **Reply to** : This is the email address which will be put in the Reply-To header, it defaults to the email address of the connected user
- **Emails** : This contains the email recipient you want to send an invitation to, if any

## Registrations

### Sent

Once you invited some people, a registration object is created for each of them, which stores the state of his registration.

	Email	User object	Status	Last change	Invitation	Actions
<input type="checkbox"/>	<a href="#">john.smith@example.com</a>		<input checked="" type="checkbox"/> Sent	2018-12-17 11:47:42 - by  System Administrator	<a href="#">invitation1</a>	   
 1						

A registration contains a few informations :

- **Email** : The email address the invitation was sent to
- **User object** : A link to the user object once the registration is filled
- **Status** : The status of this registration, one of : Sent, Filled, Accepted, Rejected
- **Last change** : The date and time of the last modification and its author
- **Invitation** : A link to the invitation object

### Filled

Once a invitation is used and the form is correctly filled :

	Email	User object	Status	Last change	Invitation	Actions
<input type="checkbox"/>	<a href="#">john.smith@example.com</a>	John Smith	<input checked="" type="checkbox"/> Filled	2018-12-17 11:53:59 - by  publicFormPage	<a href="#">invitation1</a>	   
 1						

- A user object is created using the template.
- This user is locked and has the fdUserRegistration objectClass.
- This user is stored in the base indicated in the form object, under a similar tree as the one its invitation is stored at.
- The registration state is changed to Filled.

Then, a manager or administrator needs to accept or reject the registration.

### Accepted

If the registration is accepted :

	Email	User object	Status	Last change	Invitation	Actions
<input type="checkbox"/>	<a href="#">john.smith@example.com</a>	John Smith	 Accepted	2018-12-17 11:55:01 - by  System Administrator	<a href="#">invitation1</a>	   
 1						

- The user object is unlocked.
- It's moved to the same base as its invitation.
- The objectClass fdUserRegistration is removed.

- The registration state is changed to Accepted.

### Rejected

If the registration is rejected :

- The user object is deleted.
- The registration state is changed to rejected.

## 1.9.20 Mail

FusionDirectory Plugins Mail

### FusionDirectory mail concept

- Mail methods

FusionDirectory supports different ways to manage your mail accounts, each type of mail account is represented by a so called mail method.

Every method implements a specific storage of mail accounts. The mail methods can also add functionalities specific for each kind of server we manage.

For now we support :

- The base method explained in the mail plugin you are reading
- *The Cyrus mail method*
- *Dovecot*
- *RENATER Partage*

The basic method just store the data that can be used by other service like postfix for example. The other method like cyrus, dovecot, renater-partage need the corresponding server

### Description

The Mail plugin is used to manage basic mail attributes in FusionDirectory.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-mail
apt-get install fusiondirectory-plugin-mail-schema
```

## RHEL

```
yum install fusiondirectory-plugin-mail  
yum install fusiondirectory-plugin-mail-schema
```

## Install schemas

### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/mail-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/mail-fd-conf.schema
```

## RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/mail-fd.schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/mail-fd-conf.  
schema
```

## Configuration

If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :



Access to configuration is read-only. If you need to make changes, then you must press the “Edit” button at the bottom right of the window.

In Mail tab you will find the configuration of the plugin



### Mail settings

Account attribute* <b>identification</b> <input type="button" value="mail ▾"/> Mail user template  Mail folder template  Use cyrus UNIX style <input type="checkbox"/> Delete mailbox on account deletion <input type="checkbox"/>	<div style="border: 1px solid #ccc; padding: 5px; width: 300px; height: 150px;"></div> <div style="border: 1px solid #ccc; padding: 5px; width: 300px; height: 150px;"></div> <div style="border: 1px solid #ccc; padding: 5px; width: 300px; height: 150px;"></div> <div style="border: 1px solid #ccc; padding: 5px; width: 300px; height: 150px;"></div> <div style="border: 1px solid #ccc; padding: 5px; width: 300px; height: 150px;"></div>
Cyrus autocreate folders	
<input type="button" value="Add"/> <input type="button" value="Delete"/>	
IMAP timeout	
Shared prefix	

#### Mail settings

- Account attribute Identification : (required) Determines which attribute FusionDirectory will use to create accounts. Valid values are mail and uid
- Mail user template : Allows to override the user account creation syntax. See the “Mail folder template” description for more details

Examples :

```
%prefix%%uid%           => user.foobar
```

```
my-prefix.%uid%%domain% => my-prefix.foobar@example.com
```

- Mail folder template : Allows to override the methods default account creation syntax

Examples :

```
%prefix%%cn%           => shared.development
```

```
my-prefix.%cn%%domain% => my-prefix.development@example.com
```

Placeholders

%prefix% The methods default prefix. (Depends on 'Use cyrus UNIX style')

%cn% The groups/users cn.

%uid% The users uid.

%mail% The objects mail attribute.

%domain% The domain part of the objects mail attribute.

%mailpart% The user address part of the mail address.

%uattrib% Depends on mailAttribute (uid/mail).

- Use cyrus UNIX style : Determines if FusionDirectory should use “foo/bar” instead of “foo.bar” namespaces in IMAP. Unix style is with slashes. To use this option, you must set “unixhierarchysep” parameter to “yes” in your imapd.conf configuration file.
- Delete mailbox on account deletion : Determines if FusionDirectory should remove the mailbox from your IMAP server or keep it after the account is deleted in LDAP
- Cyrus autocreate folders : Contains a comma separated list of personal IMAP folders that should be created along initial account creation
- IMAP timeout : Sets the connection timeout for imap actions. Default value is 10 seconds
- Shared prefix : Defines the prefix to add for mail shared folders

### Functionalities


#### Basic service provided

- Services installed

From now, you have this new services available for every system server :

IMAP/POP3 generic service.

Click on Systems icon in FusionDirectory



Select a server (in this example demo-dev)

<input type="checkbox"/>		Name	IP	Mac	Description	Services	Release	Actions
<input type="checkbox"/>		demo-dev	195.154.20.159					

Go to Services tab

## Services

In the drop-down menu click on Actions → Create → IMAP/POP3 generic service

The screenshot shows the 'Actions' dropdown menu open, listing several service options:

- Create ►
- Export list ►
- Argonaut DNS settings
- Argonaut FAI monitor
- Argonaut Fuse
- Argonaut Mirror settings
- Argonaut server
- Cyrus (IMAP/POP3)
- DHCP service
- Dovecot (IMAP/POP3)
- IMAP/POP3 generic service** (highlighted with a blue background)


If you choose this service, a new dialog is opened

### This server runs an IMAP or POP3 server

You just need to click on « Save » button bottom right

Save

Click on Apply button



Now, in services column, you can see the imap/pop3 icon

	Name	IP	Mac	Description	Services	Release	Actions
<input type="checkbox"/>	demo-dev	195.154.20.159					     

## 1.9.21 Newsletter

FusionDirectory Plugins Newsletter

### Description

The Newsletter plugin is used to tell to which newsletter a user has subscribed to in FusionDirectory.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-newsletter
apt-get install fusiondirectory-plugin-newsletter-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-newsletter
yum install fusiondirectory-plugin-newsletter-schema
```

## Install schemas

### Debian


```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/newsletter-fd.  
↳ schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/newsletter-fd-  
↳ conf.schema
```

### RHEL


```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/newsletter-fd.  
↳ schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/newsletter-fd-  
↳ conf.schema
```

## Configuration


If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :



Go to Plugins tab



Click on Edit button bottom right



Go to Newsletter choices and fill-in as required




Click OK to save your settings

Ok

### Functionalities

— Create Newsletter for a user

Click on Users icon in FusionDirectory



Select a user




Go to Newsletter tab




Click on Add Newsletter settings button

Add Newsletter settings

Fill-in Personal info



Click on Apply button bottom right to save your settings



### 1.9.22 NextCloud

FusionDirectory Plugins NextCloud

#### Description

The NextCloud plugin is used to define attributes for users that will be read by NextCloud to change some properties, like file quota or home folder.

#### Installation

##### Install packages

###### Debian

```
apt-get install fusiondirectory-plugin-nextcloud  
apt-get install fusiondirectory-plugin-nextcloud-schema
```

###### RHEL

```
yum install fusiondirectory-plugin-nextcloud  
yum install fusiondirectory-plugin-nextcloud-schema
```

##### Install schemas

###### Debian

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/nextcloud-fd.  
→schema
```


## RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/nextcloud-fd.  
→schema
```

## Functionalities

- Enable NextCloud account for a user


Click on Users icon in FusionDirectory




Select a user



Go to NextCloud tab



Click on Add NextCloud settings button



Fill-in NextCloud account

NextCloud account		
File quota	4500	<input type="button" value="▲"/> MiB <input type="button" value="▼"/>
Home folder	<input type="text"/>	

### Available attributes :

- File quota : quota allowed for user in NextCloud
- Home folder : to override default NextCloud home folder

---

**Astuce :** These attributes (`fdNextCloudQuota` and `fdNextCloudHomeFolder`) need then to be configured on NextCloud side, see [NextCloud administration manual](#).

---

Click on Apply button bottom right to save your settings

Apply

### 1.9.23 Personal

FusionDirectory Plugins Personal

#### Description

The personal plugin is used to store all kind of personal information that are not standardized in the core LDAP schemas.

It stores social accounts, nicknames, private email, start and end date of contract, if the photo should be visible in a white page applications etc...

#### Installation

##### Install packages

###### Debian

```
apt-get install fusiondirectory-plugin-personal  
apt-get install fusiondirectory-plugin-personal-schema
```

###### RHEL

```
yum install fusiondirectory-plugin-personal  
yum install fusiondirectory-plugin-personal-schema
```

##### Install schemas

###### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/personal-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/personal-fd-conf.  
→schema
```

### RHEL

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/personal-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/personal-fd-conf.  
→ schema
```

### Configuration

If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :




You can thick the « Allow use of private email for password recovery » option, so that the personal address can be used for password recovery : configuration -> plugins -> personal in FusionDirectory



### Functionalities

- Edit a user

In FusionDirectory, click on users icon



This will bring you to the users overview


The screenshot shows the 'Users' page of the FusionDirectory web interface. On the left, there's a sidebar with a tree view containing 'active [active]', 'bar [test bar]', and 'fff [ffff]'. Below this is a table listing users:

	Surname	Given name	Login	Properties	Actions					
<input type="checkbox"/>	Administrator	System	fd-admin							
<input type="checkbox"/>	Bcarole	durieux	manager							
<input type="checkbox"/>	paul	dufour	admin							
<input type="checkbox"/>	peter	antoine	user							


At the bottom, there are pagination links: 3 4.

On the right, there's a 'Filter' sidebar with checkboxes for 'Show templates', 'Show functional users', 'Show POSIX users', 'Show Mail users', 'Show Samba users', and 'Search in subtrees', along with a search input field and an 'Apply filter' button.

Click on a user and go to Personal tab



In this example, I selected peter antoine's profile



Activate the personal tab, fill it like you want and save it


This screenshot shows a modal dialog box with the following content:

**This account has Personal settings disabled. You can enable them by clicking below.**

**Add Personal settings**

This screenshot shows the 'Personal info' and 'Contact' sections of the user profile form. The 'Personal info' section contains fields for Personal title, Nickname, Badge Number, Date of birth, Sex, Country, Start date, End date, and Photo Visible. The 'Contact' section contains fields for Social account (with a Facebook link) and Private email.

Click on « Apply » button bottom right



Now, if you go back to user list, you will see a new icon that defines that personal plugin is activated for your user



## 1.9.24 Public Forms

FusionDirectory Plugins Public Forms

### Description

The Public Forms plugin is used to handle forms outside of FusionDirectory logged in pages which create objects inside FusionDirectory.

These forms maybe actually be private with a token system using the invitations plugin.

Or you may protect them using any other system.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-public-forms  
apt-get install fusiondirectory-plugin-public-forms-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-public-forms  
yum install fusiondirectory-plugin-public-forms-schema
```

#### Install schemas

##### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/public-forms-fd.  
↳ schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/public-forms-fd-  
↳ conf.schema
```

##### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/public-forms-fd.  
↳ schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/public-forms-fd-  
↳ conf.schema
```

## Configuration

**Public forms**

Public forms RDN*	ou=forms
-------------------	----------

### Basic configuration

- **Public forms RDN** : Defines the branch in which form objects will be stored

### Functionalities

You can manage forms in the «Public Forms» entry from the main menu.

#### Public Form

**Public form** **Altered fields** **References** **LDAP**

**Form**

Base	/
Name*	
Title*	
Text	
Object type*	User
Template*	template_cn - /
Confirmation text	Success
Private	<input type="checkbox"/>
Creation base*	dc=example,dc=com
TOS URL	

- **Base** : The LDAP base this form will be stored into
- **Name** : A name to identify this form

- **Title** : A title to display in this form page
- **Text** : A text to show before this form
- **Object type** : The type of object this form will create
- **Template** : The template to use for this form
- **Confirmation text** : The confirmation text shown once the form is successfully submitted
- **Private** : This is only useful if the *Invitations* plugin is installed and will make this form only available with a valid invitation
- **Creation base** : The base the created object will be placed in
- **TOS URL** : If filled, a mandatory checkbox will force people to accept the terms of service available at this URL before submitting the form

### Altered fields

Field	Mandatory	Read only	Imported	Hidden
base	no	no	no	yes

Field  Mandatory  Read only  Imported  Hidden  Add

The form will be built from the template, and all asked fields from the template will be shown by default.

In this tab you can alter how some of these fields behave, either by hiding them, or making them mandatory, or imported. Making them imported is only useful if you use a setup which fills HTTP headers with values for those fields. If a field is marked as read-only and mandatory but has no value it will be writable to avoid a lock out.

### 1.9.25 Pureftpd

FusionDirectory Plugins Pureftpd

#### Description

The Pureftpd plugin is used to manage pureftpd account inside the LDAP directory.

## Installation

### Install packages

#### Debian

```
apt-get install fusiondirectory-plugin-pureftpd  
apt-get install fusiondirectory-plugin-pureftpd-schema
```

#### RHEL

```
yum install fusiondirectory-plugin-pureftpd  
yum install fusiondirectory-plugin-pureftpd-schema
```

### Install schemas

#### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/pureftpd.schema
```

#### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/pureftpd.schema
```


## Configuration

No configuration needed for this plugin.

## Functionalities

### — Create Pureftpd User

In order to create a pureftpd user, you need to have a valid pureftpd server in your structure environnement.



Click on existing user or create a new one



Click on “Ftp” tab



Click on « Add Ftp settings » button

## Add Ftp settings

Fill the desired fields

Bandwidth	
Upload bandwidth (kb/sec)	<input type="text"/>
Download bandwidth (kb/sec)	<input type="text"/>

Bandwidth :

- Upload bandwidth (kb/sec) : Maximum upload bandwidth in Kb/sec
- Download bandwidth (kb/sec) : Maximum download bandwidth in Kb/sec

Ratio	
Uploaded files	<input type="text"/>
Downloaded files	<input type="text"/>

Ratio :

- Uploaded files : Defines upload ratio
- Downloaded files : Defines download ratio

Quota	
Files	<input type="text"/>
Size (MB)	<input type="text"/>

Quota :

- Files : restrict the maximum number of files of a user directory
- Size (MB) : restrict the maximum size, in MB, of a user directory

Miscellaneous	
Enable FTP access	<input checked="" type="checkbox"/>

Miscellaneous :

- Enable FTP access : thick the box if needed

Click on « Apply » button bottom right to save your settings

## Apply

## 1.9.26 Renater Partage

FusionDirectory Plugins Renater Partage

### Description

The RENATER Partage plugin manages the email component of the [Partage de RENATER](#) system, used by the research and education community in France.

To use it you need to be a Renater Partage partner and have a valid contract with a domain name and API key.

### Installation

In order to install renater-partage plugin, you need to have installed and configured mail plugin.

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-renater-partage  
apt-get install fusiondirectory-plugin-renater-partage-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-renater-partage  
yum install fusiondirectory-plugin-renater-partage-schema
```

#### Insert schemas

##### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/openldap/renater-  
→partage-fd.schema
```

##### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/openldap/  
→renater-partage-fd.schema
```

## Functionalities

### Add Renater Partage service


Go to Systems



Create your server or edit an existing server



Click on services tab



Add the Renater Partage service

Actions ▾

-  Create ▶
-  Remove
-  Export list ▶

---

-  Argonaut DNS settings
-  Argonaut FAI monitor
-  Argonaut Fuse
-  Argonaut Mirror settings
-  Argonaut server
-  Cyrus (IMAP/POP3)
-  DHCP service
-  Dovecot (IMAP/POP3)
-  IMAP/POP3 generic service
-  LDAP service
-  OPSI service
-  Package repository
-  Postfix (SMTP)
-  Puppet server
-  Quota service
-  Renater Partage

Fill the fields for the Renater plugin and save it

The screenshot shows the FusionDirectory configuration interface. At the top, there is a navigation bar with links: Server, NIS Netgroup, DHCP, DNS, Debconf, FAI, FAI Logs, Inventory, FusionInventory, Web link, Puppet, IPMI client, Deployment time frame, Argonaut client, Services, EJBCA, References, and LDAP. Below the navigation bar, there are two main sections: 'Settings' and 'Domains'. The 'Settings' section contains fields for 'URI\*', 'User Agent\*', and 'Mailbox deletion'. The 'Domains' section contains fields for 'Domain\*', 'Key\*', and 'Classes of service\*'. There is also an 'Add' button and a 'Save' button at the bottom right.


- Global settings :
- URI : url of the webservice
- User Agent : name of the user agent
- Mailbox deletion : should i delete the mailbox after removing the account
- Per domains settings :
- Domain : mail domain ex : acme.com
- Key : API key received from Renater
- Class of service : Service class name | cos id (zimbra cos id)

Click on « save » button bottom right to save your server



### Add Renater Partage to a user


Click on « users » button in FusionDirectory main page



Select a user




Go to Mail tab and click on « Add mail settings »



Fill in all the required information : mail account and other addresses and redirections

<b>Mail account</b>	
Primary address*	<input type="text"/>
Server	<input type="button" value="▼"/>
Quota size	<input type="button" value="▲"/> <input type="button" value="▼"/>
Quota usage	Unlimited
<b>Vacation message</b>	
Activate vacation message	<input type="checkbox"/>
Vacation message	<input type="text"/>
<b>Other addresses and redirections</b>	
Alternative addresses	<input type="text"/> <input type="button" value="Add"/> <input type="button" value="Delete"/>
Forward messages to	<input type="text"/> <input type="button" value="Add"/> <input type="button" value="Add (from list)"/> <input type="button" value="Delete"/>
<b>Advanced mail options</b>	
User is only allowed to send and receive local mails	<input type="checkbox"/>
No delivery to own mailbox	<input type="checkbox"/>

Click on « Apply » button bottom right to save your settings



## Add Renater Partage to a group

In the same way you can use the mail tab of a user group to synchronize it with PARTAGE. In this case you can activate and use the PARTAGE tab of the group to fill additional information.

## Fields synchronised by renater-partage plugin

Here are the fields which are synchronized for users :

PARTAGE	LDAP	Notes
zimbraCOSId		COS id from Renater Partage service
zimbraMailQuota	gosaMailQuota	Converted to Mio
zimbraPrefMailLocalDelivery-Disabled		Checkbox « No delivery to own mailbox »
zimbraPrefMailForwardingAddress	gosaMailForwardingAddress	Only one value
description	description	
displayName	displayName	
facsimileTelephoneNumber	facsimileTelephoneNumber	
givenName	givenName	
homePhone	homePhone	
l	l	
mobile	mobile	
ou	ou	
pager	pager	
sn	sn	
st	st	
telephoneNumber	telephoneNumber	
title	title	
street	street	Activate « Separate address fields » configuration to see this field
postalCode	postalCode	Activate « Separate address fields » configuration to see this field
postOfficeBox	postOfficeBox	Activate « Separate address fields » configuration to see this field
company	o	
physicalDeliveryOfficeName	roomNumber	
zimbraAccountStatus		Computed from FD lock status
initials		Computed from givenName and sn
carLicense	eduPersonPrincipalName	From SupAnn tab
zimbraHideInGal	supannListeRouge	From SupAnn tab
co	co	From personal tab

Here are the fields which are synchronized for groups :

PARTAGE	LDAP
description	description
displayName	displayName
zimbraMailStatus	fdRenaterPartageGroupMailStatus
zimbraNotes	fdRenaterPartageGroupNotes
zimbraHideInGal	fdRenaterPartageGroupHideInGal
zimbraDistributionListSendShareMessageToNew-Members	fdRenaterPartageGroupSendShareMessageToNew-Members

## Attributes

### Attributes synchronised by renater-partage plugin

Here are the fields which are synchronized for users :

PARTAGE	LDAP	Notes
zimbraCOSId		COS id from Renater Partage service
zimbraMailQuota	gosaMailQuota	Converted to Mio
zimbraPrefMailLocalDelivery-Disabled	gosaMailDelivery-Mode	Checkbox « No delivery to own mailbox »
zimbraPrefMailForwardingAddress	gosaMailForwardingAddress	Only one value
description	description	
displayName	displayName	
facsimileTelephoneNumber	facsimileTelephoneNumber	
givenName	givenName	
homePhone	homePhone	
l	l	
mobile	mobile	
ou	ou	
pager	pager	
sn	sn	
st	st	
telephoneNumber	telephoneNumber	
title	title	
street	street	Activate « Separate address fields » configuration to see this field
postalCode	postalCode	Activate « Separate address fields » configuration to see this field
postOfficeBox	postOfficeBox	Activate « Separate address fields » configuration to see this field
company	o	
physicalDeliveryOfficeName	roomNumber	
zimbraAccountStatus		Computed from FD lock status
initials		Computed from givenName and sn
carLicense	eduPersonPrincipal-Name	From SupAnn tab
zimbraHideInGal	supannListeRouge	From SupAnn tab
co	co	From personal tab

Here are the fields which are synchronized for groups :

PARTAGE	LDAP
description	description
displayName	displayName
zimbraMailStatus	fdRenaterPartageGroupMailStatus
zimbraNotes	fdRenaterPartageGroupNotes
zimbraHideInGal	fdRenaterPartageGroupHideInGal
zimbraDistributionListSendShareMessageToNew-Members	fdRenaterPartageGroupSendShareMessageToNew-Members

## 1.9.27 Sinaps

FusionDirectory Plugins Sinaps

### Description

The Sinaps plugin is used to synchronize user and structures information from Sinaps : <http://www.amue.fr/pilotage/logiciels/sinaps/presentation/>

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-sinaps
apt-get install fusiondirectory-plugin-sinaps-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-sinaps
yum install fusiondirectory-plugin-sinaps-schema
```

#### Install schemas

##### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/sinaps-fd-conf.
→schema
```

## RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/sinaps-fd-conf.
→schema
```

## Configuration

The screenshot shows two configuration panels side-by-side:

- Sinaps Panel:**
  - Enable SINAPS integration:** Checked.
  - Dry run mode:** Unchecked.
  - Acknowledgement URL:** http://sinaps.example.com:443
  - Dump folder:** /var/cache/fusiondirectory/
  - Application identifier\***: FUSIONDIRECTORY
  - Applications identifiers to sync:** SAP
  - UUID prefix\***: LDAPUUID
  - User base\***: ou=sinaps,dc=example,dc=
  - User template**: None
  - API Tokens**: token1
- Sinaps Acquisition Panel:**
  - Acquisition URL:** http://sinaps.example.com:443
  - Login:** fusiondirectory
  - Password:** (redacted)
  - Acquisition external type\***: FD
  - Contact methods** table:

	LDAP	Sinaps
telephoneNumber		TELPROMO
facsimileTelephoneNumber		FAXPRO
mail		MAILPRO
mobile		TELEMOBILEPRO

## Basic configuration

- **Enable SINAPS integration** : This can be unchecked if you need to deactivate SINAPS integration for some time, or before you finished configuration for instance.
- **Dry run mode** : Can be used for tests, this deactivates sinaps integration but still dumps XML received and what would be send in the dump folder.
- **Acknowledgement URL** : The URL for the acknowledgement end point of Sinaps
- **Dump folder** : If this is set to a directory path, all messages sent to or received from sinaps will be dumped here. Can be useful for debugging.
- **Application identifier** : String that identifies this FusionDirectory instance in Sinaps. This what will be looked for in cross references.
- **Applications identifiers to sync** : Identifiers of other applications for which we want to store cross references in supannRefId field.
- **UUID prefix** : The prefix you want to be added before the UUID in the supannRefId field.
- **User base** : The base in which users created by sinaps will be stored.
- **User template** : The template to use for creating such users.
- **API Tokens** : A list of valid API tokens to be accepted by the sinaps end point. You can put what you want in here, but using long strings generated by cryptographically strong random sources is better.

## Acquisition configuration

- **Acquisition URL** : The URL for the acquisition end point of Sinaps
- **Login** : The login to use to contact this end point
- **Password** : The password to use
- **Acquisition external type** : The string that will be put in typeExterne tag in the XML
- **Contact methods** : Which LDAP fields to be send for acquisition, and as which Sinaps contact method

## Functionalities

Once your FusionDirectory instance is correctly set to be receiving user and structures diffusion events in Sinaps and Sinaps plugin is up and running (see [Configuration](#)), creation and modification on Sinaps objects will be applied in FusionDirectory with the following rules.

## Diffusion

When a Diffusion event is received :

- FusionDirectory first looks at the cross references and search for the application identifier set in the configuration
- If no reference is found or the reference found is not found in the LDAP, an object is created.
- Otherwise the matching object is updated.

## Structure

Structures are synchronized as [\*Supann\*](#) entities.

FusionDirectory field	Sinaps XML field	Details
ou	libelle20	
description	descriptifLong	
supannCodeEntite	codeStructure	Must be unique as it's used in the dn
supannTypeEntite	codeSousType	You need to configure Sinaps to transcode this into a valid value
supannRefId	referenceCroisee	Formated as {identifiantApplication}identifiantExterne
telephoneNumber	methodesDeContact/methodeDeContact/valeur	If codeTypeMethodeContact is TEL
facsimileTelephoneNumber	methodesDeContact/methodeDeContact/valeur	If codeTypeMethodeContact is FAX
postalAddress	methodesDeContact/methodeDeContact/*	If codeTypeMethodeContact is ADR and temoinAdressePrincipale is true
supannCodeEntite-Parent	liensStructure/lienStructure/codeStructureMere	If codeTypeLien is HIE
fdSupannStartDate	dateDebutValidite	
fdSupannEndDate	dateFinValidite	

## Personne

Persons are synchronized as users.

If *rattachements* is empty, the event is considered as a deletion, in which case :

- The current date is stored in fdContractEndDate
- The account is locked
- The fields telephoneNumber, facsimileTelephoneNumber and mobile are emptied
- The mail tab is removed

Otherwise the following fields are synchronized :

Fusion- Directory field	Sinaps XML field	Details
supannCivi- lite	civilité	
sn	nomUsage	
description	descriptifLong	
dateOfBirth	dateNaissance	
gender	sexe	
supannRefId	referenceCroisee	Formated as {identifiantAppli- cation}identifiantExterne
givenName	prénoms	Cut at first “;”
homePhone	methodesDeContact/methodeContact/valeur	If typeMethodeContact is TELPERSO. Can only have one value.
fdPrivateMail	methodesDeContact/methodeContact/valeur	If typeMethodeContact is MAILPERSO. Can have multiple values.
postalAddress	methodesDeContact/methodeContact/*	If codeTypeMethodeContact is ADR and te- moignAdressePrincipale is true, and codeTypeA- dresse is not ADRPERSO
homePosta- lAddress	methodesDeContact/methodeContact/*	Same as above but codeTypeAdresse is ADR- PERSO
supannEnti- teAffectation- Principale	rattachements/rattachement/roles/role/personne	Only if a role/affection is found in the LDAP
supannEnti- teAffectation	rattachements/rattachement/roles/role/personne	Only if a role/affection is found in the LDAP
supannEmp- Corps	rattachements/rattachement/roles/role/personne	Only if a role/affection is found in the LDAP
supannActi- vite	rattachements/rattachement/roles/role/personne	Only if a role/affection is found in the LDAP
supannRole- Generique	rattachements/rattachement/fonctionsOccupees/fonctionOccupee/fonctionRh	
supannTy- peEntiteAf- fектation	rattachements/rattachement/fonctionsOccupees/fonctionOccupee/fonctionRh	Only if a role/affection is found in the LDAP
supannEnti- teAffectation	rattachements/rattachement/fonctionsOccupees/fonctionOccupee/fonctionRh	Only if a role/affection is found in the LDAP
supannRo- leEntite	rattachements/rattachement/fonctionsOccupees/fonctionOccupee	Only if a role/affection is found in the three fields above

## Acquisition

Once FusionDirectory is properly configured to send Acquisition events to Sinaps, it will do so when a user is modified, with the following rules :

- Fields listed in **Contact methods** in the configuration are sent as the indicated contact methods
- *supannEntiteAffectationPrincipale* is send as a *rattachement* with roles/role/typeRole = EXT and roles/role/externe/typeExterne the value configured in **Acquisition external type** in the configuration

## 1.9.28 Sogo

FusionDirectory Plugins Sogo

### Description

The SOGo plugin is used to manage location (thing and group) in FusionDirectory.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-sogo
apt-get install fusiondirectory-plugin-sogo-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-sogo
yum install fusiondirectory-plugin-sogo-schema
```

#### Install schemas

##### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/sogo-fd-conf.schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/calEntry.schema
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/calRessources.schema
```

## RHEL


```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/sogo-fd-conf.
→schema
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/calEntry.schema
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/calRessources.
→schema
```

## Configuration


If you need to modify something, you can access to FD configuration of the plugin by the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory Configuration Interface :



Click on Plugins tab




Click on Edit button bottom right and fill in SOGo settings



SOGo RDN : (required) Branch in which SOGo resources will be stored



Click on Ok button bottom right to save settings



## Functionalities

- How to use SOGo plugin

In your FusionDirectory web interface you have now, in the “Systems” section, click on SOGo icon



Click on Actions → Create → SOGo resource


A screenshot of a web interface. On the left, there is a dropdown menu labeled "Actions" with a downward arrow. Below it is a button labeled "Create" with a small icon. To the right, there is a list of options under the heading "SHOW SOGo RESOURCE". One option, "SOGo resource", is highlighted with a blue background and a green circular icon.

Fill-in the required information

A screenshot of a configuration form titled "SOGo resource". It contains several input fields:

- "Base": A text input field containing "/".
- "Entry name\*": A text input field.
- "Mail\*": A text input field.
- "description": A large text area for entering a description.
- "Multiplebookings": A dropdown menu with up and down arrows.
- "Kind": A dropdown menu currently set to "location".

Click on Ok button bottom right to save your settings



## 1.9.29 SSH

FusionDirectory Plugins SSH

### Description

The SSH plugin provides management for ssh public key in FusionDirectory.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-ssh  
apt-get install fusiondirectory-plugin-ssh-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-ssh  
yum install fusiondirectory-plugin-ssh-schema
```

#### Install schemas

##### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/openssh-lpk.schema
```

##### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/openssh-lpk.  
schema
```


### Configuration

No configuration needed for this plugin.

## Functionalities

— Create SSH user

Click on Users icon in FusionDirectory



Click on a user



Click on SSH Tab




Click on « Add SSH settings » button



Load the user's ssh public key and click "Add" to upload the key



Click on « Ok » button bottom right to save your settings



Now, in Properties tab, you can see the ssh icon



### 1.9.30 Subcontracting

FusionDirectory Plugins Subcontracting

#### Description

The Subcontracting plugin is used to manage user from your company but who works in other companies for long periods of time in FusionDirectory.

#### Installation

##### Install packages

###### Debian

```
apt-get install fusiondirectory-plugin-subcontracting  
apt-get install fusiondirectory-plugin-subcontracting-schema
```

###### RHEL

```
yum install fusiondirectory-plugin-subcontracting  
yum install fusiondirectory-plugin-subcontracting-schema
```

##### Install schemas

###### Debian

```
fusiondirectory-insert-schema -i subcontracting-fd.schema
```

###### RHEL

```
fusiondirectory-insert-schema -i subcontracting-fd.schema
```


#### Configuration

No configuration needed for this plugin.

## Functionalities

- Create a subcontracting user


In FusionDirectory, click on Users icon




Select a user



Go to Subcontracting tab



Click on « Add Subcontracting settings » button




Fill-in SubContracting Information


- Intermediate : Contact to the Final Customer
- Final Customer : Final Customer for this mission
- Mail Address : mail address assigned for this mission
- Phone : phone number assigned for this mission
- Street Address : address where this mission is executed

SubContracting Information	
Intermediate	<input type="text"/>
Final Customer	<input type="text"/>
Mail Address	<input type="text"/>
Phone	<input type="text"/>
Street Address	<input type="text"/>

Click on Apply button bottom right to save your settings



Now, on your user profile line you can see the Subcontracting icon



### 1.9.31 Supann

FusionDirectory Plugins Supann

#### Description

The Supann plugin is used to store Supann data's in FusionDirectory.

The plugin support Supann from 2009 to 2018 revision 2.

#### Installation

##### Install packages

###### Debian

```
apt-get install fusiondirectory-plugin-supann  
apt-get install fusiondirectory-plugin-supann-schema
```

###### RHEL

```
yum install fusiondirectory-plugin-supann  
yum install fusiondirectory-plugin-supann-schema
```

##### Install schemas

###### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/internet2.schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/supann-2019-11-  
→22.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/supann-fd-conf.  
→schema
```

### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/internet2.schema
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/supann-2019-11-
→22.schema
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/supann-fd-conf.
→schema
```


### Configuration

The SupAnn standard specifies how to fill cn attribute : <https://services.renater.fr/documentation/supann/supann2018/recommandations2018/attributs/cn>


You can change how FusionDirectory fill cn attribute by modifying CN Pattern by **%t[fr\_FR]sn%  
%t[fr\_FR]givenName%** in the configuration backend *People and group storage*

### Configure SupAnn Status

Click on Configuration icon on FusionDirectory main page



Go to SupAnn tab



Click on Edit button bottom right

A screenshot of the FusionDirectory configuration interface for the SupAnn tab. It shows fields for "SupAnn RDN\*" (with value "ou=structures") and "SupAnn mail for recovery" (with checked checkbox). Below these are sections for "Custom resources" and "Resource" (with input fields for "Label" and "Add").

The screenshot shows two main sections: 'Substates' and 'Custom labels'.  
**Substates:** A table listing various substates with their corresponding SupAnn labels and edit/delete icons. The rows include: Active (SupAnnAnticipe), Active (SupAnnActif), Active (SupAnnSursis), Active (Perdu), Inactive (SupAnnPrecree), Inactive (SupAnnCree), Inactive (SupAnnExpire), Inactive (SupAnnInactif), Inactive (SupAnnSuprDonnees), Inactive (SupAnnSuprCompte), Suspended (SupAnnVerrouille), Suspended (SupAnnVerrouAdministratif), and Suspended (SupAnnVerrouTechnique).  
**Custom labels:** A section for adding custom labels. It includes a dropdown for 'Substatus' set to 'Perdu', a text input field for 'Label' containing 'Library', and an 'Add' button.

- **SupAnn RDN** : branch in which SupAnn structures will be stored (required)
- **SupAnn mail for recovery** : allow the use of mail addresses from the personal mail address field from SupAnn account for password recovery
- **Custom resources** : custom resources and thei labels

For example : if you want to add a label resources for the library, fill-in the following fields as showned and click « add »

A screenshot of a configuration interface. A dropdown menu labeled 'Resource' has 'Library' selected. An adjacent dropdown menu labeled 'Label' also has 'Library' selected. An 'Add' button is visible to the right.

- **Substates** : allowed substates for an account. There are three substates type : Active, Inactive and Suspended
- **Custom labels** : labels for cutsom substates

For Example, you can add the ressource Library having substatus « Perdu », lost

A screenshot of a configuration interface. A dropdown menu labeled 'Substatus' has 'Perdu' selected. An adjacent dropdown menu labeled 'Label' has 'Library' selected. An 'Add' button is visible to the right.

When you are done, click on OK button bottom right



Now, in order to see if your settings have been correctly added to a user, go to user SupAnn status tab.

On **Resource** drop-down menu you have now a « Library » entry

On **Substatus** drop-down menu you have now a « Library » entry

Status					
	Resource	Status	Substatus	Begin	End
*	Library	Active	Library	2020-05-06	2020-05-31
Resource*	Library				
Status*	Active				
Substatus	Library				
Start date	mm / dd / yyyy				
End date	mm / dd / yyyy				
	Add				

## Configure Multiservice card

Here is the view of Multiservice Card settings to configure


Multiservice card						
Card types	etudiant	étudiant				
	externe	externe				
	invite	invité, nominative				
	lecteur	lecteur de bibliothèque				
	personnel	professionnelle				
	prestataire	prestataire de services				
	vehicule	véhicule				
	visiteur	visiteur, anonyme				
	Type	Label	Add			
Card sources						
		Add	Delete			
Card formats	MIFARE	XLSB	Mifare XLSB			
	Technology	Encoding	Label		Add	
Card application domains						
	Option	Domain	Add			

- **Card types** : card types and their labels. Please, prefix with {ORIGIN} for non standard types
- **Card sources** : multi service card possible sources, with format `system@domain`
- **Card formats** : allowed formats for multiservice cards
- **Card application domains** : domains for card applications

## Structures

### Create an establishment

Back on SupAnn structures page, click on Actions -> Create > Supann Establishment



Go to Establishment tab

The screenshot shows a form titled 'Properties' for an 'Establishment'. The first field is 'Root establishment' with a checkbox. The second field is 'Name\*' with a required indicator (\*). The third field is 'Description' with a large text input area. The entire form is contained within a light gray box.

Fill-in the following fields :

- **Root establishment** : see this establishment as the root one
- **Name** : the name to write in the o attribute for this establishment (required)
- **Description** : a short description of this establishment

## Location

Telephone

Fax

Location

Address

Fill-in the following fields :

- **Telephone** : phone number of this establishment
- **Fax** : fax number of this establishment
- **Location** : usually the city where this establishment is situated
- **Address** : the postal address of this establishment

**SupAnn properties**


<b>Establishment code*</b> <input type="text"/> <span style="border: 1px solid #ccc; padding: 2px;">Add</span> <span style="border: 1px solid #ccc; padding: 2px;">Delete</span>	<b>Establishment type</b> <span style="border: 1px solid #ccc; padding: 2px;">▼</span> <span style="border: 1px solid #ccc; padding: 2px;">None ▼</span>
<b>SupAnn code*</b> <input type="text"/>	
<b>Parent entities</b> <span style="border: 1px solid #ccc; padding: 2px;">▼</span> <span style="border: 1px solid #ccc; padding: 2px;">Add</span> <span style="border: 1px solid #ccc; padding: 2px;">Delete</span>	
<b>Reference IDs</b> <input type="text"/> <span style="border: 1px solid #ccc; padding: 2px;">Add</span> <span style="border: 1px solid #ccc; padding: 2px;">Delete</span>	
<b>Legal name*</b> <input type="text"/>	
<b>Home page URI</b> <input type="text"/>	
<b>Institution URI</b> <input type="text"/>	
<b>White pages URI</b> <input type="text"/>	

Fill-in the following fields :

- **Establishment code** : the code of this establishment (must have a prefix between {} ) (required)
- **Establishment type** : the SupAnn type that best fits this Establishment
- **SupAnn code** : the SupAnn code for this establishment (required)
- **Parent entities** : the parent entities of this entity
- **Reference IDs** : supannRefId - IDs/links for this entity on other systems
- **Legal name** : the legal name of this establishment (required)
- **Home page URI** : the URI of this establishment website home page
- **Institution URI** : the URI of this establishment institution website
- **White pages URI** : the URI of this establishment white pages

### Create an entity

Click on SupAnn Structures icon in FusionDirectory main page



Click on Actions -> Create > Supann Entity

A dropdown menu titled 'Actions' with the following options:

- Create ▶
- Export list ▶
- Edit
- Cut
- Template ▶
- From template ▶
- SupAnn Establishment
- SupAnn Entity

The 'SupAnn Entity' option is highlighted with a blue background.

Go to Entity tab

A screenshot of the 'Entity' tab interface. The tab is labeled 'Entity'. It contains two input fields:

- A text input field labeled 'Name\*' with a red asterisk indicating it is required. The field is empty.
- A larger text area labeled 'Description' for entering a short description of the entity.

Fill-in the following fields :

- **Name** : the name to write in the ou attribute for this entity (required)
- **Description** : short description of this entity

## Administrative information

Telephone

Fax

Postal address

Fill-in the following fields :

- **Telephone** : phone number of this entity
- **Fax** : fax number of this entity
- **Postal address** : postal address of this entity

## SupAnn information

Entity type

Entity code\*

Parent entities

Reference IDs

Fill-in the following fields :

- **Entity type** : the SupAnn type that best fits this entity
- **Entity code** : the SupAnn code of this entity (required)
- **Parent entities** : the parent entries of this entity
- **Reference IDs** : supannRefId - IDs/links for this entity on other systems

Click on OK button bottom right to save your settings

Ok


## Users

SupAnn users management

### SupAnn Users

- Create an user with supann informations

Click on Users icon on FusionDirectory main page



Click on Actions → Create → User

The screenshot shows a 'Actions' dropdown menu with the following options:

- Create
- Export list
- Edit
- Template
- From template
- User (highlighted)

Go to SupAnn tab and click on « Add SupAnn settings » button

The screenshot shows the 'Add SupAnn settings' dialog box with the 'Identity' tab selected. The form contains the following fields:

Field	Type
Civilite	dropdown
Alias login	text input
eduPersonPrincipalName	text input
Nickname	text input
Ref ids	list box

At the bottom of the dialog, there are 'Add' and 'Delete' buttons.

Fill-in the following fields :

- **Civilite** : supannCivilite - Civility of this person
- **Alias login** : supannAliasLogin : AN alias for the login of this user
- **eduPersonPrincipalName** : eduPersonPrincipalName - A name that looks like <id>@<domain> which is unique for this domain, and has not been assigned to anyone else recently
- **Nickname** : eduPersonNickname - Can contain a nickname for this user

— **Ref ids** : supannRefId - IDs/links for this user on the other systems  
 Contact

The screenshot shows the 'Contact' configuration interface. It consists of several sections for entering contact information:

- Other phone numbers:** A list with an 'Add' and 'Delete' button.
- Private phone numbers:** A list with a dropdown menu showing 'Personal mobile', an 'Add' button, and a 'Delete' button.
- Other email addresses:** A list with an 'Add' and 'Delete' button.
- Personal email addresses:** A list with an 'Add' and 'Delete' button.
- Private email addresses:** A list with a dropdown menu showing 'Personal', an 'Add' button, and a 'Delete' button.
- Private addresses:** A list with a dropdown menu showing 'Personal', an 'Add' button, and a 'Delete' button.
- Red list\***: A checkbox labeled 'Red list\*'.

At the bottom right are 'Ok' and 'Cancel' buttons.

Fill-in the following fields :

- **Other phone numbers** : supannAutreTelephone - Other phone numbers for this user
- **Private phone numbers** : supannTelephonePrive - Private phone numbers for this user
- **Other email addresses** : supannAutreMail - Other e-mail addresses for this users . Each must be unique
- **Personal email addresses** : supannMailPerso - Personal e-mail addresses for this user
- **Private email addresses** : supannMailPrive - Private e-mail addresses for this user
- **Private addresses** : supannAdressePostalePrivee - Private addresses for this user
- **Red list** : supannListeRouge - Should this person be on the red list (required)

Assignment

**Assignment**

Primary assignment: None

Assignments:

- establishment
- Add
- Delete

Entity types:

- None
- Add
- Delete

Fill-in the following fields :

- **Primary assignment** : supannEntiteAffectationPrincipale - Main assignment of the person
  - **Assignments** : supannEntiteAffectation - Represents assignments of the person in an institution, a component, service, etc.
  - **Entity types** : supannTypeEntiteAffectation - Types of the entities this person is assigned to
- Student profile

**Student profile**

INE code

Student ID

Fill-in the following fields :

- **INE code** : supannCodeINE - INE code of this student
- **Student ID** : supannEduId - Scolarity id

Affiliation

**Affiliation**

Primary affiliation: None

Affiliations:

- Ancien étudiant gardant des relations avec l'établ...
- Add
- Delete

Establishment:

- establishment ({test})
- Add
- Delete

Parrain:

- Add
- Delete

Fill-in the following fields :

- **Primary affiliation** : eduPersonPrimaryAffiliation - Main status of the person
- **Affiliations** : eduPersonAffiliation - Status of the person : student, BIATOSS, teacher, contract, retired, hosted staff, (CNRS, INSERM, etc.), a former student, etc.
- **Establishment** supannEtablissement - Institution or unit of administrative attachment of the person
- **Parrain** : supannParrainDN - Person or structure responsible for this user

## Student registrations

Student registrations									
Establishment	Year	Registration type	Sector	Diploma type	Curriculum	Entity	Diploma	Step	Element
Establishment	<input type="button" value="▼"/>	Year	2020 <input type="button" value="▼"/>	Disciplinary Sector	SANS OBJET <input type="button" value="▼"/>	Curriculum year	Licence <input type="button" value="▼"/> None <input type="button" value="▼"/>	Diploma	<input type="button" value="▼"/> None <input type="button" value="▼"/>
Registration type	NON RENSEIGNE <input type="button" value="▼"/>			Diploma type	1ERE ANNEE COMMUNE AUX ETUDES DE SANTE <input type="button" value="▼"/>			Curriculum	<input type="button" value="▼"/> None <input type="button" value="▼"/>
Diploma type	1ERE ANNEE COMMUNE AUX ETUDES DE SANTE <input type="button" value="▼"/>			Entity assignment	None <input type="button" value="▼"/>	Diploma	<input type="button" value="▼"/> None <input type="button" value="▼"/>	Step	<input type="button" value="▼"/> None <input type="button" value="▼"/>
Entity assignment	None <input type="button" value="▼"/>	Step	<input type="button" value="▼"/> None <input type="button" value="▼"/>	Curriculum	educational element	<input type="button" value="▼"/> None <input type="button" value="▼"/>	Element		
Add									

Fill-in the following fields :

- **Establishment** : supannEtablissement - Establishment in which this registration was done (required)
- **Registration type** : supannEtuRegimeInscription - The type of this registration (required)
- **Diploma type** : supannEtuTypeDiplome - TYpe of diploma (required)
- **Entity assignment** : supannEntiteAffectation - To which entities does this user belong to
- **Step** : supannEtuEtape - Step can be considered a split (semester, year, etc.) in time of education leading to a diploma
- **Year** : supannEtuAnneeInscription - The year this registration will begin (reqired)
- **Disciplinary Sector** : supannEtuSecteurDisciplinaire - Disciplinary sector education diploma (required)
- **Curriculum year** : supanEtuCursusAnnee - TYpe of curriculum (L, M, D or X etc.)and the year in the diploma (required)
- **Diploma** : supannEtuDiplome - Diploma prepared by the student
- **educational element** : supannEtuElementPedagogique - Generic description of the content of education with a high level of granularity

## Personal profile

Personal profile										
Personal ID	<input type="text"/>									
Personal corps	<input type="button" value="▼"/>	None <input type="button" value="▼"/>								
Activity	<input type="text"/>									
	<input type="button" value="▼"/>	None <input type="button" value="▼"/>	Add	Delete						

Fill-in the following fields :

- **Personal ID** : supannEmpId - Employee identifier
- **Personal corps** : supannEmpCorps - If you select NCORPS, then you will have a drop-down menu showing all the employee functions available
- **Activity** : supannActivité - category of profession

## Roles

Roles									
Generic role	SUPANN <input type="button" value="▼"/>	A CHEF AU CHEF DE SECTION <input type="button" value="▼"/>	Entity type <input type="button" value="▼"/>	Entity	None <input type="button" value="▼"/>	Add			

- **Generic role** : select SUPANN and you will see a drop-down menu including all the different roles :



## SupAnn custom lists

- How use custom lists

For some attributes like diplome you can extend them with a custom file in /etc/fusiondirectory/supann/

This process works for the following attributes :

- supannTypeEntiteAffectation (entite) only from FD 1.3
- supannEtuDiplome\_diplome (diplome)
- supannEtuEtape (etuetape is default empty)
- supannEtuElementPedagogique (etuelementpedagogique is default empty)
- supannActivite (activite)
- supannRoleGenerique (role)

You need to do the following to make it work.


- Add a file like diplome\_CUSTOM in /etc/fusiondirectory/supann/
- Fill your file with your customs entries

In FusionDirectory you will need to select your « CUSTOM » part before selecting your entry that are in your file


## SupAnn Status

The plugin also adds a tab on users to see/set the current state of their resources. Default available resources are the mail account and the account itself.

Click on Users icon on FusionDirectory main page



Click on Actions → Create → User



Go to SupAnn tab and click on « Add SupAnn settings » button

## Add SupAnn settings

Now go to SupAnn status tab and click on « »Add SupAnn status settings » button

This account has SupAnn status settings disabled. You can enable them by clicking below.

[Add SupAnn status settings](#)

You will now see the Status Settings menu to fill

Status					
	Resource	Status	Substatus	Begin	End
*					
Resource*	Account				
Status*	Active				
Substatus	None				
Start date	mm / dd / yyyy				
End date	mm / dd / yyyy				
	Add				

Fill-in the following fields :

- \* : State of the account and associated resources (required)
- **Resource** : which resource this state concerns (required)
- **Status** : active status (required)
- **Substatus** : substatus
- **Start date** : date this status started
- **End date** : date this status will end

You can also set the start date and end date of the current status for a resource.

If you set an end date, you either have to change the status yourself or use our tool **argonaut-user-reminder** with the option **-supann-update**.


**argonaut-user-reminder** should run daily to keep the status consistent.

Click on « OK »button bottom right to save your settings


Ok

## SupAnn Multiservice card

Click on Users icon on FusionDirectory main page



Click on Actions -> Create -> User



Go to SupAnn tab and click on « Add SupAnn settings » button

The screenshot shows a modal dialog titled 'Add SupAnn settings'. Inside the dialog, there is a message: 'This account has Multiservice card settings disabled. You can enable them by clicking below.' Below the message is a button labeled 'Add Multiservice card settings'.

### Cards

Cards						
	Type	Format	Id	Valid	Source	End date
Mifare XLSB						
Type*	<input type="text" value="étudiant"/>					
Format*	<input type="text" value="Mifare XLSB"/>					
Id*	<input type="text"/>					
Valid*	<input checked="" type="checkbox"/>					
Source	<input type="text"/>					
End date	<input type="text" value="mm / dd / yyyy"/>					
	<input type="button" value="Add"/>					

Fill-in the following fields :

- **Mifare XLSB** : SupAnn CMS Affectation
- **Type** : supannCMSType - Card type (required)
- **Format** : card format (required)
- **Id** : card id (required)
- **Valid** : card validity (required)
- **Source** : card managing system and establishment
- **End date** : end of validity date, if any

### Applications

Applications						
	Type	Source	Domain	Id	Valid	End date
Applications						
Type*	<input type="text"/>					
Source*	<input type="text"/>					
Domain*	<input type="text"/>					
Id*	<input type="text"/>					
Valid*	<input type="checkbox"/>	<input type="text"/>	mm / dd / yyyy			
End date						
	<input type="button" value="Add"/>					

Fill-in the following fields :

- **Applications** : supann CMS Application Affectation
- **Type** : supannCMSType - Card type (required)
- **Source** : Card managing system and establishment (required)
- **Domain** : application domain (required)
- **Id** : application id (required)
- **Valid** : application validity (required)
- **End date** : end of validity date, if any

When you are finished, click on « OK » button bottom right

Ok

### 1.9.32 Systems

FusionDirectory Plugins Systems

#### Description

The Systems plugin is used to manage all kinds of systems, servers, workstation, terminal, phones, gsm ...

#### Installation

##### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-systems
apt-get install fusiondirectory-plugin-systems-schema
```

## RHEL

```
yum install fusiondirectory-plugin-systems  
yum install fusiondirectory-plugin-systems-schema
```

## Install schemas

### Debian


```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/service-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/systems-fd.schema  
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/systems-fd-conf.  
↳ schema
```

## RHEL


```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/service-fd.  
↳ schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/systems-fd.  
↳ schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/systems-fd-conf.  
↳ schema
```

## Configuration


Click on Configuration icon in FusionDirectory main page



Go to Systems tab



Click Edit button bottom right in order to set your Systems data



Here are the systems configuration entries

Configuration	Triggers	Plugins	POSIX	Mail	Samba	SupAnn	SINAPS	Recovery	Reminder	Invitations	Systems	FAI	References	LDA
LDAP tree for systems								Miscellaneous						
Systems RDN*	ou=systems							ISO8859-1	ISO8859-1 (Latin 1)					
Server RDN*	ou=servers,ou=systems							ISO8859-2	ISO8859-2 (Latin 2)					
Workstations RDN*	ou=workstations,ou=systems							ISO8859-3	ISO8859-3 (Latin 3)					
Terminal RDN*	ou=terminals,ou=systems							ISO8859-4	ISO8859-4 (Latin 4)					
Printer RDN*	ou=printers,ou=systems							ISO8859-5	ISO8859-5 (Latin 5)					
Component RDN*	ou=netdevices,ou=systems							UTF-8	UTF-8					
Phone RDN*	ou=phones,ou=systems							cp850	CP850 (Europe)					
Mobile phone RDN*	ou=mobile,ou=systems													
								Encoding Label						
								Component						
								Printer						
								Server						
								Terminal						
								Workstation						


Fill-in the following fields :

- **Systems RDN** : branch in which systems will be stored (required)
- **Server RDN** : branch in which servers will be stored (required)
- **Workstations RDN** : branch in which workstations will be stored (required)
- **Terminal RDN** : branch in which terminals will be stored (required)
- **Printer RDN** : branch in which printers will be stored (required)
- **Component RDN** : branch in which network devices will be stored (required)
- **Phone RDN** : branch in which phones will be stored (required)
- **Mobile phone RDN** : branch in which mobile phones will be stored (required)
- **Encodings** : available encodings for share services
- **Mandatory IP** : objects types for which IP field should be mandatory

## Functionalities

### Create a system

Click on Systems icon on FusionDirectory main menu



You are now on Systems main page and we will create a server as an example

The screenshot shows the 'Systems' list in the main window. A single entry named 'demo-dev' is listed with IP 195.154.20.159. The 'Actions' column contains icons for edit, delete, and other operations. Below the table are summary statistics: 1 server, 0 workstations, 0 terminals, 0 printers, 0 network devices, 0 phones, 0 mobile phones, and 0 templates. To the right is a 'Filter' panel with sections for 'Types' and 'Tabs'. Under 'Types', 'Server' is selected. Under 'Tabs', 'DNS' is selected.

Click on Actions → Create → Server

A dropdown menu titled 'Actions' is shown. The 'Server' option is highlighted with a blue background. Other options include 'Create', 'Export list', and 'Edit'.

You can now configure your server

The 'Interfaces' tab is selected. The 'Properties' section contains fields for 'Base' (set to '/'), 'Name\*' (set to 'demo-dev'), 'Description' (empty), 'Location' (empty), and 'Lock this server' (unchecked). Other tabs visible include 'Server', 'NIS Netgroup', 'DHCP', 'DNS', 'FAI', 'Debconf', 'FAI Logs', 'FusionInventory', and 'Inventory'.

Fill-in the following fields :


- **Base** : object base
- **Name** : the name of the server (required)
- **Description** : a short description of the server
- **Location** : the location of the server
- **Lock this server** : this will prevent the server from being reinstalled

Click on Apply button to save your data


**Apply**

## Interfaces

We have added a new useful feature in FusionDirectory which allows you to add one or more interfaces to your machine  
Go to Interfaces tab



Click on Actions → Create → Network Interface



You will arrive on Interface Configuration page



General information	
Name*	<input type="text"/>
Mac address	<input type="text"/>
IP address	<input type="text"/> Add Delete

Fill-in the following fields :

- **Name** : interface name (required)
- **Mac address** : MAC address of the system
- **IP address** : IP addresses this system uses (v4 or v6)

### 1.9.33 User-reminder

FusionDirectory Plugins user-reminder

#### Description

The user-reminder plugin is a plugin that reminds the users that their account will expire.

## Installation

### Install packages

#### Debian

```
apt-get install fusiondirectory-plugin-user-reminder  
apt-get install fusiondirectory-plugin-user-reminder-schema
```

#### RHEL

```
yum install fusiondirectory-plugin-user-reminder  
yum install fusiondirectory-plugin-user-reminder-schema
```

### Install schemas

#### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/user-reminder-fd-  
→conf.schema
```


#### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/user-reminder-  
→fd-conf.schema
```


## Configuration

— How to configure User-Reminder plugin


Click on Configuration icon in FusionDirectory



Go to User reminder tab



Click on the edit button at the bottom right



Fill-in user-reminder settings :

- Delay before expiration : days before expiration when we send the email
- Delay before sending again : days before sending a second email
- Extension of the validity : number of days for the postpone
- Sender email address : sender e-mail address
- Allow use of alternate addresses : thick this box if needed

User reminder settings	
Delay before expiration*	15 <input style="width: 15px; height: 15px; vertical-align: middle;" type="button" value="^"/> <input style="width: 15px; height: 15px; vertical-align: middle;" type="button" value="v"/>
Delay before sending again*	7 <input style="width: 15px; height: 15px; vertical-align: middle;" type="button" value="^"/> <input style="width: 15px; height: 15px; vertical-align: middle;" type="button" value="v"/>
Extension of the validity*	15 <input style="width: 15px; height: 15px; vertical-align: middle;" type="button" value="^"/> <input style="width: 15px; height: 15px; vertical-align: middle;" type="button" value="v"/>
Sender email address*	to.be@chang.ed
Allow use of alternate addresses*	<input checked="" type="checkbox"/>

Fill-in Ppolicy email settings :

- Forward alerts to the manager : thick to send alert to manager
- Subject : subject of the e-mail
- Body (%s are cn and login) : content of the e-mail

Ppolicy email settings	
Forward alerts to the manager	<input checked="" type="checkbox"/>
Subject	[FusionDirectory] Votre m
Body (%s are cn and login)	Dear %1\$s, your password for account %2\$s is about

Fill-in Alert email settings :

- Forward alerts to the manager : thick to send alert to manager
- Subject : subject of the e-mail
- Body (%s are cn and login) : content of the e-mail

**Alert email settings**

Forward alerts to the manager*	<input type="checkbox"/>
Subject	[FusionDirectory] Votre co
Body (%s are cn, login, and link token)	Dear %1\$s, your account %2\$s is about to expire.


Fill-in Confirmation email settings :

- Forward alerts to the manager : thick to send alert to manager
- Subject : subject of the e-mail
- Body (%s are cn and login) : content of the e-mail

**Confirmation email settings**

Forward confirmation to the manager*	<input type="checkbox"/>
Subject	[FusionDirectory] L'expirat
Body (%s are cn and login)	Cher %1\$s, l'expiration de votre compte %2\$s a

Click on « ok » to save your configuration



/ !Don't forget to add password expiration date in Unix tab. / !

## Functionalities

The user reminder plugin is used in conjunction with the argonaut-user-reminder program

### 1.9.34 Weblink

FusionDirectory Plugins Weblink

### Description

The weblink plugin gives a link to simply access your configuration interface of your device, system, etc.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-weblink  
apt-get install fusiondirectory-plugin-systems-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-weblink  
yum install fusiondirectory-plugin-systems-schema
```

#### Install schemas

##### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/  
fusiondirectory/systems-fd.schema /etc/ldap/schema/  
fusiondirectory/systems-fd-conf.schema
```

##### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/systems-fd.  
→ schema  
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/systems-fd-conf.  
→ schema
```


### Configuration

No configuration needed for this plugin.

## Functionalities


- How to use the weblink plugin

Click on Systems icon in FusionDirectory



- Create a workstation

Click on Action -> Create -> Workstation




Click on the web link tab



Click on Add Web link settings

The dialog box has a title bar "Add Web link settings". Below it, a message says "Choose the protocol for your link". A "Protocol\*" dropdown menu is set to "https". A scrollable list area titled "Arbitrary links" is empty. At the bottom are "Add" and "Delete" buttons.

Click on OK button bottom right to save



## 1.9.35 Webservice

FusionDirectory Plugins Webservice

### Description

The Webservice plugin is used to configure webservice of FusionDirectory.

### Installation

#### Install packages

##### Debian

```
apt-get install fusiondirectory-plugin-webservice  
apt-get install fusiondirectory-plugin-webservice-schema
```

##### RHEL

```
yum install fusiondirectory-plugin-webservice  
yum install fusiondirectory-plugin-webservice-schema
```

#### Install schemas

##### Debian

```
fusiondirectory-insert-schema -i /etc/ldap/schema/fusiondirectory/webservice-fd-conf.  
→schema
```


##### RHEL

```
fusiondirectory-insert-schema -i /etc/openldap/schema/fusiondirectory/webservice-fd-  
→conf.schema
```

### Configuration

— Webservice configuration

Go to Configuration




Open Plugins tab




Click on Edit button bottom right



«Force SSL» option is on by default, you can untick it if you want to call the webservice over HTTP



Click on OK button bottom right to save it



## Functionalities

FusionDirectory WebService plugin exposes a REST webservice that you can use if you want to access LDAP content through FusionDirectory system. This way, you ensure that your ldap objects are kept consistent, your are able to use the system templates and have restrictions applied by acls.

On top of that you have a nicer API than the low-level LDAP one.

The REST API is documented [here](#).

---

**Note :** Note that you can allow HTTP in plugin configuration, but please avoid doing this except for testing purposes.

---

## Plugins

### Systems

Systems have a special networkInterfaces attribute in the interfacesManagement tab allowing to access the interfaces of a system.

Examples :

Get interfaces :

```
GET /objects/server/cn=server1,ou=servers,ou=systems,dc=example,dc=com/
↳interfacesManagement/networkInterfaces
Response:
[
{
  "cn": ["eth0"],
  "macAddress": ["00:11:22:33:44:88"],
  "ipHostNumber": ["192.168.2.2"],
  "dn": "cn=eth0,cn=server1,ou=servers,ou=systems,dc=example,dc=com"
},
{
  "cn": ["eth1"],
  "macAddress": ["00:11:22:33:44:99"],
  "ipHostNumber": ["192.168.2.22"],
  "dn": "cn=eth1,cn=server1,ou=servers,ou=systems,dc=example,dc=com"
}
]
```

Add an interface :

```
PATCH /objects/server/cn=server1,ou=servers,ou=systems,dc=example,dc=com/
↳interfacesManagement/networkInterfaces/values [{"cn": ["eth2"], "ipHostNumber": ["192.
↳168.2.3"]}]
```

## 1.10 Templates

FusionDirectory Templates


### 1.10.1 Functionalities

FusionDirectory templates allow you to automatically fill some fields at object creation, or automatically fill them on existing objects to make them consistent by applying a template.


- Define precisely how the attributes will be constructed, uppercase, lowercase, first letter of an attribute+4 letters of another attribute ...
  - Fill other attributes based on value stored elsewhere
  - Generate random password
  - Calculate date / time for account expiration
- and so much more ...

### 1.10.2 Create a user template

Click on tab or icon Users, in the Users and groups section in FusionDirectory



Click Actions → Create → Template



The screenshot shows a user interface for managing users. On the left, there's a sidebar with a 'Actions' dropdown menu. Under 'Create', there are three options: 'User', 'From template', and 'Template'. The 'Template' option is highlighted with a blue background. On the right, there are two buttons: 'Show' and 'Show' (repeated).

Depending on which other plugins you have installed, you can configure your template like you need. Below, you can find some exemple.

You can find the documentation on how to create a macro here [Macros](#).

#### User

The user tab is the base of your template, click on User tab



Generic User tab : this is the base tab to create a user template.

Template name\*

**Personal information**

Last name\*

First name\*

Description

Picture  No file selected.

**Account information**

Base

Login\*

Preferred language

Password method\*


Password

In this example we set the following macros to create a user :

- Login : **%alps[1]|givenName% %alpsn%** meaning that login will be first letter of first name in low character followed by last name in low characters
- Password : **%r[12]|%** meaning that password will contain 12 random characters

## Unix

When you are creating or editing your template, click on Unix tab Then click on Add Unix settings. A new dialog is opened



Then click on Add Unix settings. A new dialog is opened

Add Unix settings

Fill-in Unix settings

Home directory*	/home/%uid%
Shell*	/bin/ash
Primary group	- automatic -
Status	<input type="checkbox"/>
Force user/group id	<input type="checkbox"/>
User id	
Group id	

— Home directory : the path to the home directory of this user (required).  
You can use macro to automatically build the name of home directory users

For example : **/home/%uid%**

## Mail

When you are creating or editing your template, click on Mail tab



Then click on Add Mail settings. A new dialog is opened

## Add Mail settings

Fill-in Mail account settings


Mail account	
Primary address*	%uid%@acme.com
Server	<input type="button" value="▼"/>
Quota size	
Quota usage	Unlimited

— Primary address : primary mail address (required)  
You can use the macros to automatically build the name of mail user account.

In this example we set macro **%uid%@acme.com** meaning that the mail account will be `userid@acme.com`

Click on Ok button bottom right

Now on the main page, on you template line, you will see the mail icon




### 1.10.3 Use a user template

- How to apply a template


Here is an example of how templates works.

We will take the most common example of creating a user from a template.


Click on tab or icon Users, in the Users and groups section in FusionDirectory




Click on Actions → Create → From template



A new page called Creating a new object using templates will appear. Choose the template the you wish to use from the drop-down menu



Click on Continue button bottom right



Fill-in the required information

A screenshot of a form titled 'Creating a new object using templates'. It has a table with three rows: 'Last name\*' with value 'Pallin', 'First name\*' with value 'Poppy', and 'Base' with value '/'. The table has a header row with the word 'user'.

- Last name : last name of this user (required)
- First name : first name of this user (required)
- Base : object base

Click on Continue button bottom right

Continue

You will now automatically see the User tab filled as per the macros you have put in your template.

See how to use macros : (url à mettre)

In this example, the user personal info look like this :

The screenshot shows the 'User' management interface with several tabs at the top: User, Unix, Personal, Mail, Samba, Groups and roles, SSH, Nagios, Quota, Proxy, Ftp, Freeradius, and NIS. The 'Personal' tab is active. Below the tabs, there are two main sections: 'Personal information' and 'Account information'. In the 'Personal information' section, there is a placeholder profile picture, a last name field containing 'Pallin', a first name field containing 'Poppy', and a description field. In the 'Account information' section, there are fields for Base (containing '/'), Login (containing 'ppallin'), Preferred language (a dropdown menu), Password method (containing 'ssha'), Password (containing masked dots), and Password again (containing masked dots).


And the Unix info look like this :

And the Mail info look like this :

Click on Ok button bottom right



Now on the main page you can see the new user, with the Unix and Mail icons



## 1.10.4 Macros

You can use macros to automate the creation of attributes based on rules inside the templates. They can also be used in trigger definitions.

### How to use a macro

A macro is enclosed in % and contains an LDAP attribute name. It may optionnaly states modifiers to apply to the attribute, followed by a | between modifiers and the attribute name. Some modifiers accepts parameters enclosed in [] and separated by commas. Modifiers are applied from left to right.

%sn%	The value of "Last name" field, entered during account creation.
------	--

There are some special variables which may also be used instead of an LDAP attribute name, most of them are specific to triggers (see *Special variables*), but the following ones are also available to templates :

- %callerDN% gives the DN of the author of the modification
- %callerCN% gives the CN of the author of the modification
- %callerUID% gives the UID of the author of the modification
- %callerSN% gives the SN of the author of the modification
- %callerGIVENNAME% gives the GIVENNAME of the author of the modification

Some modifiers do not even require an LDAP attribute name as they generate a value on their own, such as **r** or **d**.

### Modifiers

#### a

The **a** modifier can be used to return the unaccented version of the parameter.

Examples :

%a sn%	"Last name" field returned in unaccented. If "sn=Valérie" then the returned value is "Valerie"
--------	---

#### b

The **b** modifier can be used to convert to base64.

#### c

The **c** modifier can be used to put a comment. An example :

%c this is just a comment%	returns an empty string.
----------------------------	--------------------------

It can also be used to make a template uid unique when 2 templates have the same uid pattern :

%a1 sn% %c template1% %a1 sn% %c template2%
--

#### d

The **d** modifier can be used to generate dates and times.

- First parameter is date string (defaults to "now")
- Second one is date format (defaults to "d.m.Y", to be used in date fields).

Examples :

%d   %	15.03.2017
%d[tomorrow]   %	16.03.2017
%d[today+6days]   %	21.03.2017
%d[now,1 js \o{f F Y h:i:s A}]   %	Wednesday 15th of March 2017 02:12:18 PM

as POSIX date fields expects a specific format you need to add “epoch” as second parameter to the d modifier.

%d[today+30days,epoch]   %	15.04.2017
----------------------------	------------

## e

The modifier **e** can be used to generate incremental numbers. As the **r**, **d** and **n** modifiers it should be used alone, with no attribute name.

This modifier will add an incremental number to the value. The number will be incremented relative to the last generated value. It does not check or ensure unicity by itself. It does not ensure that values will be contiguous, as an incremented value may happen in a template usage that fails in the end.

- First parameter is an id to reference this incremental number. Several masks sharing this id will share the value pool.
- Second parameter is starting number, defaults to 1.
- Third parameter is step, defaults to 1.

Examples :

%e[employeeNumber]   %	Number starting at 1
%e[twoDigitsNumber,10]   %	Number starting at 10
%e[evenNumber,0,2]   %	Number starting at 0 and going 2 by 2

## i

The **i** modifier can be used to have the first letter of a word in capital letters and the rest in lower case letters.

Examples :

%i sn% <b>if</b> our sn is "MY LAST NAME" we will have "My Last Name" in description.
---

We do not allow element to be transformed by itself.

Example : we cannot do %ilsn% in %sn% because it would make a loop.

If we try it we will have this kind of error

Recursive dependency in the template fields: "givenName" cannot depend on "givenName" ↵ as "givenName" already depends on "givenName".
--

## l

The **l** modifier can be used to return the lowercase version of the parameter.

%l sn%	"Last name" field returned in lowercase. If "sn=Valérie" <b>then</b> the returned value is "valérie"
--------	---

## n

The modifier **n** can be used to generate numbers. As the **r** and **d** modifiers it should be used alone, with no attribute name.

This modifier will make sure the result value is unique for the filled field in the LDAP. The number will get as high as needed to ensure that.

- First parameter is whether the number should always be there or only in case of duplicates (1 or 0, defaults to 0).

- Second parameter is starting number, defaults to 1.
- Third parameter is step, defaults to 1.

Examples :

%n   %	If not unique, adds a number starting at 1
%n[1]   %	A number starting at 1
%n[0, 2]   %	If not unique, adds a number starting at 2
%n[1,10]   %	A number starting at 10
%n[1,20,10]   %	A number starting at 20 and going up ten by ten

## p

The **p** modifier can be used to remove whitespaces. It can also be used for any search and replace based on preg\_replace.

For this provide 2 arguments

- first one is regexp
- second one is replacement string.

Default values are /s/ and empty string, to remove all whitespaces as in previous behavior.

Examples :

%p sn%	"Last name" field, without whitespaces. "O Connor" becomes "OConnor".
%p[/\s/, -] sn%	"Last name" field, with whitespaces replaced by dashes. "O Connor" ↴ becomes "O-Connor".

## r

The **r** modifier can be used to generate random strings, for instance for passwords.

It can take up to three arguments

- min length
- max length
- character type.

Third argument should be either

- **l** for letters
- **d** for digits
- **b** for both.

Default is both.

The default length is 8 and if there is only one argument it will be used as a fixed length.

Examples :

%r[6,10]   %	a random string with a random length between 6 and 10 chars ↴ ↳ containing both letters and digits
%r  %	a random string of length 8
%r[12]   %	a random string of length 12
%r[5,10,d]   %	a random string of a random length between 5 and 10 containing only ↴ ↳ digits

## s

The **s** modifier can be used to generate substrings.

Examples :

%s[1,3]   sn%	a substring of "Last name" field, taking 3 characters and ↴ ↳ starting at position 1.
%s[0,1]   sn%	the first character of "Last name" field.

(suite sur la page suivante)

(suite de la page précédente)

```
%s[1]|sn%           the first character of "Last name" field (short syntax).
%s[5]|sn%           a substring of "Last name" field, taking 5 first characters.
%s[2,4-8]|sn%       a substring of "Last name" field, taking minimum 4 characters_
↪(more if needed for unicity)
                           and starting at position 2.
%s[4-8]|sn%       a substring of "Last name" field, taking minimum 4 characters_
↪(more if needed for unicity).
%s[-5,2]|sn%       a substring of "Last name" field, taking 2 characters and_
↪starting 5 characters from the end.
%s[-5,5]|sn%       a substring of "Last name" field, taking the last 5 characters.
```

## t

The **t** modifier can be used to return the transliterated version of the parameter. The parameters are the list of locales to use for transliteration (first one will be used by non-interactive uses of the template).

Examples :

```
%t[de_DE]|sn%           "Last name" field returned transliterated.
                           If "sn=Süßkartoffel" then the returned value is
↪"Suesskartoffel"
```

Note that the locale used must be installed on the server (and web server needs to be restarted after locale installation).

## Array modifiers

Array modifiers are used for multivaluated LDAP attributes and are represented as uppercase letters. If no array modifier is used on a multivaluated attribute, the « first » value is used.

## C

The **C** modifier (added in version 1.0.10) returns the count of values in the attribute. It can be 0.

%C arrayAttribute%	returns the number of values in arrayAttribute
--------------------	--

## F

The **F** modifier returns the first value of the array

## J

The **J** modifier returns the values joined together. It takes the separator as parameter.

%J[:] arrayAttribute%	returns the values joined and separated by : character
-----------------------	--

## L

The **L** modifier returns the last value of the array

## M

The **M** modifier returns values that matches the regular expression passed as parameter. As it returns an array, an other modifier is usually used after such as J or C.

%M[/a\$/]C arrayAttribute%	returns the number of values ending with the_ ↪letter a
----------------------------	---

## Combining examples

```
%al|sn%           "Last name" field returned in lowercase unaccented.  
                  If "sn=Valéries" then the returned value is "valerie"
```

```
%au|sn%           "Last name" field returned in uppercase unaccented.  
                  If "sn=Valéries" then the returned value is "VALERIE"
```

```
%alp|sn%          "Last name" field returned in lowercase unaccented without ↵  
                  whitespaces.  
                  If "sn=Valéries DUPONT" then the returned value is "valeriedupont"
```

```
%us[0,4]|sn%      a substring of "Last name" field, taking 4 characters, starting at ↵  
                  position 0 and converting in uppercase.  
                  If "sn=Valéries" then the returned value is "VALÉ".
```

```
%ls[1,4]|sn%      a substring of "Last name" field, taking 4 characters, starting at ↵  
                  position 1 and converting in lowercase.  
                  If "sn=Valéries" then the returned value is "alér".
```

```
%las[4]|sn%       a substring of "Last name" field, taking the first 4 characters and ↵  
                  converting in unaccented lowercase.  
                  If "sn=Valéries" then the returned value is "vale".
```

```
%r[8,8,1]u%       a random string of length 8, containing uppercase letters.
```

## 1.11 Triggers

FusionDirectory Triggers

### 1.11.1 Functionalities

All plugins can run external scripts when an action is triggered for creating, modifying or deleting. You can use pre and post events depending when you want to run the script.

#### Pre triggers

- **precreate** : Execute the script before creation.
- **premodify** : Execute the script before editing.
- **preremove** : Execute the script before removing.

The trigger works well and does not display information if it returns 0 On error, prevents save and displays error.

## Post triggers

- **postcreate** : Execute the script after creation.
- **postmodify** : Execute the script after editing.
- **postremove** : Execute the script after removing.

The trigger works well and does not display information if it returns 0 On error, displays command output.

## Check triggers

- Execute the script in the check step (before saving), if it outputs anything, prevent save and show output as an error.

The trigger is considered to have passed if it returns 0 and does not display any message. (If it outputs anything it appears as a check failure, if it returns anything other than 0 it is considered a script error, for instance if the script was not able to do the check for some reason).

## LDAP attributes

You can use ldap attributes as command line options. See [Macros](#).

## LDAP arrays

If you put a var that is an array in the args of the trigger, gosaAlternateMailAddress for instance, only the first value will be returned unless you use [Array modifiers](#).

## Special variables

- **%callerDN%** gives the DN of the author of the modification
- **%callerCN%** gives the CN of the author of the modification
- **%callerUID%** gives the UID of the author of the modification
- **%callerSN%** gives the SN of the author of the modification
- **%callerGIVENNAME%** gives the GIVENNAME of the author of the modification
- **%dn%** gives the dn of the modified object
- **%location%** gives the name of the location of the LDAP
- **%modifiedLdapAttrs%** lists the attributes modified by the modification (this is an array, see [Array modifiers](#))

On users you get these extra variables available :


- **%userPassword%** to get password hash
- **%passwordMethod%** to get password method (usually ssha)
- **%passwordClear%** to get clear password
- **%userLocked%** to get user lock status (0 or 1)

### Complete saving cycle

When an object is saved, all check triggers are run first, then if no errors were returned, the plugin is moved if the dn changed, and then each tab is saved separately, running its precreate/premodify triggers, saving itself to the LDAP, and then running its postcreate/postmodify. This means that when your trigger is called, the tabs after the one that triggered it are not saved yet. Any trigger error (code returned other than 0) will interrupt the saving cycle.

There is no specific order between triggers on the same event of the same tab. If you need several triggers to run in a specific order on a same tab, call them from a script that you set as trigger, allowing you to control the order.


Also note that the save will only happen if something changed in the tab. If no data was modified, no saving is needed, and thus the triggers won't get called.




## 1.11.2 Configuration

- How you can use a trigger

You can access to triggers management via the “Configuration” icon or entry in the “Addons” section of the main page of FusionDirectory



Access is read-only. If you need to make changes, then you must press the “Edit” button at the bottom right of the window.



In Triggers section you can define all your triggers

Tab	Mode	Deactivated	Command
user	postcreate	<input type="checkbox"/>	sudo /usr/local/sbin/fd-userCheckHookSendMail.sh %dn% %fdPrivateMail% %givenName% %sn% %uid% %callerGIVENNAME% %callerSN% %passwordClear% %nbCheckErrors%

Triggers

Tab\*: DnsRecordPlugin

Mode\*: postcreate

Deactivated\*:

Command\*:  Add

- **Display trigger output** : when enabled successful trigger execution output is displayed to the user using a dialog
- **Triggers** : triggers that are called when specific actions happens
- **Tab** : the tab that this trigger concerns (required)
- **Mode** : when to call this command (required)
- **Deactivated** : use this to temporarily deactivate a trigger (required)
- **Command** : the command that will be called (required)

The line :

```
sudo /usr/local/sbin/fd-userCheckHookSendMail.sh %dn% %fdPrivateMail% %givenName% %sn%
→ %uid% %callerGIVENNAME% %callerSN% %passwordClear% %nbCheckErrors%
```

---

**Note :** The arguments are automatically escaped and surrounded by quote so you may not use quote in command.

---

This will generate an automated e-mail like this :

Hello bilbo the hobbit,

Your account hbilbo has been created with password "vegOtNubraw7"

(suite sur la page suivante)

(suite de la page précédente)

Please follow the next steps:

- Go to <https://acme.fusiondirectory.org/>
- Modify your password.
- Fill your infos if you want
- You can access the gitlab at <https://gitlab.fusiondirectory.org>

Enjoy,

FusionDirectory's Team

### 1.11.3 Most frequent mistakes

Nothing happens, the script seems not to be called

- Check the sudoers entry for the webserver user (www-data, wwwrun, ..) and don't forget to use "NOPASSWD"
- Try to run the script as webserver user, use the complete command used in fusiondirectory configuration(/usr/bin/sudo ...).
- Ensure that you have placed the post event correctly in the fusiondirectory configuration.

Example

```
%www-data ALL=(ALL:ALL) NOPASSWD:/usr/local/bin/loop.sh
```

## 1.12 Faq

FusionDirectory Frequent asked Questions

### 1.12.1 Acls Issues

- How can I let a person do administrative tasks under a specific department ?

FusionDirectory implements a flexible but complex ACL management, please have a look at the following wiki page :  
FusionDirectory Acls

- How can I permit users to change some of their own attributes ?

FusionDirectory implements a flexible but complex ACL management system, please have a look at the following wiki page : FusionDirectory Acls

Additionally you have to check the option "Apply this acl only for users own entries".

- How can I disable ACLs in case of misconfiguration ?

The **ignoreAcl** value tells FusionDirectory to ignore complete ACL sets for the given DN. Add your DN and you'll be able to restore accidentally dropped ACLs.

You need to add **ignoreAcl** in the main section of your **fusiondirectory.conf** like in this exemple :

```
<main default="default">
  <!-- ... -->
  ignoreAcl="put_the_desired_dn"
  <!-- ... -->
</main>
```

### 1.12.2 Migrations issues

— After installing FusionDirectory using an existing LDAP tree, my user accounts are not listed.

You need to add the following objectClasses to your accounts :

```
objectClass: person  
objectClass: organizationalPerson
```

if you follow the fusiondirectory web setup those accounts will be migrated automatically

### 1.12.3 Administrators issues

— I can't logon as Administrator, what is wrong ?

It looks like you are missing an fusiondirectory administrative account.

```
fusiondirectory-setup --check-ldap
```

## 1.13 Bug report

1. *Welcome*
  2. *Code of Conduct*
  3. *I just have a question!*
  4. *How Can report a bug / feature missing ?*
    - *Finding Wonderful Bugs*
    - *Any Feedback To Enhance Our Apps*
- 

### 1.13.1 Welcome

«Here's a list of our guidelines, If you want to share a best practice, or think one of these guidelines should be removed, feel free to share it with us.»

First off, thanks for taking the time to report bug and missing features !

Now, sit comfortably at the fireplace, grab your glasses and immerse yourself in our documentation.

### 1.13.2 Code Of Conduct

All projects and everyone participating in it is governed by FusionDirectory *Code of Conduct*

By participating, you are expected to uphold this code. Please read this before.

### 1.13.3 I just have a question !

---

**Note :** Please don't file an issue to ask a question. You'll get faster results by using the resource below.

---

We have an various channel of communications

- #fusiondirectory, the irc channel of FusionDirectory on freenode, channel #fusiondirectory
- FusionDirectory Users mailing list
- FusionDirectory dev mailing list

### 1.13.4 Reporting bug or missing features

#### Register for a FusionDirectory project account

To create a FusionDirectory project Account you must go to

- [FusionDirectory Sign UP](#)

#### Put FusionDirectory in debug mode

- Go into FusionDirectory configuration
- Activate the displaying of PHP errors, and the TRACE debug level

#### Finding Wonderful Bugs

---

**Note :** This section guides you through submitting a bug report. Following these guidelines helps maintainers and the community understand your report, reproduce the behavior, and find related reports.

---

When you are creating a bug report, please include as many details as possible. Fill out the **Bugs** template to create issues, the information it asks for helps us resolve issues faster.

Explain the problem and include additional details to help maintainers reproduce the problem :

- **Use a clear and descriptive title** for the issue to identify the problem.
- **Describe the exact steps which reproduce the problem** in as many details as possible. For example, start by explaining which browser and its version. When listing steps, don't just say what you did, but explain how you did it. For example, if you moved the cursor to the end of an input, explain if you used the mouse, or a keyboard.
- **Describe the behavior** you observed after following the steps and point out what exactly is the problem with that behavior.
- **Explain which behavior** you expected to see instead and why.
- **Include screenshots and animated GIFs** which show you following the described steps and clearly demonstrate the problem. You can use [this tool](#) to record GIFs on macOS and Windows, and [this tool](#) on Linux.
- **Include the PHP errors and trace** collected at the debug step above
- **If the problem is linked to a specific LDAP entry** attach its LDAP dump.

Fill in a report on :

- FusionDirectory for the core program
- FusionDirectory Plugins for plugins.

## Any Feedback To Enhance FusionDirectory

---

**Note :** This section guides you through submitting an enhancement suggestion, including completely new features and minor improvements to existing functionality. Following these guidelines helps maintainers and the community understand your suggestion and find related suggestions.

---

When you are creating a enhancement report, please include as many details as possible. Fill out the **Enhancement** template to create thoses issues, the information it asks for helps us resolve issues faster.

- FusionDirectory for the core program
  - FusionDirectory Plugins for plugins.
  - **Use a clear and descriptive title** for the issue to identify the suggestion.
  - **Provide a step-by-step description of the suggested enhancement** in as many details as possible.
  - **Describe the current behavior and explain which behavior you expected to see instead** and why.
  - **Include screenshots and animated GIFs** which help you demonstrate the steps which the suggestion is related to. You can use [this tool](#) to record GIFs on macOS and Windows, and [this tool](#) on Linux.
  - **Explain why this enhancement would be useful** to most FusionDirectory users.
- 

This document is strongly inspired by the following resources : [ovh-ux-guidelines](#), [project-guidelines](#), [Atom Guidelines](#), [Angularjs guidelines](#).

With love

## 1.14 Release Policy

This section explain the release cycle and where contributions, fixes will be merged

### 1.14.1 FusionDirectory Version policy

#### Versioning

FusionDirectory can have 3 digits at maximum in a version : **X.Y.Z**

**Z** version increments (X.Y.Z1 → X.Y.Z2, for example 1.2.1 to 1.2.2) are minor bug fix only releases.

**Y** or **X** version increments are major releases (X.Y1.Z → X.Y2.Z, for exemple 1.1 to 1.2) are major releases.

#### Major Release

- Can contain any type of bugfix, new features and code refactor.
- Can remove attributes or objectclasses from the schema only if they were declared OBSOLETE in the previous major release.
- Can put **OBSOLETE** attributes and classes which are no longer used by the code.
- Two 2 major releases are needed before removing OBSOLETE attributes and objectClass.
- Can provide migration scripts in fusiondirectory-setup if needed for those, and/or migration instructions in the documentation.
- Have to provide migration instruction from previous major release.

## Minor release

Minor release are small releases containing only bugfix to the last major release. It should be numbered with 3 digits.

Minor release **cannot** contain :

- Schema changes
- New features
- Code refactor
- Poorly tested code
- Changes which may break existing plugins or themes for previous release (or scripts based on the webservice)

Minor release contain :

- bugfix : should fix a bug observed in a previous release, something which did not work as intended.

Exceptions can be made :

- New feature can be included if it does not require any schema change and does not interfere with existing features
- Code refactor can be included if it leads to a significant performance gain and is thoroughly tested
- New plugin may be added if it does not require schema change (but it can add new schemas as this is non-intrusive)

Minor release must be released as soon as possible when :

- Security breach is found in the last stable release
- Regression (a bug which was not there in previous releases) is found in the last stable release
- Major bug is found in the last stable release

## 1.14.2 FusionDirectory Life Cycle

A maintained version is a **major** version for which we release **minor** bug fix releases and communicate about security vulnerabilities.

Our general support policy is to maintain major releases until **12 months** after the next major version is released to give some time for upgrading.

## 1.15 License

### 1.15.1 License

FusionDirectory is available under the [GNU General Public License 2.0](#)

FusionDirectory documentation is under the [Creative Commons Attribution-ShareAlike 4.0 International \(CC BY-SA 4.0\)](#)



# CHAPITRE 2

---

## Schema2ldif

---

Contents :

### 2.1 What is schema2ldif ?

Schema2ldif provides a solution to the conversion and management of schema inside an OpenLDAP directory.

OpenLDAP since version 2.4 has a backend named **cn=config** where everything is stored in ldif format including schemas.

Schemas must therefore be converted from schema format to ldif format to be inserted in the directory, you must also be able to update, delete, add schemas during the life of your directory.

To simplify all these operations we have written two utilities that can be used by everyone, including those that would not use FusionDirectory.

- ldap-schema-manager : list, insert, modify, insert diagrams
- schema2ldif : which converts your schemas to ldif

### 2.2 Prerequisites

Schema2ldif is a shell application that will need :

- perl 5;
- ldap command line tools;

## 2.3 Install Schema2ldif

Install Schema2ldif

### 2.3.1 Getting the official GPG keys to active package signature

Our packages for Debian and Centos/RHEL are signed with the official gpg key of the project.

#### Getting the new official gpg key

```
gpg --keyserver keys.gnupg.net --recv-key 0xD744D55EACDA69FF  
gpg --export -a "FusionDirectory Project Signing Key <contact@fusiondirectory.org>" >  
↳FD-archive-key
```

#### Getting the development gpg key

```
gpg --keyserver keys.gnupg.net --recv-key 0xADD3A1B88B29AE4A  
gpg --export -a "FusionDirectory Packagers <fusiondirectory-packages@lists.  
↳fusiondirectory.org>" > FD-archive-dev-key
```

#### Adding the key to apt for Debian/Ubuntu

```
apt-key add FD-archive-key
```

#### Adding the key to RPM for Centos / RHEL / Scientific Linux

```
cp FD-archive-key /etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY  
rpm --import /etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

### 2.3.2 Debian Repository

#### Debian Stretch

To use the lastest published version for **stretch** put this in your /etc/apt/sources.list

```
#fusiondirectory extra repository  
deb http://repos.fusiondirectory.org/fusiondirectory-extra/debian-stretch stretch main
```

## Debian Jessie

To use the lastest published version for **jessie** put this in your /etc/apt/sources.list

```
#fusiondirectory extra repository
deb http://repos.fusiondirectory.org/fusiondirectory-extra/debian-jessie jessie main
```

### 2.3.3 RPM Repository

A repository is available for Centos7

#### CentOS 7 / RHEL 7

To use the lastest published version put this

```
[fusiondirectory-extra]
name=Fusiondirectory Extra Packages for RHEL / CentOS 7
baseurl=http://repos.fusiondirectory.org/fusiondirectory-extra/rhel7/RPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

### 2.3.4 Downloading the source

The source download area is here

<https://repos.fusiondirectory.org/sources/>

### 2.3.5 Install Schema2ldif on Debian

Install schema2ldif

#### Installing Dependencies

All The needed dependancies are resolved by the debian packages

---

**Note :** The repositories are in https for Debian so you will need to install **apt-transport-https**

---

#### Install the Schema2ldif Repos

To easily install the latest version, you can install the fusion directory repos

Chose the repositories that goes with your Debian version

*Debian Stretch*

*Debian Jessie*

Create one new *.list* file fusiondirectory-extra with your favorite text editor in */etc/apt/source.list.d*

## Install Schema2ldif

You can then install schema2ldif by running :

```
apt-get install schema2ldif
```

### 2.3.6 Install Schema2ldif on Centos

Install Schema2ldif

#### Installing Dependencies

#### Install the FusionDirectory Repos

To easily install the latest version, you can install the fusion directory repos

Chose the repositories that goes with your centos version

##### *RPM Repository*

Create one new repo file for fusiondirectory-extra with your favorite text editor in */etc/yum.repos.d/*

## Install Schema2ldif

You can then install schema2ldif by running :

```
yum install -y schema2ldif
```

## 2.4 Ldap-schema-manager

### 2.4.1 Description

This program will list, insert, empty or modify the ldap schemas into the ldap server.

### 2.4.2 Functionalities

#### How it works

List schemas already installed :

```
ldap-schema-manager -l
```

### Insert a new schema :

```
ldap-schema-manager -i /path/to/your/file.schema
```

If a schema of the same name is already present the insertion will fail. If the file doesn't have a .schema extension added to the name, ldap-schema-manager will add .ldif

### Update a schema :

```
ldap-schema-manager -m /path/to/your/file.schema
```

If a schema of the same name is not present the update will fail.

### Empty a schema :

```
ldap-schema-manager -e schema_name
```

**Avertissement :** This will clean the schema but it stay inside your ldap server in de cn=schema,cn=config. It's impossible right now to remove a node from cn=schema,cn=config. ldap-schema-manager provide this solution to be able to remove a schema without stopping the ldap server, but the schema will still be listed by running -l.

---

**Note :** The conversion is done by schema2ldif. The only constraint is that the schema first list attributes then object-class, which is the case in all the standard schema we saw.

---

---

**Note :** If you want to insert again a schema emptied by -e, you should use -m and not -i.

---

## 2.5 Schema2ldif

### 2.5.1 Description

Schema2ldif will read the given input file and convert it to an LDIF file that you can insert into your LDAP directory.

### 2.5.2 Functionalities

```
schema2ldif <options> <FILE> > file.ldif
```

## How it works

### convert a schema :

```
schema2ldif cosine.schema > cosine.ldif
```

the name of the file (without extension) will be used as cn.

### options :

-c

Use CN as cn for the schema (mandatory if no file provided)

-b

Use BRANCH instead of cn=schema,cn=config

---

**Note :** If <FILE> is not provided, it will read from standard input. In this case, the -c option is mandatory.

---

## 2.6 License

Schema2ldif is available under the BSD 3 Clause

FusionDirectory documentation is under the Creative Commons Attribution-ShareAlike 4.0 International (CC BY-SA 4.0)



## CHAPITRE 3

---

Argonaut

---



## 3.1 What is Argonaut ?

Argonaut is the companion of FusionDirectory , its goal is to allow the management of services and integrate the deployment system(s) from FusionDirectory.

### 3.1.1 Features

Argonaut is composed of a client **Argonaut Client** and a server **Argonaut Server**

Both client and server sides can load modules at start, those modules are strongly related to a FusionDirectory plugin.

Modules can be classified into three categories :

- FusionDirectory integration
  - argonaut-user-reminder to manage the account reminder plugin of FusionDirectory
  - argonaut-clean-audit to clean the audit branch of FusionDirectory
- Services management
  - argonaut-ldap2zone : update a dns zone, create view, create acls for Bind
  - argonaut-quota : apply a quota
  - argonaut-dovecot : create the mailbox quota and applies it Dovecot
  - argonaut-fuse : create on the fly pxelinux.cfg file that matches the type of machine to be deployed, allowing automatic boot during an install by pxe
- Integration with deployment tools
  - FAI
    - argonaut-fai-nfsroot : Tools, queues and status management for FAI (Fully Automated Install) installations.
    - argonaut-fai-mirror : create a synchronization script Mirror of debian or RPM packages
    - argonaut-fai-monitor : follow FAI installation and report states to FusionDirectory
    - argonaut-fai-server : Argonaut server module to manage FAI
  - OPSI
    - argonaut-server-module-opsi : queues, profiles management

## 3.2 Install Argonaut

Install Argonaut

### 3.2.1 Getting the official GPG keys to active package signature

Our packages for Debian and Centos/RHEL are signed with the official gpg key of the project.

## Getting the new official gpg key

```
gpg --keyserver keys.gnupg.net --recv-key 0xD744D55EACDA69FF  
gpg --export -a "FusionDirectory Project Signing Key <contact@fusiondirectory.org>" >_  
FD-archive-key
```

## Getting the development gpg key

```
gpg --keyserver keys.gnupg.net --recv-key 0xADD3A1B88B29AE4A  
gpg --export -a "FusionDirectory Packagers <fusiondirectory-packages@lists.  
fusiondirectory.org>" > FD-archive-dev-key
```

## Adding the key to apt for Debian/Ubuntu

```
apt-key add FD-archive-key
```

## Adding the key to RPM for Centos / RHEL / Scientific Linux

```
cp FD-archive-key /etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY  
rpm --import /etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

### 3.2.2 Debian Repository

#### Debian Stretch

To use the lastest published version for **stretch** put this in your /etc/apt/sources.list

```
#fusiondirectory repository  
deb https://repos.fusiondirectory.org/argonaut-current/debian-stretch/ stretch main
```

```
#fusiondirectory extra repository  
deb https://repos.fusiondirectory.org/argonaut-extra/debian-stretch/ stretch main
```

### 3.2.3 RPM Repository

A repository is available for Centos7

This repository contains the stable version of Argonaut. It also contains the extra packages needed to use Argonaut.

To use the lastest published version put this in your yum config :

## CentOS 7 / RHEL 7

To use the lastest published version put this

```
[argonaut]
name=Argonaut Packages for RHEL / CentOS 7
baseurl=http://repos.fusiondirectory.org/argonaut-current/rhel7/RPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

```
[argonaut-extra]
name=Argonaut Extra Packages for RHEL / CentOS 7
baseurl=http://repos.fusiondirectory.org/argonaut-extra/rhel7/RPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

SRPMS are also available in the following repo :

```
[argonaut-src]
name=Argonaut Packages for RHEL / CentOS 7
baseurl=https://repos.fusiondirectory.org/argonaut-current/rhel7/SRPMS/
enabled=1
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-FUSIONDIRECTORY
```

### 3.2.4 Downloading the source

The source download area is here

<https://repos.fusiondirectory.org/sources/>

### 3.2.5 Install Argonaut on Debian

Install FusionDirectory

#### Installing Dependencies

All The needed dependancies are resolved by the debian packages

#### Install the Argonaut Repos

To easily install the latest version, you can install the fusion directory repos

Chose the repositories that goes with your Debian version

##### *Debian Stretch*

Create 2 new *.list* file your favorite text editor in */etc/apt/source.list.d*

- One for argonaut
- One for argonaut-extra

## Install Argonaut

You can then install FusionDirectory by running :

```
apt-get install argonaut-common
```

### 3.2.6 Install Argonaut on Centos

Install FusionDirectory

#### Installing Dependencies

Argonaut requires the [EPEL](#) repository

- To install epel

```
yum install epel-release
```

#### Install the FusionDirectory Repos

To easily install the latest version, you can install the fusion directory repos

Chose the repositories that goes with your centos version

*CentOS 7 / RHEL 7*

Create 2 new repo file your favorite text editor.

- One for argonaut
- One for argonaut-extra

#### Install Argonaut

You can then install Argonaut by running :

```
yum install -y argonaut-common
```

## 3.3 Configure Argonaut

Argonaut use a global configuration file that is used by all programs : **/etc/argonaut.conf**. This file is composed of various sections, all sections are filled with correct basic values.

---

**Note :** To function correctly Argonaut need a correctly configured **/etc/ldap/ldap.conf** or **/etc/openldap/ldap.conf**

---

### 3.3.1 Argonaut configuration files section

#### [server]

This section contains all the argonaut server parameters :

```
server_ip = 172.16.0.1
```

The ip address the server listen to. This address must match with the MAC address of argonaut server provided in FusionDirectory interface.

#### [client]

This section contains all the argonaut server parameters :

```
client_ip = 172.16.0.1
```

The ip address the server listen to. This address must match with the MAC address of argonaut server provided in FusionDirectory interface.

#### [ldap]

This section contains all the ldap parameters :

```
config = /etc/ldap/ldap.conf
```

Where is stored your ldap.conf configuration file.

```
dn = cn=admin,dc=fusiondirectory,dc=org
```

What is your bind dn.

```
password = secret
```

What is the password for the provided bind dn.

```
tls = off
```

whether communication should be encrypted or not

#### [rest]

This section contains all the REST API parameters :

```
endpoint = https://example.com/fusiondirectory/rest.php
```

Where is the fusiondirectory webservice endpoint

```
login = bmortier
```

Which user is authorized to connect to the FusionDirectory webservice, this is not a full dn.

```
password = password
```

This user will need to be given to correct access with FusionDirectory acl to perform the action requested.

## 3.4 Applications

### 3.4.1 Argonaut Components

#### Global components

#### Argonaut Libraries

- argonaut-common : main argonaut library (LDAP, package management)
- argonaut-common-fai : FAI library needed by various FAI components of Argonaut

#### Argonaut Server and Client

- argonaut-server : server that receive orders from FusionDirectory (interact with clients in JSON RPC)
- argonaut-client : client to interact with argonaut-server
- argonaut-fuse : FUSE tftp component that manage pxelinux.cfg directory and create files for PXE boot from LDAP

#### Argonaut Modules

- argonaut-server-module-fai : FAI module for argonaut-server, it add FAI deployment functions
- argonaut-server-module-opsi : OPSI module for argonaut-server, it add OPSI deployment functions
- argonaut-fuse-module-fai : FAI module for argonaut-fuse, create files for PXE boot from LDAP for FAI
- argonaut-fuse-module-opsi : OPSI module for argonaut-fuse, create files for PXE boot from LDAP For OPSI
- argonaut-dovecot : Dovecot module that create users directories for the mailbox from FusionDirectory

#### Argonaut Applications

- argonaut-ldap2zone : tool that create bind files with information from FusionDirectory
- argonaut-quota : tool that grab quota information from FusionDirectory and create it on the system
- argonaut-samba : program to create samba share from FusionDirectory
- argonaut-fusiondirectory : program that complement a plugin in FusionDirectory, currently has **argonaut-user-reminder** and **argonaut-clean-audit**

#### Debian components

- argonaut-fai-server : package to install on FAI server (not in NFSROOT)
  - argonaut-fai-monitor : grab installation status from FAI and send it to argonaut-server (need argonaut-client)
  - fai2ldif : tool that convert FAI classes in LDIF that we can insert in LDAP
- argonaut-fai-nfsroot : integration package for FAI NFSROOT
  - argonaut-ldap2fai : create FAI classes in /var/lib/fai/config from LDAP
  - get-config-dir-argonaut : LDAP method for FAI
- argonaut-fai-mirror
  - argonaut-repository : create script to update local mirrors (cron.daily) that are in FusionDirectory
  - argonaut-debconf-crawler : extract debconf from packages in a distant repository

## Centos components

- argonaut-fai-monitor : grab installation status from FAI and send it to argonaut-server (need argonaut-client)
- yumgroup2yumi : convert yumgroups into yumi in a ldif file so it can be imported into FusionDirectory FAI management interface

### 3.4.2 User-Reminder

Argonaut User-Reminder

#### Description

The user-reminder application is used to send mail to users warning that the account will expire and provide a way of extending it if needed

#### Installation

##### Install packages

###### Debian

```
apt-get install argonaut-fusiondirectory
```

###### RHEL

```
yum install argonaut-fusiondirectory
```

#### Functionalities

The user-reminder application is used to send mail to users warning that the account will expire and provide a way of extending it if needed

You will need the user-reminder plugin installed into FusionDirectory to make it work

#### How it works

Argonaut-user-reminder look at different source (posix, ppolicy, supann) and can send a mail or make the account expire

The arguments are the following :

- --help
- --verbose
- --posix
- --ppolicy
- --supann
- --all (posix, ppolicy and supann)
- --supan-update (maintain the supann workflow through webservice it need the REST configuration in argonaut.conf)

Depend on which source you want to use you also need the FusionDirectory plugin that match (posix, ppolicy, supann)  
You run argonaut-user-reminder in a cron so that it keep all the informations updated

### Examples

```
# Expiration for all
argonaut-user-reminder --verbose --all
# Expiration for ppolicy
argonaut-user-reminder --verbose --ppolicy
# Expiration for posix
argonaut-user-reminder --verbose --posix
# Expiration for supann
argonaut-user-reminder --verbose --supann
# Maintain supann workflow through webservice
argonaut-user-reminder --verbose --supann-update
```

### 3.4.3 Clean-Audit

Argonaut Clean-Audit

#### Description

The clean-audit application is used to purge old audit entries stored by the FusionDirectory audit plugin

#### Installation

##### Install packages

###### Debian

```
apt-get install argonaut-fusiondirectory
```

###### RHEL

```
yum install argonaut-fusiondirectory
```

#### Functionalities

The clean-audit application is used to purge audit entries after a selected amount of time  
You will need the audit plugin installed into FusionDirectory to make it work

## How it works

Argonaut-clean-audit look at conservation delay in FusionDirectory configuration, by default its 120 days

When run argonaut-clean-audit it will purge all the entries older than the number of days mentionned in FusionDirectory config

The arguments are the following :

— verbose

You run argonaut-clean-audit in a cron so that it purge older audit entries

## Examples

```
# Basic clean audit run
argonaut-clean-audit
# Clean audit run in verbose mode
argonaut-clean audit --verbose
```

## 3.5 Contribute

There is a complete set of guidelines that you should read

[Contributing to Argonaut](#)

[Develop with Argonaut](#)

## 3.6 License

FusionDirectory is available under the [GNU General Public License 2.0](#)

FusionDirectory documentation is under the [Creative Commons Attribution-ShareAlike 4.0 International \(CC BY-SA 4.0\)](#)

**orphan**



# CHAPITRE 4

---

## Support

---

FusionDirectory Support Options

### 4.1 Professional paid support

FusionDirectory helps you keep FusionDirectory running smoothly

Why choose FusionDirectory ?

- You are the publishers of FusionDirectory.
- We have over 16 years experience in the support of LDAP directories and applications directory management.
- We support and maintains OpenLDAP architectures for various entities from small to very big on a daily basis
- We maintain and develop the [PHP LDAP](#) module

You are sure to get :

- Answers to your questions about FusionDirectory by phone, email or web,
- Packages containing bug fixes between two stable versions
- Assistance for the development of FusionDirectory modules tailored to your needs,
- Assistance on the update of FusionDirectory
- A technician on site if the situation requires.

Support Options :

- Get [support for your FusionDirectory instance](#)
- Get [training for your daily use of FusionDirectory](#)
- Get [support on specialized plugins of FusionDirectory](#)

## 4.2 Community support

For any question regarding FusionDirectory support (installation, configuration, usage, etc...), the preferred way to get some support is through the [mailing list](#) or [irc](#).

# CHAPITRE 5

---

## Security

---

### 5.1 Digital signature

Our official packages for Debian and Centos/RHEL are signed with the official gpg key of the project.

#### 5.1.1 Official gpg key

```
pub    rsa4096/0xD744D55EACDA69FF 2017-07-02 [SC] [expire : 2022-07-01]
      A94DE63F2EDB5F0DC0785EBBD744D55EACDA69FF
uid          [ totale ] FusionDirectory Project Signing Key
      ↳<contact@fusiondirectory.org>
```

Our official development packages for Debian and Centos/RHEL are signed with the official development gpg key of the project.

#### 5.1.2 Development gpg key

```
pub    rsa2048/0xADD3A1B88B29AE4A 2014-02-25 [SC]
      8ABF887BF6254D6F57B82069ADD3A1B88B29AE4A
uid          [ totale] FusionDirectory Packagers <fusiondirectory-
      ↳packages@lists.fusiondirectory.org>
```

## 5.2 Security issues

If you find a security issue inside FusionDirectory you can report it to directly to security team [security@fusiondirectory.org](mailto:security@fusiondirectory.org).

you can sign your message with the public key from

**Benoit Mortier 0xEF2FF1E48638EAD1**

# CHAPITRE 6

---

## Authors

---

This is the alphabetical list of all people that have contributed to the FusionDirectory project, beeing code, translations, documentation and additional help.

As FusionDirectory is originaly a fork from GOsa<sup>2</sup> you also have a list of GOsa<sup>2</sup> Contributors

### 6.1 Original GOsa<sup>2</sup> AUTHORS

This is the alphabetical list of all people that have contributed to the original GOsa<sup>2</sup> project before the fork to Fusion-Directory

- Markus Amersdorfer <[der.plusch@subnet.at](mailto:der.plusch@subnet.at)>
- Wiki setup, Testing, hints, proposals
- Alessandro Amici <[a.amici@bopen.it](mailto:a.amici@bopen.it)>
- Italian translation
- Craig Chang <[craig0310@gmail.com](mailto:craig0310@gmail.com)>
- Fixes for magic\_quotes\_qpc
- Guillaume Delecourt <[guillaume.delecourt@opensides.be](mailto:guillaume.delecourt@opensides.be)>
- Setup fixes, nagios tab plugin, xls addons ldapmanager
- pptp connectivity option, phpscheduleit connectivity option
- Alejandro Escanero Blanco <[aescanero@chaosdimension.org](mailto:aescanero@chaosdimension.org)>
- Fixes, improvements, translation, netgroup plugin, Guide and some extensions
- Fabian Hickert <[hickert@gonicus.de](mailto:hickert@gonicus.de)>
- Improvements for setup, various fixes and plugins
- Niels Klomp <[nk@careworks.nl](mailto:nk@careworks.nl)>
- Dutch translation
- Steve Moitozo <god at zilla dot us>
- Password checker
- Benoit Mortier <[benoit.mortier@opensides.be](mailto:benoit.mortier@opensides.be)>
- Butracking, QA, French translation
- Igor Muratov <[migor@altlinux.org](mailto:migor@altlinux.org)>
- Various fixes and speed enhancements
- Michael Pasdziernik <[mp@secio.de](mailto:mp@secio.de)>

- Documentation for GOsa and safe-mode, fixes
- Cajus Pollmeier <pollmeier@gonicus.de>
  - Virtually everything which is GOsa related
- Piotr Rybicki <meritus@innervision.pl>
  - Polish translation
- Henning Schmiedehausen <hps@intermeta.de>
  - Various fixes, support for user defined people/group base
- Alfred Schröder <schroeder@gonicus.de>
  - German translation
- Jan Wenzel <jan.wenzel@gonicus.de>
  - Implementation and research for samba munged dial support,
  - fixing of « Fiptehlers »(TM) in the german translations.
- Leila El Hitori <leila.elhitori@opensides.be>
  - French online documentation
  - English online documentation
- Vincent Seynhaeve <vincent.seynhaeve@opensides.be> \* Xls export plugin
- Leonid Bogdanov <leonid\_bogdanov@mail.ru>
  - patch for the manager fonctionnality in the General user tab
- Olivier BONHOMME <obonhomme@nerim.net>
  - Corrected RPM building

## 6.2 FusionDirectory AUTHORS

This is the alphabetical list of all people that have contributed to the FusionDirectory project, beeing code, translations, documentation and additional help.

- Benjamin Carpentier <carpentierbenjamin@gmail.com>
  - Tested FusionDirectory, corrected copyright issues and locales
  - Written fusiondirectory-setup
- Giuliano Di Vito <guiliano@opensides.be>
  - Italian Translator and bug finder
- Roman Widmann <archme.mail@gmail.com>
  - Arch linux packager
- Bernigaud Côme <come.bernigaud@laposte.net>
  - New daemon code class\_supportDaemon.inc, and all the new deployment stuff :)
  - Simple plugin framework developper
- Alexis Michon <alexis.michon@ibcp.fr>
  - Testing, First version of Password reset
  - Support for two or more MAC address for a system
- Mike Gabriel <mike.gabriel@das-netzwerkteam.de>
  - Various patches from debian-edu
  - Apache 2.4 support
  - Mcrypt decrypt enhancement
  - Browsing inactive tab
- Jeremy Willame <williamjeremy@hotmail.com>
  - Cleanup and writer of the FusionDirectory doxygen api documentation
- Rudy Hardeman <zarya@gigafreak.net>
  - Option to remove sambaLMpassword storage
- Feth Arezki <feth@majerti.fr>
  - First version of the autofs plugin
- Daniel B <daniel@firewall-services.com>
  - Cleanup of the sambaPwdMustChange, sambaPwdCanChange
- Regis patronix <regis.patroix@thecosmocompany.com>

- Allow special characters in passwords
- Antoine Gallavardin <[antoine.gallavardin@free.fr](mailto:antoine.gallavardin@free.fr)>
- Add support for social network ORCID in personal
- Dhcp plugin patch to manage key and update zone in dhcp for dyndns
- First version of the quota plugin
- First version of the supann plugin
- First version of the board plugin
- Sergio Talens-Oliag <[sto@iti.es](mailto:sto@iti.es)>
- Configuration setting to force the use of a hash when setting or changing passwords
- Add support for crypt/sha-256 and crypt/sha-512
- Use the passwordDefaultHash for new users
- Fix for icons in core plugins
- Provide a way to show hook execution results to the user via web
- Hide userPassword on change\_password postmodfy hook error message
- Stefan Krüger <[shadow\\_7@gmx.net](mailto:shadow_7@gmx.net)>
- Add support for various database to the rsyslog plugin
- Guillaume Chéramy <[guillaume@cheramy.name](mailto:guillaume@cheramy.name)>
- Patches for the template system
- Mathias Friman [mathias.friman@knorca.se](mailto:mathias.friman@knorca.se)
- Translation to swedish
- Alexandre Magnat <[alexandre.magnat@mecaprotec.fr](mailto:alexandre.magnat@mecaprotec.fr)>
- Snapshot bug reporter
- Guillaume RODRIGUEZ <[rodriguez.guillaume@icloud.com](mailto:rodriguez.guillaume@icloud.com)>
- asterisk plugin error reporter
- Guillard Olivier <[fd@guillard.nom.fr](mailto:fd@guillard.nom.fr)>
- SSH plugin key storage problem reporter
- Fabien Brachere <[fabien.brachere@e-tera.com](mailto:fabien.brachere@e-tera.com)>
- Fix support for special caracters in password
- Arnaud Patard <[apatard@hupstream.com](mailto:apatard@hupstream.com)>
- Fix for Invalid uri in the password recovery mail
- Fix for start tls on fusiondirectory setup and gnutls
- Adrian Reyer <[are+fd@lihas.de](mailto:are+fd@lihas.de)>
- Modifier for templates to convert german umlauts to 7-bit ASCII
- Samuel Bosquin <[samuel.bosquin@ibcp.fr](mailto:samuel.bosquin@ibcp.fr)>
- Plugin FAI - LVM partitions
- IOhannes umlaeute <[noc@iem.at](mailto:noc@iem.at)>
- generateLdif() fails with bind-passwords containg “\$” patch
- Karsten Becker <[karsten.becker@ecologic.eu](mailto:karsten.becker@ecologic.eu)>
- Suse install from tarballs Documentation
- Felix Weissbeck <[contact-fusiondirectory@w7k.de](mailto:contact-fusiondirectory@w7k.de)>
- Method to add a change password dialog on sasl+kerberos
- Tobias Göbel
- Fixes for PHP7 compatibility
- Christian Kreidl <[christian.kreidl@ziti.uni-heidelberg.de](mailto:christian.kreidl@ziti.uni-heidelberg.de)>
- ppolicy improvement
- Martin Hamant <[mh@ow2.org](mailto:mh@ow2.org)>
- Coded the LockUser fonction for the webservice
- Jonathan Swaelens <[jonathan@opensides.be](mailto:jonathan@opensides.be)>
- QA on FusionDirectory
- RPM packaging maintener and ArchLinux Packager
- Timothée Giet <[timo@timotheegiet.com](mailto:timo@timotheegiet.com)>
- New breezy icon Theme
- Clement Oudot <[clem.oudot@gmail.com](mailto:clem.oudot@gmail.com)>
- HTTP header authentication

- Password expiration date in dashboard
- Thomas Niercke <[thomas@niercke.de](mailto:thomas@niercke.de)>
- Code and ideas for making Argonaut Events Extensible
- Paola Penati <[paolapenati@hotmail.com](mailto:paolapenati@hotmail.com)>
- Italian translation of FusionDirectory and the website
- Martin Hamant <[mh@ow2.org](mailto:mh@ow2.org)>
- Adding DSA accounts into groups
- Mathias Soupault <[mathias.soupault@inalco.fr](mailto:mathias.soupault@inalco.fr)>
- Making supannAliasLogin usage possible in password recovery
- Patzke Thomas <[thomas.patzke2@thyssenkrupp.com](mailto:thomas.patzke2@thyssenkrupp.com)>
- Security and vulnerability testing
- Janne Heß
- Enhance the login and password reset theme
- Peter Linss
- Added catchall table to postfix plugin

## 6.3 FusionDirectory libraries

This is the alphabetical list of libraries and their authors that FusionDirectory is using

- Dan Ellis <[danelis@rushmore.com](mailto:danelis@rushmore.com)>
- class\_sieve.inc
- Eric Kilfoil <[eric@ipass.net](mailto:eric@ipass.net)>
- ldap.inc
- Thomas Schüßler <[tulpe@atomar.de](mailto:tulpe@atomar.de)>
- debuglib.inc
- Wouter Verhelst <[wouter@debian.org](mailto:wouter@debian.org)>
- accept-to-gettext.inc
- Steve Moitozo <[god@zilla.us](mailto:god@zilla.us)>
- pwdStrength.js
- Roland Gruber
- class\_smbHash.inc
- Knallgrau New Medias Solutions GmbH
- pulldown.js
- Mathieu Jondet <[mathieu@eulerian.com](mailto:mathieu@eulerian.com)>
- datepicker.js

# CHAPITRE 7

---

## Contact Us

---

We are also contactable on :

- Mailing list : <https://lists.fusiondirectory.org/wws/lists>
- IRC : #fusiondirectory on irc.freenode.org <irc://irc.freenode.org/fusiondirectory>

Follow Us

- On twitter : <https://twitter.com/fusiondirectory>
- On linkedin : <https://www.linkedin.com/company/fusiondirectory>



# CHAPITRE 8

---

## Code of Conduct

---

### 8.1 Our Pledge

In the interest of fostering an open and welcoming environment, we as contributors and maintainers pledge to making participation in our project and our community a harassment-free experience for everyone, regardless of age, body size, disability, ethnicity, gender identity and expression, level of experience, nationality, personal appearance, race, religion, or sexual identity and orientation.

### 8.2 Our Standards

Examples of behavior that contributes to creating a positive environment include :

- Using welcoming and inclusive language
- Being respectful of differing viewpoints and experiences
- Gracefully accepting constructive criticism
- Focusing on what is best for the community
- Showing empathy towards other community members

Examples of unacceptable behavior by participants include :

- The use of sexualized language or imagery and unwelcome sexual attention or advances
- Trolling, insulting/derogatory comments, and personal or political attacks
- Public or private harassment
- Publishing others' private information, such as a physical or electronic address, without explicit permission
- Other conduct which could reasonably be considered inappropriate in a professional setting

## 8.3 Our Responsibilities

Project maintainers are responsible for clarifying the standards of acceptable behavior and are expected to take appropriate and fair corrective action in response to any instances of unacceptable behavior.

Project maintainers have the right and responsibility to remove, edit, or reject comments, commits, code, wiki edits, issues, and other contributions that are not aligned to this Code of Conduct, or to ban temporarily or permanently any contributor for other behaviors that they deem inappropriate, threatening, offensive, or harmful.

## 8.4 Scope

This Code of Conduct applies both within project spaces and in public spaces when an individual is representing the project or its community. Examples of representing a project or community include using an official project e-mail address, posting via an official social media account, or acting as an appointed representative at an online or offline event. Representation of a project may be further defined and clarified by project maintainers.

## 8.5 Enforcement

Instances of abusive, harassing, or otherwise unacceptable behavior may be reported by contacting the project team at [coc@fusiondirectory.org](mailto:coc@fusiondirectory.org). All complaints will be reviewed and investigated and will result in a response that is deemed necessary and appropriate to the circumstances. The project team is obligated to maintain confidentiality with regard to the reporter of an incident. Further details of specific enforcement policies may be posted separately.

Project maintainers who do not follow or enforce the Code of Conduct in good faith may face temporary or permanent repercussions as determined by other members of the project's leadership.

## 8.6 Attribution

This Code of Conduct is adapted from the [Contributor Covenant](#), version 1.4, available at <https://www.contributor-covenant.org/version/1/4>

**orphan**